

Wilma Kelly Purchasing Manager City of Alexandria Purchasing Department P.O. Box 71 Alexandria, Louisiana 71309-0071



Office: (318) 441-6180 Fax: (318) 441-6185

ADDENDUM #2

BID # 2529 ANNUAL VEHICLE BID-CURRENT MODEL YEAR OR NEW BID OPENING: TUESDAY, JULY 1, 2025

Date: June 27, 2025

From: JoAnn Swain, Senior Buyer City of Alexandria Purchasing Department

Please accept this e-mail or fax, as our official notification changes in the bid specifications for the above mentioned bid.

Instructions:

Change 1: Addendum Letter #1, Page 1, Add "Bid #2529" instead of "Bid #529."

Please disregard original bid packet and replace with new bid packet.

Please be sure the above mentioned amended bid has been replaced before submitting your bid packet to the City Clerk's Office. Failure to replace bid packet as instructed above will be grounds for bid rejections.

If you have questions, please do not hesitate to give me a call at (318) 441-6182 or (318) 441-6180.

Joan Swain

| Wilma Kelly Purchasing Manager | City of Ale Purchasing D P.O. Bo Alexandria, I 71309-0 | epartment x 71 Louisiana | Alexandria Jouisiana Office: (318) 441-6180 Fax: (318) 441-6185 |
|--|--|---|---|
| Sealed bids will be received unti Tuesday, July 1, 2025 , and <u>publ</u> the Council Chambers or Counci | icly opened in | Page: 1B of 69B | a Bid Proposal #2529 ns Prepared: May 30, 2025 |
| Bid Bond Requirements: A bid bond or check for <u>N/A%</u> of the total amount of bid. <u>Performance Bond Requirements:</u> In the event bid is accepted, a performance bond shall be required in the amount of <u>N/A%</u> . | | <u>Donna</u> City of A 91 Alexan | e bid with the following: a Jones, City Clerk Mexandria - City Hall 15 Third Street P.O. Box 71 dria, LA 71309-0071 one: 318-449-5047 |
| INTRODUCTION | | | |

-

ANNUAL VEHICLE BID FOR CURRENT MODEL YEAR OR NEW

It is the intent of the City of Alexandria to secure pricing on Annual Vehicle Bid for Current Model Year or New, for use by all City of Alexandria departments. Vehicle purchases are made on an "As Needed" basis only; <u>NO quantities are given or guaranteed</u>. The successful bidder must supply the vehicles at the prices as bid, for the current or New model year. THE CITY OF ALEXANDRIA WILL CONSIDER REQUEST FOR ESCALATION OR DE-ESCALATION AT MANUFACTURER COST PER YEAR MODEL.

All vehicles shall be new, un-used. Bid prices shall be for a complete unit ready for use. Each unit shall be equipped with the manufacturer's equipment and accessories which are included as "standard" in the advertised and published literature for the unit. No such item(s) of equipment shall be removed or omitted for the reason that it was not specified in the bid documents.

Vendors shall submit bid prices on <u>ALL</u> specified vehicles which are available from their manufacturer, as well as <u>ALL</u> listed options available from their manufacturer for each of these vehicles.

All bid prices shall <u>include any and all freight charges</u>. All products are to be shipped F.O.B., freight pre-paid, to the City of Alexandria Motor Pool, located at 2021 Industrial Park Road, Building V, Alexandria, LA 71303.

In comparing proposals, consideration will not be confined to price only. Award will be made to the most qualified bidder determined by the City of Alexandria to have the best bid based upon price, delivery, experience, service and other considerations pertinent to the acceptability of the contract.

Note: A <u>mandatory</u> pre-bid conference shall be held on <u>Thursday June 12, 2025, at 10:00 AM</u>, at the City of Alexandria Purchasing Department, located at 2021 Industrial Park Road, Building WH, Alexandria, LA 71303. <u>All vendors</u> wishing to submit bid proposals for this project "<u>MUST ATTEND</u>" this pre-bid conference. Pursuant to LA R.S. 38:2212 (I), all prospective bidders shall be present at the beginning of this pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration, shall be prohibited from submitting a bid.

BIDDERS ACKNOWLEDGE RECEIPT OF ADDENDUM #2 DATED JUNE 27, 2025

GENERAL CONDITIONS FOR BIDDERS - PLEASE READ CAREFULLY

1. Pursuant to LA R.S 38:2212.1. C.(1)(2), any manufacturer's preference in this proposal is descriptive, but non-restrictive, and is used only to indicate minimum requirement for type, grade and quality unless otherwise specified.

2. Pursuant to LA R.S. 38:2212 B.(1), the provisions and requirement of this bid shall not be considered as informalities and shall not be waived by the City of Alexandria. Therefore, conditions and specifications on this bid form shall be strictly enforced and any and all alterations, deviations, and non-compliance to said conditions and specifications, either on the bid form or by separate attachment, shall be grounds for immediate disqualification.

3. Preference shall be given to bidders quoting F.O.B. Destination (the City of Alexandria using department), FREIGHT PREPAID, unless otherwise requested.

4. Each bidder shall submit his proposal on the proposal form furnished by the City of Alexandria Purchasing Department. The complete bid package must be returned as issued by the City with all pages intact and all specification response columns filled in. Incomplete columns or missing pages, to include addendum pages, shall result in the vendor's entire bid package being rejected.

5. Literature, brochures, and other related paperwork attached to the bid should be identified with the name of the bidder and bid item number.

6. In case of a mathematical discrepancy between unit price and extensions, the unit price shall prevail.

7. Pursuant to LA R.S. 38:2212 F., the bid specifications may contemplate a fixed escalation or de-escalation in accordance with the United States Bureau of Labor Statistic's Consumer Price Index or the Producer Price Index. Bids based on specifications which are subject to a recognized escalation index shall be legal and valid for any item of a public work, at the discretion of the City.

8. Pursuant to LA R.S. 38:2212.1. F., any public procurement unit may participate in a cooperative purchasing agreement with the City of Alexandria to acquire quantities of the above listed items under a contract with the City of Alexandria for items awarded by public bid, pursuant to the cooperative purchasing provisions of Part VII of Chapter 17 of Subtitle III of Title 39 of the Louisiana Revised Statures of 1950, R.S. 39:1701 et seq.

9. The City of Alexandria reserves the right to award by item or by total bid, unless otherwise specified in the bid specifications. (Price(s) should be itemized.)

10. All erasures or corrections on the bid form must be initialed and the City of Alexandria may rely on the apparent authority represented by the initials.

11. The City of Alexandria reserves the right to reject for cause any and all bids or parts of bids, or accept bids most beneficial to the City.

12. Any bid submitted which contains additions, conditional or alternate bids, or irregularities which may make the proposal incomplete, indefinite, or ambiguous as to its meaning, thus requiring clarification after the specified date and time of bid opening shall be rejected.

13. Bids shall be opened publicly in the City Council Chambers or Council Committee Room.

14. Cash discounts may be accepted, but <u>SHALL NOT</u> be considered in making award.

General Conditions for Bidders - Please Read Carefully (Continued)

15. Regarding a bid for purchase of materials, supplies or services, not to include construction of any public works, a written notice of acceptance mailed or otherwise furnished to the successful bidder shall result in a binding contract without further action by either party.

16. When any bid is accepted for the construction or doing of any public works, a written contract shall be executed by and between the City of Alexandria and the Contractor. No contract shall be binding upon the City until it has been executed by the City and delivered to the successful bidder. Should the bidder to whom the contract is awarded fail to execute the contract, the award shall then be made to the next lowest responsible bidder, or re-advertised for public bid, said decision to be in the sole judgment of the City of Alexandria. This action may result in the loss of bidding privileges for a period of one (1) year.

17. The City of Alexandria shall schedule for payment the invoices for articles or services purchased under this bid within thirty (30) days after due and proper delivery accompanied by invoice.

18. The City of Alexandria is exempt from all sales taxes. A sales tax exempt form shall be furnished by the City of Alexandria Purchasing Department, if requested.

19. Bidder(s) awarded item(s) by the City of Alexandria shall be responsible for supplying all products at the awarded price(s). Failure may result in the City's cancellation of the remaining items awarded.

20. Regarding Service Contracts and Procurement Contracts, the terms of the contract shall be binding upon any and all parties involved until goods and supplies are delivered, services have been rendered, and/or work has been completed and accepted by the Mayor on behalf of the City of Alexandria and all payments required to be made to the Contractor have been made. However, a contract may be terminated under any and all of the following conditions:

- (a) By mutual agreement and consent of either party upon thirty (30) days written notice to the other party;
- (b) By the Mayor, on behalf of the City of Alexandria, as a consequence of the failure of the Contractor to comply with the terms and conditions of the contract or the progress or quality of work to be performed in a satisfactory manner, proper allowance being made for circumstances beyond the control of the Contractor; or
- (c) By satisfactory completion of all services and obligations described in the contract.

If the contract is terminated for any of the terms and conditions authorized in sub-paragraph (b) above, Contractor shall be formally notified in writing by the City of Alexandria Purchasing Department by means of certified mail informing him of cancellation of the contract, giving specific reasons for said cancellation. Contractor shall have the right to appeal to the City Council within ten (10) days from the date that said notification is placed in the U.S. Mail. Contractor's appeal shall be accomplished by means of a letter addressed to the City Council and delivered to the City Clerk, stating that an appeal to the decision of cancellation is desired. The City Council shall thereafter hold a hearing on the appeal, giving all parties the opportunity to present any and all evidence concerning the decision of cancellation. After hearing the appeal, the city Council may, by a majority vote, sustain, modify, or reverse the findings for said decision and shall provide, if requested by Contractor, a written determination of its findings.

21. Contractors submitting bids for Public Works construction projects in excess of \$1.00 must show his Contractor's License Number on the front of the bid envelope, except for certain projects for which a Contractor's License Number is not required by the State Contractor's Licensing Board. Failure to comply with this directive shall result in automatic bid rejection, furthermore, any Contractor who submits a bid for a type of construction for which he is not properly licensed shall be acting in violation of LA R.S. 37:2163, and shall be subject to all provisions for violation and penalties thereof.

General Conditions for Bidders - Please Read Carefully (Continued)

Contractors who are owned by, and are submitting a bid as a subsidiary of a parent company, whose name is listed in the State of Louisiana's Roster of Licensed Contractors, may do so by including a letter of proof of ownership from the parent company with the submitted bid package. The letter must be signed as per LA R.S. 38:2212 B.(5)(a)(b)(c) (see Item #22 below).

22. <u>All bids submitted via USPS (registered or certified), overnight courier or hand delivered, shall be signed by hand</u> and in ink by an authorized company representative per LA R.S. 38:2212 B.(5)(a)(b)(c), which states:

(c)(i) Evidence of agency, corporate, or partnership authority shall be required for submission of a bid to the division of administration or the State of Louisiana. The authority of the signature of the person submitting the bid shall be deemed sufficient and acceptable if any of the following conditions are met:

(aa) The signature on the bid is that of any corporate officer listed on the most current annual report on file with the Secretary of State, or the signature on the bid is that of any member of a partnership or partnership in commendam listed in the most current partnership records on file with the Secretary of State.

(bb) The signature on the bid is that of an authorized representative of the corporation, partnership, or other legal entity and the bid is accompanied by a corporate resolution, certification as to the corporate principle, or other documents indicating authority which are acceptable to the public entity.

(cc) The corporation, partnership, or other legal entity has filed in the appropriate records of the Secretary of State in which the public entity is located, an affidavit, resolution, or other acknowledged or authentic document indicating the names of all parties authorized to submit bids for public contracts. Such document on file with the Secretary of State shall remain in effect and shall be binding upon the principal until specifically rescinded and canceled from the records of the office.

23. In-State preferences shall not apply to procurements involving federal funds.

24. Pursuant to LA R.S. 38:2212 O.(2)(a)(b), any modifications of plans and specifications will be made through an addendum. No addendum shall be issued within seventy-two (72) hours of the bid opening, excluding weekends and legal holidays, without the extension of the bid opening date. An extension of at least seven (7) but no more than thirty (30) working days is required but, re-advertising is not required. The addendum shall be transmitted by any one of the following methods: (1) facsimile transmission; (2) e-mail; (3) by hand; or (4) posted on the City of Alexandria's website (www.cityofalexandriala.com) and posted on Central Bidding's website (www.centralauctionhouse.com) if applicable.

25. All Federal Transit Administration (FTA) funded procurements, including operating assistance funding contracts, are to follow the *Master Agreement*, to include all applicable federal clauses.

a. Any bidder that is found listed on the Federal Government's *System for Award Management* (SAM) website, at <u>www.sam.gov/portal/sam</u>, under the advanced search feature for *Excluded Parties List System* (EPLS), shall automatically be rejected for the award of this bid, by Category and/or in its entirety. This applies to any portion of the bid that is a procurement funded by FTA.

26. Under the City's *AFEAT* (Alexandria Fairness, Equality, Accessibility, and Teamwork Program), participation by minority and/or disadvantaged business enterprise firms is encouraged. Inquiries about the *AFEAT* Program should be directed to the Division of Finance. As a part of its RFP response, each Bidder <u>shall</u> submit documentation of its bona fide effort to secure subcontractors that meet the City's AFEAT goals. Each bidder <u>shall</u> also submit proof of engagement of any subcontractor selected because of its solicitations. The Bidder's bona fide efforts and engagement(s) are a consideration in bid review and rating.

Alexandria Fairness, Equality, Accessibility, and Teamwork Program (AFEAT)

Dear Vendor:

Under the City's AFEAT (Alexandria Fairness, Equality, Accessibility, and Teamwork Program), participation by minority and/or disadvantaged business enterprise firms is encouraged. The AFEAT Program should be inquired about through the Division of Finance. The goals for qualifying disadvantaged, minority and female owned business in the use of professional service agreements with prime contractors will help effectuate the goals of increasing: the competitive viability of small business, minority, and women business enterprise by providing contract, technical, educational, and management assistance; business ownership by small business persons, minority persons, and women (including professional service opportunities); and the procurement by the City of professional services, articles, equipment, supplies, and materials from business concerns owned by small business concerns, minority persons, and women.

Prime contractors offering subcontracting should take specific action to ensure that a bona fide effort is made to achieve maximum results towards meeting the established goals. Primes shall document efforts and shall implement steps at least as extensive as the following in a good faith effort to reach or exceed the established goals:

- A. Establish and maintain a current list of minority and female owned businesses in Alexandria, in Rapides Parish, and in the State of Louisiana.
- B. Document and maintain a record of all solicitations of offers for subcontracts from minority or female construction contractor and suppliers in Alexandria, in Rapides Parish, and in the State of Louisiana.
- C. Secure listing of minority and women owned businesses from the City of Alexandria Purchasing Department, the Central Louisiana Business Incubator, and the State of Louisiana Department of Minority Affairs.
- D. Participate in associations which assist in promoting minority and women owned businesses such as the Central Louisiana Business League, the Central Louisiana Business Incubator, and the Entrepreneurial League System.
- E. Designate a responsible official to monitor all activity made in the effort to achieve or exceed the established goals; record contacts made, subcontracts entered into with dollar amounts, and other relevant information.

For more information on AFEAT and the City of Alexandria's Diversity in Action Initiative, and to explore a local and statewide directory of minority businesses, please visit <u>www.diversityinaction.org</u>. Should you have any questions or comments, please do not hesitate to contact our Finance Department at 318-449-5091 or our Purchasing Department at 318-441-6180.

As a part of its RFP response, each Bidder *shall* submit documentation of its bona fide effort to secure subcontractors that meet the City's AFEAT goals. Each bidder *shall* also submit proof of engagement of any subcontractor selected because of its solicitations. The Bidder's bona fide efforts and engagement(s) are a consideration in bid review and rating.

Sincerely,

City of Alexandria

FEDERAL TRANSIT ADMINISTRATION (FTA) REQUIREMENTS

BREACHES AND DISPUTE RESOLUTION; 49 CFR Part 18; FTA Circular 4220.1D

Disputes -Disputes arising in the performance of this Contract which are not resolved by agreement of the parties shall be decided in writing by the authorized representative of (Recipient)'s [title of employee]. This decision shall be final and conclusive unless within [ten (10)] days from the date of receipt of its copy, the Contractor mails or otherwise furnishes a written appeal to the [title of employee]. In connection with any such appeal, the Contractor shall be afforded an opportunity to be heard and to offer evidence in support of its position. The decision of the [title of employee] shall be binding upon the Contractor and the Contractor shall abide be the decision.

Performance During Dispute -Unless otherwise directed by (Recipient), Contractor shall continue performance under this Contract while matters in dispute are being resolved.

Claims for Damages -Should either party to the Contract suffer injury or damage to person or property because of any act or omission of the party or of any of his employees, agents or others for whose acts he is legally liable, a claim for damages therefore shall be made in writing to such other party within a reasonable time after the first observance of such injury of damage.

Remedies -Unless this contract provides otherwise, all claims, counterclaims, disputes and other matters in question between the (Recipient) and the Contractor arising out of or relating to this agreement or its breach will be decided by arbitration if the parties mutually agree, or in a court of competent jurisdiction within the State in which the (Recipient) is located.

Rights and Remedies – The duties and obligations imposed by the Contract Documents and the rights and remedies available there under shall be in addition to and not a limitation of any duties, obligations, rights and remedies otherwise imposed or available by law. No action or failure to act by the (Recipient), (Architect) or Contractor shall constitute a waiver of any right or duty afforded any of them under the Contract, nor shall any such action or failure to act constitute an approval of or acquiescence in any breach there under, except as may be specifically agreed in writing.

CARGO PREFERENCE REQUIREMENTS; 46 U.S.C. 1241; 46 CFR Part 381

The contractor agrees:

- a. to use privately owned United States-Flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to the underlying contract to the extent such vessels are available at fair and reasonable rates for United States-Flag commercial vessels;
- b. to furnish within 20 working days following the date of loading for shipments originating within the United States or within 30 working days following the date of leading for shipments originating outside the United States, a legible copy of a rated, "on-board" commercial ocean bill-of -lading in English for each shipment of cargo described in the preceding paragraph to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590 and to the FTA recipient (through the contractor in the case of a subcontractor's bill-of-lading.)
- c. to include these requirements in all subcontracts issued pursuant to this contract when the subcontract may involve the transport of equipment, material, or commodities by ocean vessel.

FEDERAL TRANSIT ADMINISTRATION (FTA) REQUIREMENTS (CONTINUED)

<u>CIVIL RIGHTS REQUIREMENTS</u>; 29 U.S.C. § 623, 42 U.S.C. § 2000; 42 U.S.C. § 6102, 42 U.S.C. § 12112; 42 U.S.C. § 12132, 49 U.S.C. § 5332; 29 CFR Part 1630, 41 CFR Parts 60 et seq.

In accordance with Title VI of the Civil Rights Act, as amended, 42 U.S.C. § 2000d, section 303 of the Age Discrimination Act of 1975, as amended, 42 U.S.C. § 6102, section 202 of the Americans with Disabilities Act of 1990, 42 U.S.C. § 12132, and Federal transit law at 49 U.S.C. § 5332, the Contractor agrees that it will not discriminate against any employee or applicant for employment because of race, color, creed, national origin, sex, age, or disability. In addition, the Contractor agrees to comply with applicable Federal implementing regulations and other implementing requirements FTA may issue.

Equal Employment Opportunity - The following equal employment opportunity requirements apply to the underlying contract:

- a. Race, Color, Creed, National Origin, Sex In accordance with Title VII of the Civil Rights Act, as amended, 42 U.S.C. § 2000e, and Federal transit laws at 49 U.S.C. § 5332, the Contractor agrees to comply with all applicable equal employment opportunity requirements of U.S. Department of Labor (U.S. DOL) regulations, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor," 41 C.F.R. Parts 60 et seq., (which implement Executive Order No. 11246, "Equal Employment Opportunity," as amended by Executive Order No. 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," 42 U.S.C. § 2000e note), and with any applicable Federal statutes, executive orders, regulations, and Federal policies that may in the future affect construction activities undertaken in the course of the Project. The Contractor agrees to take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, color, creed, national origin, sex, or age. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer, recruitment or recruitment advertising, layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. In addition, the Contractor agrees to comply with any implementing requirements FTA may issue.
- b. Age In accordance with section 4 of the Age Discrimination in Employment Act of 1967, as amended, 29 U.S.C. § § 623 and Federal transit law at 49 U.S.C. § 5332, the Contractor agrees to refrain from discrimination against present and prospective employees for reason of age. In addition, the Contractor agrees to comply with any implementing requirements FTA may issue.
- c. Disabilities In accordance with section 102 of the Americans with Disabilities Act, as amended, 42 U.S.C. § 12112, the Contractor agrees that it will comply with the requirements of U.S. Equal Employment Opportunity Commission, "Regulations to Implement the Equal Employment Provisions of the Americans with Disabilities

Act," 29 C.F.R. Part 1630, pertaining to employment of persons with disabilities. In addition, the Contractor agrees to comply with any implementing requirements FTA may issue.

The Contractor also agrees to include these requirements in each subcontract financed in whole or in part with Federal assistance provided by FTA, modified only if necessary to identify the affected parties.

FEDERAL TRANSIT ADMINISTRATION (FTA) REQUIREMENTS (CONTINUED)

CLEAN AIR; 42 U.S.C. 7401 et seq; 40 CFR 15.61; 49 CFR Part 18

(1) The Contractor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act, as amended, 42 U.S.C. §§ 7401 et seq. The Contractor agrees to report each violation to the Purchaser and understands and agrees that the Purchaser will, in turn, report each violation as required to assure notification to FT A and the appropriate EPA Regional Office.

(2) The Contractor also agrees to include these requirements in each subcontract exceeding \$100,000 financed in whole or in part with Federal assistance provided by FTA.

CLEAN WATER REQUIREMENTS; 33 U.S.C. 1251

(1) The Contractor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Federal Water Pollution Control Act, as amended, 33 U.S.C. 1251 et .The Contractor agrees to report each violation to the Purchaser and understands and agrees that the Purchaser will, in turn, report each violation as required to assure notification to FTA and the appropriate EPA Regional Office.

(2) The Contractor also agrees to include these requirements in each subcontract exceeding \$100,000 financed in whole or in part with Federal assistance provided by FTA.

DAVIS-BACON ACT, AS AMENDED (40 USc. 3141-3148). When required by Federal program legislation, all prime construction contracts in excess of \$2,000 awarded by non-Federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. 31413144, and 3146-3148) as supplemented by Department of Labor regulations (29 CFR Part 5, "Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction "). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act (40 U.S.C. 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States")' The Act provides that each contractor or subrecipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled The non-Federal entity must report all suspected or reported violations to the Federal awarding agency.

CONTRACT WORK HOURS AND SAFETY STANDARDS ACT (40 U.S.C. §§ 3701-3708). Where applicable, all contracts awarded by the non-federal entity in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. §§ 3702 and 3704, as supplemented by Department of Labor regulations (29 C.F.R. part 5). Under 40 U.S.C. § 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer based on a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. § 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence.

FEDERAL TRANSIT ADMINISTRATION (FTA) REQUIREMENTS (CONTINUED)

DISADVANTAGED BUSINESS ENTERPRISE (DBE); 49 CFR Part 26

- a. This contract is subject to the requirements of Title 49, Code of Federal Regulations, Part 26, *Participation by Disadvantaged Business Enterprises in Department of Transportation Financial Assistance Programs.* The national goal for participation of Disadvantaged Business Enterprises (DBE) is 10%. The agency's overall goal for DBE participation is 10 %.
- b. The contractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of this DOT-assisted contract. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as {insert agency name} deems appropriate. Each subcontract the contractor signs with a subcontractor must include the assurance in this paragraph (see 49 CFR 26.13(b)).
- c. {*If no separate contract goal has been established, use the following*} The successful bidder/offeror will be required to report its DBE participation obtained through race-neutral means throughout the period of performance.
- d. The contractor is required to pay its subcontractors performing work related to this contract for satisfactory performance of that work no later than 30 days after the contractor's receipt of payment for that work from the {insert agency name}. In addition, [the contractor may not hold retainage from its subcontractors.] [is required to return any retainage payments to those subcontractors within 30 days after the subcontractor's work related to this contract is satisfactorily completed.] [is required to return any retainage payments acceptance of the subcontractor's work by the {insert agency name} and contractor's receipt of the partial retainage payment related to the subcontractor's work.]
- e. The contractor must promptly notify {insert agency name}, whenever a DBE subcontractor performing work related to this contract is terminated or fails to complete its work, and must make good faith efforts to engage another DBE subcontractor to perform at least the same amount of work. The contractor may not terminate any
- DBE subcontractor and perform that work through its own forces or those of an affiliate without prior written consent of {insert agency name}.

RIGHTS TO INVENTIONS Made Under a Contract or Agreement. If the federal award meets the definition of "funding agreement" under 3 7 C.F.R. § 401.2(a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with the requirements of 37 C.F.R. part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business. Firms Under Government Grants, Contracts and Cooperative Agreements, " and any implementing regulations issued by the awarding agency.

ENERGY CONSERVATION REQUIREMENTS; 42 U.S.C. 6321 et seq.; 49 CFR Part 18

The contractor agrees to comply with mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act.

FEDERAL CHANGES; 49 CFR Part 18

The contractor shall at all times comply with all applicable FTA regulations, policies, procedures and directives, including without limitation those listed directly or by reference in the Master Agreement (Form FTA MA (2), dated 10/95) between

FEDERAL TRANSIT ADMINISTRATION (FTA) REQUIREMENTS (CONTINUED)

Purchaser and FTA, as they may be amended or promulgated from time to time during the term of this contract. Contractor's failure to so comply shall constitute a material breach of this contract.

GOVERNEMENT-WIDE DEBARMENT AND SUSPENSION

This contract is a covered transaction for purposes of 49 CFR Part 29. As such, the contractor is required to verify that none of the contractor, its principals, as defined at 49 CFR 29.995, or affiliates, as defined at 49 CFR 29.905, are excluded or disqualified as defined at 49 CFR 29.940 and 29.945.

The contractor is required to comply with 49 CFR 29, Subpart C and must include the requirement to comply with 49 CFR 29, Subpart C in any lower tier covered transaction it enters into.

By signing and submitting its bid or proposal, the bidder or proposer certifies as follows:

The certification in this clause is a material representation of fact relied upon by City of Alexandria. If it is later determined that the bidder or proposer knowingly rendered an erroneous certification, in addition to remedies available to City of Alexandria, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment. The bidder or proposer agrees to comply with the requirements of 49 CFR 29, Subpart C while this offer is valid and throughout the period of any contract that may arise from this offer. The bidder or proposer further agrees to include a provision requiring such compliance in its lower tier covered transactions.

INCORPORATION OF FEDERAL TRANSIT ADMINISTRATION (FTA) TERMS; FTA Circular 4220.1D The preceding provisions include, in part, certain Standard Terms and Conditions required by DOT, whether or not expressly set forth in the preceding contract provisions. All contractual provisions required by DOT, as set forth in FTA Circular 4220.1E are hereby incorporated by reference. Anything to the contrary herein notwithstanding all FTA mandated terms shall be deemed to control in the event of a conflict with other provisions contained in this Agreement. The contractor shall not perform any act fail to perform any act, or refuse to comply with any City of Alexandria, LA requests which would cause the City of Alexandria, LA to be in violation of the FTA terms and condition.

The Contractor shall not perform any act, fail to perform any act, or refuse to comply with any (name of grantee) requests which would cause (name of grantee) to be in violation of the FTA terms and conditions.

The preceding provisions include, in part, certain Standard Terms and Conditions required by DOT, whether or not expressly set forth in the preceding contract provisions. All contractual provisions required by DOT, as set forth in FTA Circular 4220.1E are hereby incorporated by reference. Anything to the contrary herein notwithstanding all FTA mandated terms shall be deemed to control in the event of a conflict with other provisions contained in this Agreement. The contractor shall not perform any act fail to perform any act, or refuse to comply with any City of Alexandria, LA requests which would cause the City of Alexandria, LA to be in violation of the FTA terms and condition.

BYRD ANTI-LOBBYING AMENDMENT (31 US.C § 1352). Contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to the tier above that it will not and has not used federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, . a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any federal contract, grant or any other award covered by 31 US.C § 1352. Each tier must also disclose any lobbying with non-federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-federal award.

FEDERAL TRANSIT ADMINISTRATION (FTA) REQUIREMENTS (CONTINUED)

SOLID WASTES. A Recipient that is a state agency or agency of a political subdivision of a state and its contractors must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CF.R. part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the item exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative' procurement program for procurement of recovered materials identified in the EPA guidelines.

NO GOVERNMENT OBLIGATION TO THIRD PARTIES

1. The Purchaser and Contractor acknowledge and agree that, notwithstanding any concurrence by the Federal Government in or approval of the solicitation or award of the underlying contract, absent the express written consent by the Federal Government, the Federal Government is not a party to this contract and shall not be subject to any obligations or liabilities to the Purchaser, Contractor, or any other party (whether or not a party to that contract) pertaining to any matter resulting from the underlying contract.

2. The Contractor agrees to include the above clause in each subcontract financed in whole or in part with Federal assistance provided by FTA. It is further agreed that the clause shall not be modified, except to identify the subcontractor who will be subject to its provisions.

PRIVACY ACT; 5 U.S.C. 552

The Contractor agrees to comply with, and assures the compliance of its employees with, the information restrictions and other applicable requirements of the Privacy Act of 1974, 5 U.S.C. § 552a. Among other things, the Contractor agrees to obtain the express consent of the Federal Government before the Contractor or its employees operate a system of records on behalf of the Federal Government. The Contractor understands that the requirements of the Privacy Act, including the civil and criminal penalties for violation of that Act, apply to those individuals involved, and that failure to comply with the terms of the Privacy Act may result in termination of the underlying contract.

The Contractor also agrees to include these requirements in each subcontract to administer any system of records on behalf of the Federal Government financed in whole or in part with Federal assistance provided by FTA.

PROGRAM FRAUD AND FALSE OR FRAUDULENT STATEMENTS AND RELATED ACTS; 31 U.S.C. 3801 et seq.;

49 CFR Part 31; 18 U.S.C. 1001; 49 U.S.C. 5307

1. The Contractor acknowledges that the provisions of the Program Fraud Civil Remedies Act of 1986, as amended, 31 U.S.C. § 3801 et seq. and U.S. DOT regulations, "Program Fraud Civil Remedies," 49 C.F.R. Part 31, apply to its actions pertaining to this Project. Upon execution of the underlying contract, the Contractor certifies or affirms the truthfulness and accuracy of any statement it has made, it makes, it may make, or causes to be made, pertaining to the underlying contract or the FTA assisted project for which this contract work is being performed. In addition to other penalties that may be applicable, the Contractor further acknowledges that if it makes, or causes to be made, a false, fictitious, or fraudulent claim, statement, submission, or certification, the Federal Government reserves the right to impose the penalties of the Program Fraud Civil Remedies Act of 1986 on the Contractor to the extent the Federal Government deems appropriate.

FEDERAL TRANSIT ADMINISTRATION (FTA) REQUIREMENTS (CONTINUED)

2. The Contractor also acknowledges that if it makes, or causes to be made, a false, fictitious, or fraudulent claim, statement, submission, or certification to the Federal Government under a contract connected with a project that is financed in whole or in part with Federal assistance originally awarded by FTA under the authority of 49 U.S.C. § 5307, the Government reserves the right to impose the penalties of 18 U.S.C. § 1001 and 49 U.S.C. § 5307(n)(1) on the Contractor, to the extent the Federal Government deems appropriate.

3. The Contractor agrees to include the above two clauses in each subcontract financed in whole or in part with Federal assistance provided by FTA. It is further agreed that the clauses shall not be modified, except to identify the subcontractor who will be subject to the provisions.

TERMINATION; 49 U.S.C. Part 18; FTA Circular 4220.1E

Termination for Convenience (General Provision) The (Recipient) may terminate this contract, in whole or in part, at any time by written notice to the Contractor when it is in the Government's best interest. The Contractor shall be paid its costs, including contract close-out costs, and profit on work performed up to the time of termination. The Contractor shall promptly submit its termination claim to (Recipient) to be paid the Contractor. If the Contractor has any property in its possession belonging to the (Recipient), the Contractor will account for the same, and dispose of it in the manner the (Recipient) directs.

Termination for Default [Breach or Cause] (General Provision) If the Contractor does not deliver supplies in accordance with the contract delivery schedule, or, if the contract is for services, the Contractor fails to perform in the manner called for in the contract, or if the Contractor fails to comply with any other provisions of the contract, the (Recipient) may terminate this contract for default. Termination shall be effected by serving a notice of termination on the contractor setting forth the manner in which the Contractor is in default. The contractor will only be paid the contract price for supplies delivered and accepted, or services performed in accordance with the manner of performance set forth in the contract.

If it is later determined by the (Recipient) that the Contractor had an excusable reason for not performing, such as a strike, fire, or flood, events which are not the fault of or are beyond the control of the Contractor, the (Recipient), after setting up a new delivery of performance schedule, may allow the Contractor to continue work, or treat the termination as a termination for convenience.

Opportunity to Cure (General Provision)

The (Recipient) in its sole discretion may, in the case of a termination for breach or default, allow the Contractor [an appropriately short period of time] in which to cure the defect. In such case, the notice of termination will state the time period in which cure is permitted and other appropriate conditions.

If Contractor fails to remedy to (Recipient)'s satisfaction the breach or default of any of the terms, covenants, or conditions of this Contract within [ten (10) days] after receipt by Contractor of written notice from (Recipient) setting forth the nature of said breach or default, (Recipient) shall have the right to terminate the Contract without any further obligation to Contractor. Any such termination for default shall not in any way operate to preclude (Recipient) from also pursuing all available remedies against Contractor and its sureties for said breach or default.

Waiver of Remedies for any Breach

In the event that (Recipient) elects to waive its remedies for any breach by Contractor of any covenant, term or condition of this Contract, such waiver by (Recipient) shall not limit (Recipient)'s remedies for any succeeding breach of that or of any other term, covenant, or condition of this Contract.

Termination for Convenience (Professional or Transit Service Contracts)

FEDERAL TRANSIT ADMINISTRATION (FTA) REQUIREMENTS (CONTINUED)

The (Recipient), by written notice, may terminate this contract, in whole or in part, when it is in the Government's interest. If this contract is terminated, the Recipient shall be liable only for payment under the payment provisions of this contract for services rendered before the effective date of termination.

Termination for Default (Supplies and Service)

If the Contractor fails to deliver supplies or to perform the services within the time specified in this contract or any extension or if the Contractor fails to comply with any other provisions of this contract, the (Recipient) may terminate this contract for default. The (Recipient) shall terminate by delivering to the Contractor a Notice of Termination specifying the nature of the default. The Contractor will only be paid the contract price for supplies delivered and accepted, or services performed in accordance with the manner or performance set forth in this contract.

If, after termination for failure to fulfill contract obligations, it is determined that the Contractor was not in default, the rights and obligations of the parties shall be the same as if the termination had been issued for the convenience of the Recipient.

Termination for Default (Transportation Services)

If the Contractor fails to pick up the commodities or to perform the services, including delivery services, within the time specified in this contract or any extension or if the Contractor fails to comply with any other provisions of this contract, the (Recipient) may terminate this contract for default. The (Recipient) shall terminate by delivering to the Contractor a Notice of Termination specifying the nature of default. The Contractor will only be paid the contract price for services performed in accordance with the manner of performance set forth in this contract.

If this contract is terminated while the Contractor has possession of Recipient goods, the Contractor shall, upon direction of the (Recipient), protect and preserve the goods until surrendered to the Recipient or its agent. The Contractor and (Recipient) shall agree on payment for the preservation and protection of goods. Failure to agree on an amount will be resolved under the Dispute clause.

If, after termination for failure to fulfill contract obligations, it is determined that the Contractor was not in default, the rights and obligations of the parties shall be the same as if the termination had been issued for the convenience of the (Recipient).

Termination for Default (Construction)

If the Contractor refuses or fails to prosecute the work or any separable part, with the diligence that will insure its completion within the time specified in this contract or any extension or fails to complete the work within this time, or if the Contractor fails to comply with any other provisions of this contract, the (Recipient) may terminate this contract for default. The (Recipient) shall terminate by delivering to the Contractor a Notice of Termination specifying the nature of the default. In this event, the Recipient may take over the work and compete it by contract or otherwise, and may take possession of and use any materials, appliances, and plant on the work site necessary for completing the work. The Contractor and its sureties shall be liable for any damage to the Recipient resulting from the Contractor's refusal or failure to complete the work within specified time, whether or not the Contractor's right to proceed with the work is terminated. This liability includes any increased costs incurred by the Recipient in completing the work.

The Contractor's right to proceed shall not be terminated nor the Contractor charged with damages under this clause if-

 the delay in completing the work arises from unforeseeable causes beyond the control and without the fault or negligence of the Contractor. Examples of such causes include: acts of God, acts of the Recipient, acts of another Contractor in the performance of a contract with the Recipient, epidemics, quarantine restrictions, strikes, freight embargoes; and

FEDERAL TRANSIT ADMINISTRATION (FTA) REQUIREMENTS (CONTINUED)

2. the contractor, within [10] days from the beginning of any delay, notifies the (Recipient) in writing of the causes of delay. If in the judgment of the (Recipient), the delay is excusable, the time for completing the work shall be extended. The judgment of the (Recipient) shall be final and conclusive on the parties, but subject to appeal under the Disputes clauses.

If, after termination of the Contractor's right to proceed, it is determined that the Contractor was not in default, or that the delay was excusable, the rights and obligations of the parties will be the same as if the termination had been issued for the convenience of the Recipient.

Termination for Convenience or Default (Architect and Engineering)

The (Recipient) may terminate this contract in whole or in part, for the Recipient's convenience or because of the failure of the Contractor to fulfill the contract obligations. The (Recipient) shall terminate by delivering to the Contractor a Notice of Termination specifying the nature, extent, and effective date of the termination. Upon receipt of the notice, the Contractor shall (1) immediately discontinue all services affected (unless the notice directs otherwise), and (2) deliver to the Contracting Officer all data, drawings, specifications, reports, estimates, summaries, and other information and materials accumulated in performing this contract, whether completed or in process.

If the termination is for the convenience of the Recipient, the Contracting Officer shall make an equitable adjustment in the contract price but shall allow no anticipated profit on unperformed services.

If the termination is for failure of the Contractor to fulfill the contract obligations, the Recipient may complete the work by contact or otherwise and the Contractor shall be liable for any additional cost incurred by the Recipient.

If, after termination for failure to fulfill contract obligations, it is determined that the Contractor was not in default, the rights and obligations of the parties shall be the same as if the termination had been issued for the convenience of the Recipient.

Termination for Convenience of Default (Cost-Type Contracts)

The (Recipient) may terminate this contract, or any portion of it, by serving a notice or termination on the Contractor. The notice shall state whether the termination is for convenience of the (Recipient) or for the default of the Contractor. If the termination is for default, the notice shall state the manner in which the contractor has failed to perform the requirements of the contract. The Contractor shall account for any property in its possession paid for from funds

received from the (Recipient), or property supplied to the Contractor by the (Recipient). If the termination is for default, the (Recipient) may fix the fee, if the contract provides for a fee, to be paid the contractor in proportion to the value, if any, of work performed up to the time of termination. The Contractor shall promptly submit its termination claim to the (Recipient) and the parties shall negotiate the termination settlement to be paid the Contractor.

If the termination is for the convenience of the (Recipient), the Contractor shall be paid its contract close-out costs, and a fee, if the contract provided for payment of a fee, in proportion to the work performed up to the time of termination.

If, after serving a notice of termination for default, the (Recipient) determines that the Contractor has an excusable reason for not performing, such as strike, fire, flood, events which are not the fault of and are beyond the control of the contractor, the (Recipient), after setting up a new work schedule, may allow the Contractor to continue work, or treat the termination as a termination for convenience.

BID SPECIFICATIONS

SCOPE: The following bid specifications are to be used as minimum and maximum standards for the Annual Vehicle Bid for Current Model Year or New, for use by The City of Alexandria. All quoted products shall either meet or exceed the following specifications.

Unless otherwise stated, the use of manufacturer's name and product numbers are for descriptive purposes and to establish general quality levels <u>only</u>, they are not intended to be restrictive.

THE CITY OF ALEXANDRIA WILL CONSIDER REQUEST FOR ESCALATION OR DE-ESCALATION AT MANUFACTURER COST PER YEAR MODEL.

As part of the vendor's bid, the vendor shall be required to submit a letter in writing from the manufacturer stating the cost and or percentage of the escalation/de-escalation. This shall be the sole source for escalating or de-escalating the price at the time an order is shipped during the term of the contract.

Prospective bidders are required to state exactly what they intend to furnish, otherwise, it is fully understood that they shall furnish all items as stated. Bidder should indicate in the space provided below, under "Bidder's Response:", the necessary information to indicate he/she is conforming with the bid specifications for each item as written. If Bidder is in complete compliance with each bid specification item as written, please write "Comply" in the space provided; if not, please indicate in this space, the necessary information on the product you are proposing. Each specification response is necessary to ensure the proper evaluation and tabulation of this bid. If each "Bidder's Response" section is not filled in or completed, your bid may be rejected.

1.0 <u>General</u>:

Bidder's Response:

- 1.1 No bid may be withdrawn for at least thirty (30) days after the scheduled closing time for the receipt of bids.
- 1.2 Products shall be new, un-used, and of current model year manufacture or New.
- 1.3 Quoted prices for "optional" equipment shall be listed in the appropriate spaces provided on the bid specifications
 "Price Page". Option quotes shall <u>not</u> be a basis for bid award and shall not be included in the total bid price.
- 1.4 Pursuant to Louisiana R.S. 38:2212.8, bidder shall be a <u>licensed Louisiana motor vehicle dealer</u>. A copy of the dealer's license shall be attached to the bid upon submission. Failure to do so shall result in immediate bid rejection.
- 1.5 The successful bidder(s) shall be responsible for obtaining permanent license plate(s) and registration(s) for all awarded vehicles. Registration documents shall be dropped off at the time of delivery or before temporary tag expires, to the City of Alexandria Motor Pool, located at 2021 Industrial Park Road, Building V, Alexandria, LA 71303, Attention: Robert Leisten.

Bid Specifications (Continued)

Bidder's Response:

- 1.6 Successful bidder shall notify the City of Alexandria Motor Pool, phone number 318-441-6075 or 318-441-6157, within a minimum of twenty-four (24) hours prior to delivery of vehicle.
- 1.7 <u>All products shall be delivered F.O.B., freight pre-paid</u>, City of Alexandria Motor Pool, 2021 Industrial Park Road, Building V, Alexandria, LA 71303. Products shall be fully serviced with all the lubricants and fluid levels necessary for normal operation prior to delivery.

1.0

General: (Continued)

- 1.7.1. Approved agencies purchasing vehicles off this contract through a Cooperative Purchasing Agreement, shall be responsible for picking their vehicle up from the awarded dealer's location.
- 1.8 Products shall not be considered delivered until Product Specification Compliance Inspection has been performed by representatives of the City of Alexandria using department and/or the City of Alexandria Motor Pool, and the successful bidder(s).
- 1.9 The City of Alexandria using department for whom the vehicle(s) is intended shall <u>not</u> be allowed to accept delivery from the successful bidder(s), see Bid Specification Items 1.7 and 1.8 above.
- 1.10 Any item(s) appearing in the manufacturer's regularly published specifications as "standard equipment" are assumed to be included in the bidder's proposal.
- 1.11 Each respective bidder shall be responsible for insuring that his/her product meets or exceeds specifications as described herein.
- 1.12 It shall be the responsibility of the successful bidder(s) to notify the City of Alexandria Purchasing Department as to the model year order cut-off dates as designated by the manufacturer.
- 1.13 This bid packet shall be returned in its entirety. Failure to return bid packet in it's entirely shall constitute grounds for immediate bid rejection.

Bid Specifications (Continued)

Bidder's Response:

2.0 <u>Product Warranty:</u>

- 2.1 Successful bidder(s) should furnish complete warranty information for vehicle(s) being quoted, to include all sub-contracted components installed by vendor as well as vendor warranted components.
- 2.2 The successful bidder(s) shall supply a copy of the warranty information to the City of Alexandria Motor Pool at the time of delivery. Products delivered without the complete warranty information, for vendor as well as sub-contracted components, will not be accepted by the Motor Pool.
- 2.3 Warranty work that cannot be performed at the City of Alexandria Motor Pool <u>shall be performed at the dealer's repair facility that is</u> <u>listed on the Price Page of this bid packet</u>. The transportation to and from the dealer's facility shall be the responsibility of the successful bidder with NO cost incurred by the City of Alexandria.
- 2.4 Vehicle warranty for automobiles, vans, light duty trucks, etc., shall be for a period of three (3) years or 36,000 miles, minimum.
 - a. <u>List</u> the warranty period for medium duty chassis cab (i.e. Class 6 Series, Class 7 Series).
- 2.5 Components that have been installed on the quoted vehicles and are not designated as sub-contracted by the successful bidder, shall be covered under the minimum one (1) year warranty as specified in this bid specification, with all warranty work for these components being the sole responsibility of the successful bidder(s).
- 2.6 The vehicle warranty site shall be local factory authorized service center. Upon request by the City, the successful bidder(s) shall furnish documentation from the manufacturer verifying that the warranty repair site(s), as specified in this bid document, is a factory authorized facility with factory trained technicians capable of performing any necessary maintenance that may be required. An inventory of replacement parts shall also be maintained for all vehicles and/or equipment being quoted. Vendor is responsible for costs incurred for transport of vehicle(s) under warranty, to the vendor's warranty emplacement/service site, to include towing if required.

Bid Specifications (Continued)

Bidder's Response:

| 3.0 | Miscellaneous: | <u></u> |
|-----|--|---------|
| 3.1 | All vehicles shall meet the current Federal Emissions Standards, minimum. | |
| 3.2 | All vehicles must include and be delivered with an appropriate spare tire, full size when available. | |
| 3.3 | All vehicles shall be equipped with daytime running lights with the exception of the full size Police Package units. | |
| 3.4 | All vehicles with carpet shall include floor mats at no additional cost. | |
| 3.5 | <u>All</u> City of Alexandria vehicles ordered shall include and be delivered with one 2.5 pound fire extinguisher with mounting bracket. Trucks and/or chassis cabs that are ³ / ₄ ton or up shall be delivered with one 5.0 pound fire extinguisher with mounting bracket. | |
| 3.6 | <u>All</u> City of Alexandria vehicles shall include and be delivered with rearview cameras installed; see Optional Equipment Item A. If rearview cameras are standard equipment on the vehicle, disregard this specification item. | |
| 3.7 | Successful bidder/manufacturer shall provide Vehicle Parts Manuals and Service Manuals for all vehicle bid items specified. If these manuals are available online, the successful bidder/ manufacturer shall provide a one (1) year <u>PAID</u> subscription and/or password for use by the employees of the City of Alexandria Motor Pool and Parts Warehouse. | |
| 3.8 | If not specified on purchase order to successful bidder, all vehicles will be ordered in white. | |
| 3.9 | <u>All</u> SUVs, Vans, and half ton pickup trucks <u>must</u> be equipped with a rollover stability control system, minimum. | |
| | | |

Bid Specifications (Continued)

Bidder's Response:

Miscellaneous: (Continued)

3.0

- 3.10 Pursuant to Louisiana R.S. 38:2212.1 F, "Any public entity may purchase materials, supplies, and equipment pursuant to the cooperative purchasing provisions of Part VII of Chapter 17 of Subtitle III of Title 39 of the Louisiana Revised Statutes of 1950, R.S. 39:1701 et seq."
- 3.11 The awarded dealer must supply vehicles at the bid price for the term of the contract. One year from bid award date or for current year model with price escalation for new year model not to exceed \$1000.
- 3.12 Add one (1) additional key cut and programmed per vehicle.

END OF BID SPECIFICATIONS SECTION

VEHICLE SPECIFICATIONS

VEHICLE #1 - Automobile - Mid Size Four (4) Door Sedan (Example: Fusion, Malibu, Camry, etc.)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|--|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Fusion SE, Malibu, etc.) | |
| Body Style (Specify - Four Door Sedan, etc.) | |
| Engine - 2.4 Liter, 4 Cylinder Minimum (Specify engine size) | |
| Horsepower - List (hp @ rpm) | |
| Torque - List (lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Brakes (Specify - Power, Disc/Disc with Anti-Lock) | |
| Airbags - Front Driver & Passenger, minimum. (Specify) | |
| Steering (Specify - Power, etc.) | |
| Speed Control - Factory Installed Only | |
| Air Conditioning - Factory Installed Only | |
| Rear Window Defogger - Factory Installed Only | |
| Glass (Specify - Factory Tinted) | |
| Windows and Locks (Specify - Power, Manual Rollup, etc.) | |
| Interior (Specify - Carpet, Vinyl, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player) | |
| Tires - Standard Equipment (Specify tire size) | |
| Spare Tire (Specify - Full size, donut, etc.) | |
| Wheel Covers - Full Size Only | |
| Front Seat - Standard Equipment (Specify - Bench, Bucket, etc.) | |
| Upholstery - Standard Equipment (Specify - Vinyl, Cloth, etc.) | |
| Mirrors - Inside Rearview Day/Night, Outside LH/RH | |
| EPA Interior Volume Index, Minimum 110-119 cf (Specify Cubic Feet) | |
| Color - To be selected. | |
| | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #2 - Automobile - Small Size Four (4) Door SUV (Example: Escape Equinox, etc.)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify – Escape, etc.) | |
| Body Style (Specify - Four Door SUV, etc.) | |
| Engine - (Specify engine size) | |
| Horsepower - List (hp @ rpm) | |
| Torque - List (lbft. @ rpm) | |
| Transmission (Specify - Automatic Overdrive, etc.) | |
| Brakes (Specify - Power, Disc/Disc with Anti-Lock) | |
| Airbags - Front Driver & Passenger, minimum. (Specify) | |
| Steering (Specify - Power, etc.) | |
| Speed Control - Factory Installed Only | |
| Air Conditioning - Factory Installed Only | |
| Rear Window Defogger - Factory Installed Only | |
| Glass (Specify - Factory Tinted) | |
| Windows and Locks (Specify - Power, Manual Rollup, etc.) | |
| Interior (Specify - Carpet, Vinyl, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player) | |
| Tires - Standard Equipment (Specify tire size) | |
| Spare Tire (Specify - Full size, donut, etc.) | |
| Front Seat - Standard Equipment (Specify - Bench, Bucket, etc.) | |
| Upholstery - Standard Equipment (Specify - Vinyl, Cloth, etc.) | |
| Mirrors - Inside Rearview Day/Night, Outside LH/RH | |
| EPA Interior Volume Index, Minimum 120 cf (Specify Cubic Feet) | |
| Color - To be selected. | |
| | |

VEHICLE SPECIFICATIONS (Continued)

<u>VEHICLE #3 - Automobile - Full Size Four (4) Door Sedan, All Wheel Drive - Police Package Only</u> (Example: Chevrolet Impala, etc.)

These specifications describe in detail the requirements for a full size four (4) door automobile to be used for Police and Fire vehicles. <u>Only</u> those vehicles classified as "Full-Sized" by the U.S. Environmental Protection Agency shall be considered for this specification. EPA interior volume index (cubic feet) for a full-size or large car is 120 cf or over.

Automobiles offered under this specification shall be equipped with all equipment advertised as "Standard Equipment" unless otherwise specified, and shall meet or exceed the following detailed requirements.

The term "Heavy Duty" as used to describe an item, shall be defined to mean "in excess" of the usual quality of capacity that is normally supplied with the standard production item.

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Charger, etc.) | |
| Body Style (Specify - Four Door Sedan, etc.) | |
| Engine - (Specify Engine Size) | |
| Transmission - Heavy Duty Automatic, (Specify Transmission Details) | 1 |
| EPA Interior Volume Index, Minimum 120 cf (Specify Cubic Feet) | |
| Suspension, Heavy Duty Police, minimum. | |
| Brakes - Heavy Duty Police High-Pursuit Disc Front/Rear with ABS, Minimum. | |
| Steering - Power, Rack and Pinion, Minimum. | |
| Windows - Power, with Lock-Out Device, Minimum. | |
| Air Conditioning - Factory Installed Only | |
| Glass - Factory Tinted Only | |
| Alternator - Heavy Duty Police type (Specify amps) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player) | |
| Tires - Five (5) - All Season - Black Sidewalls (Specify Tire Size) | |

Spare - (List size of spare.)

VEHICLE SPECIFICATIONS (Continued)

<u>VEHICLE #3 - Automobile - Full Size Four (4) Door Sedan, All Wheel Drive - Police Package Only</u> (Continued)

| Wheels - Heavy-Duty Steel. Hub caps included. (Specify wheel size.) | |
|---|---|
| Front Seat - (Specify - Bucket, Bench, Split, etc.) | |
| Seat Covering - (List covering type for front and back.) | |
| Floor Covering - Factory Standard (List type.) | |
| Battery - (List type and amperage.) | |
| Fuel Tank - (List fuel tank capacity.) | P |
| Color - To be selected. | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #4 - Utility Vehicle - Four (4) Door, All Wheel Drive - Police Package Only

(Example: Police Interceptor, etc.)

These specifications describe in detail the requirements for a full size four (4) door utility vehicle to be used for Police and Fire vehicles.

Utility vehicles offered under this specification shall be equipped with all equipment advertised as "Standard Equipment" unless otherwise specified, and shall meet or exceed the following detailed requirements.

The term "Heavy Duty" as used to describe an item, shall be defined to mean "in excess" of the usual quality of capacity that is normally supplied with the standard production item.

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Interceptor, etc.) | |
| Body Style (Specify - Four Door Sedan, etc.) | 1 |
| Engine - 3.3 Liter, V-6 Gas only, Minimum. (Specify Engine Size) | |
| Transmission - Heavy Duty Automatic, 6 Speed with Oil Cooler, Minimum. | |
| GVWR minimum of 6100 lbs (Specify) | |
| Brakes - Heavy Duty Police High-Pursuit Disc Front/Rear with ABS, with Traction Control, Minimum. | |
| Steering - Heavy Duty Electric Power Assist, Minimum. | |
| Windows - Power, with Lock-Out Device, Minimum. | |
| Air Conditioning - Factory Installed Only | |
| Rear Window Defogger - Factory Installed Only | |
| Glass - Factory Tinted Only | |
| Alternator - 220 Amp, Minimum, Heavy Duty Police Type | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player) | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #4 - Utility Vehicle - Four (4) Door, All Wheel Drive - Police Package

(Continued) (Example: Police Interceptor, etc.)

VEHICLE DESCRIPTION

BIDDER PROPOSING: (Fill in each blank)

| Tires - Five (5), P245/55R18 AS, Black Sidewalls. | |
|--|--|
| Wheels - 18" Diameter, heavy duty with 8" rim width, minimum. Hub caps included. | |
| All Wheel Drive | |
| Front Seat - (Specify - Bucket, Bench, etc.) | |
| Seat Covering - Cloth Front Seat, Vinyl Rear Seat. | |
| Floor Covering - Factory Standard | |
| Differential - Conventional type with a ratio designed to give the best performance of vehicles as equipped. | |
| Battery - Heavy Duty 78/750 Amp Hour Capacity, 750 Cold Crank. | |
| Courtesy Lights - Standard courtesy. Front door post switches shall be inoperative. | |
| Glove Box - With lock, minimum. | |
| Cooling System - Large high volume radiator with engine and transmission oil cooler. | |
| Identification - Police vehicles shall not have any dealer's identification affixed. | |
| License Plate Mounting - Factory front and rear. | |
| Color - To be selected. | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #5 - Utility Vehicle - Four (4) Door, Rear Wheel Drive - Police Package Only

(Example: Police Interceptor, etc.)

These specifications describe in detail the requirements for a full size four (4) door utility vehicle to be used for Police and Fire vehicles.

Utility vehicles offered under this specification shall be equipped with all equipment advertised as "Standard Equipment" unless otherwise specified, and shall meet or exceed the following detailed requirements.

The term "Heavy Duty" as used to describe an item, shall be defined to mean "in excess" of the usual quality of capacity that is normally supplied with the standard production item.

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Interceptor, etc.) | |
| Body Style (Specify - Four Door Sedan, etc.) | |
| Engine - 3.6 Liter, V-6, Minimum. (Specify Engine Size) | |
| Transmission - Heavy Duty Automatic, 6 Speed with Oil Cooler, Minimum. | |
| GVWR minimum of 6100 lbs (Specify) | |
| Brakes - Heavy Duty Police High-Pursuit Disc Front/Rear with ABS, with Traction Control, Minimum. | |
| Steering - Heavy Duty Electric Power Assist, Minimum. | |
| Windows - Power, with Lock-Out Device, Minimum. | |
| Air Conditioning - Factory Installed Only | |
| Rear Window Defogger - Factory Installed Only | |
| Glass - Factory Tinted Only | |
| Alternator - 220 Amp, Minimum, Heavy Duty Police Type | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player) | |

<u>CITY OF ALEXANDRIA BID SPECIFICATIONS FOR:</u> <u>ANNUAL VEHICLE BID FOR CURRENT MODEL YEAR OR NEW</u>

VEHICLE SPECIFICATIONS (Continued)

| VEHICLE #5 - Utility Vehicle - Four (4) Door, Rear Wheel Drive - Pe (Continued) (Example: Police Interceptor, etc.) | olice Package |
|--|--|
| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
| Tires - Five (5), P245/55R18 AS, Black Sidewalls. | |
| Wheels - 18" Diameter, heavy duty with 8" rim width, minimum. Hub caps included. | |
| Rear Wheel Drive | |
| Front Seat - (Specify - Bucket, Bench, etc.) | |
| Seat Covering - Cloth Front Seat, Vinyl Rear Seat. | |
| Floor Covering - Factory Standard | |
| Differential - Conventional type with a ratio designed to give the best performance of vehicles as equipped. | |
| Battery - Heavy Duty 78/750 Amp Hour Capacity, 750 Cold Crank. | |
| Courtesy Lights - Standard courtesy. Front door post switches shall be <u>inoperative</u> . | |
| Glove Box - With lock, minimum. | |
| Cooling System - Large high volume radiator with engine and transmission oil cooler. | |
| Identification - Police vehicles shall not have any dealer's identification affixed. | |
| License Plate Mounting - Factory front and rear. | |
| Color - To be selected. | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #6 – Mid-Size Pick-Up Truck (Example: Ford Ranger, Chevrolet Colorado, etc.)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet, Ram etc.) | |
| Model Name & Number (Specify – Ranger, etc.) | |
| Wheelbase - 126", minimum (SWB) | |
| Exterior Bed/Box Size (Specify 5 Ft, 5.5 Ft., etc.) | |
| GVWR - 5400 lbs., minimum. | |
| Engine – List Engine Size, Gas, minimum. | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Towing – 3500lb minimum | |
| Brakes - Power, front disc/rear disc, with rear anti-lock. | |
| Steering – Power, | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires (Specify - Type, Size and Number) | |
| Spare Tire (Specify - Full size or donut, etc.) | |
| Rear Springs – Leaf or equal design. | |
| Seating – Bucket seats | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Foldaway. | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #7 - ¹/₂ Ton Series Pick-Up Truck, LWB, Regular Cab (Example: Ford F150, etc.)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet, Ram etc.) | |
| Model Name & Number (Specify - F150, etc.) | |
| Wheelbase - 120", minimum (SWB) | |
| Exterior Bed/Box Size (Specify 5 Ft, 5.5 Ft., etc.) | |
| GVWR - 6001 lbs., minimum. | |
| Engine – 2.7 Liter, Gas, minimum. | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Towing – 5000lb minimum | |
| Brakes - Power, front disc/rear disc, with rear anti-lock. | |
| Steering – Power, Rack – pinion | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires (Specify - Type, Size and Number) | |
| Spare Tire (Specify - Full size or donut, etc.) | |
| Rear Springs – Leaf or equal design. | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Foldaway. | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #8 - 3/4 Ton Series Pick-Up Truck, LWB, Regular Cab (Example: Ford F250, etc.)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - F250, etc.) | |
| Wheelbase - 133", minimum (LWB) | |
| Exterior Bed/Box Size (Specify 5 Ft, 5.5 Ft., etc.) | |
| GVWR - 8800 lbs., minimum. | |
| Engine – V8, Gas, minimum. | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Towing Capacity – 9500lb minimum. | |
| Brakes - Power, front disc/rear disc, with rear anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires (Specify - Type, Size and Number) | |
| Spare Tire (Specify - Full size or donut, etc.) | |
| Rear Suspension – Leaf or equal design. | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Hitch - Class III, minimum. Factory Installed Only | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #9 - One (1) Ton Series Pick-Up Truck, LWB, SRW, Regular Cab (Example: Ford F350, etc.)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify -Ford, Chevrolet., Ram etc.) | |
| Model Name & Number (Specify - 3500, etc.) | |
| Wheelbase - 133", minimum (LWB) | |
| Exterior Bed/Box Size (Specify 5 Ft, 5.5 Ft., etc.) | |
| GVWR - 9,600 lbs., minimum. | |
| Engine - V8, Gas, minimum. | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Five (5), full size, as required by manufacturer's GVWR. | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Hitch - Class III, minimum. Factory Installed Only | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

<u>VEHICLE #10 - One (1) Ton Series Pick-Up Truck, LWB, DRW (Dually), Regular Cab, 4X2</u> (Example: Ford F350, etc.)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet, Ram etc.) | |
| Model Name & Number (Specify - F350, etc.) | |
| Wheelbase - 133", minimum (LWB) | |
| Exterior Bed/Box Size (Specify 5 Ft, 5.5 Ft., etc.) | |
| GVWR – 11,300 lbs., minimum. | |
| Engine - V8, Gas, minimum. | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Seven (7), full size, as required by manufacturer's GVWR. | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Hitch - Class III, minimum. Factory Installed Only | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #11 - One (1) Ton Series Cutaway/Chassis, DRW (Dually), Regular Cab, 4X2 (Example: Ford F350, etc.)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - F350, etc.) | |
| Wheelbase - 138", minimum. | |
| GVWR – 9300 lbs., minimum. | |
| Engine – Gas (List engine size) | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Seven (7), full size, as required by manufacturer's GVWR. | |
| Seating - Vinyl, high-back bucket, for two (2) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #12 - One (1) Ton Series Chassis Cab, Dual Rear Wheel, Regular Cab

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. Ram etc.) | |
| Model Name & Number (Specify -4500, etc.) | |
| Wheelbase - 137", minimum. | |
| Cab to Axle (List in inches) | |
| GVWR – 11,400 lbs., minimum. | |
| Engine - V8, Gas, minimum. | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Seven (7), full size, as required by manufacturer's GVWR. | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #13 - 450/4500 Series Chassis Cab, Dual Rear Wheel, Regular Cab

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - F450, etc.) | |
| Wheelbase - 141", minimum. | |
| Cab to Axle (List in inches) | |
| GVWR - 16,000 lbs., minimum. | |
| Engine Size/Type - Gas, minimum. | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Seven (7), full size, as required by manufacturer's GVWR. | |
| Hubcaps - Factory Standard | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Color - To Be Selected | |
VEHICLE SPECIFICATIONS (Continued)

VEHICLE #14 - 550/5500 Series Chassis Cab, Dual Rear Wheel, Regular Cab

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - F550, etc.) | |
| Wheelbase - 141", minimum. | |
| Cab to Axle (List in inches) | |
| GVWR - 17,900 lbs., minimum. | |
| Engine Size/Type – Gas, minimum. | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Seven(7), full size, as required by manufacturer's GVWR. | |
| Hubcaps - Factory Standard | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #15 - 600/6000 Series Chassis Cab, Dual Rear Wheel, Regular Cab

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - F600, etc.) | |
| Wheelbase - 141", minimum. | |
| Cab to Axle (List in inches) | |
| GVWR – 22,000 lbs., minimum. | |
| Engine Size/Type – Gas, minimum. | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Seven(7), full size, as required by manufacturer's GVWR. | |
| Hubcaps - Factory Standard | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #16 - Four (4) Door, Two (2) Wheel Drive, Mid-Size Utility Wagon (SUV)

Bidder shall indicate under "Bidder Proposing:" the necessary information to indicate he/she is conforming to the vehicle specifications for the item as written. If the "Bidder Proposing" section is not filled in or completed, your bid could be automatically rejected. Crossover Utility Vehicles (CUV) are not acceptable.

VEHICLE DESCRIPTION **BIDDER PROPOSING:** (Fill in each blank) Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) Model Name & Number (Specify - Explorer, etc.) Wheelbase - 118", minimum. GVWR - 6,000 lbs., minimum. Engine – (Specify) Horsepower - (List as hp @ rpm) Torque - (List as lb.-ft. @ rpm) Transmission - Automatic Overdrive Brakes - Power, with anti-lock. Drive Type - Front Wheel, Rear Wheel or All Wheel. Steering - Power Air Conditioning - Factory Installed Only Glass (Specify - Factory Tinted, etc.) Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) Tires – Four (4) Spare Tire (Specify - Full size or donut, etc.) Hubcaps - Factory Standard Seating - Two (2) front buckets, One (1) rear fold down bench. Floor Covering (Specify - Carpet, vinyl, etc.) Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand Color - To Be Selected

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #17 - Four (4) Door, Two (2) Wheel Drive, Full Size Utility Wagon (SUV)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Expedition XLT, etc.) | |
| Cargo Volume to 1 st seat – 94 cu.ft/l, minimum. | |
| Payload – 1600 lbs, minimum. | |
| Wheelbase - 116", minimum. | |
| GVWR - 7,200 lbs., minimum. | |
| Engine – Gas (List engine size) | |
| Horsepower – 350 HP, minimum. | |
| Torque - 380 lb. – ft minimum. | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only, Front and Rear | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Five (5), All season | |
| Wheels - Factory Standard (Specify - Aluminum, etc.) | |
| Seating - Two (2) front buckets, One (1) rear fold down bench, 3rd row seat | |
| option, minimum. | |
| Floor Covering (Specify - Carpet, vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

<u>VEHICLE #18 - Four (4) Door, Two (2) Wheel Drive, Full Size Utility Wagon - Special Service Vehicle</u> (SSV)

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Expedition XLT, etc.) | |
| Cargo Volume to 1 st seat – 94 cu.ft/l. minimum. | |
| Payload – 1600 lbs., minimum. | |
| Body Type - Four (4) Door, Utility | |
| Wheelbase - 116", minimum. | |
| GVWR - 7,200 lbs., minimum. | |
| Engine – Gas (List engine size) | |
| Horsepower – 350 HP, minimum. | |
| Torque - 380 lbs. – ft ,minimum. | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only, Front and Rear | |
| Glass - Factory Tinted | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Five (5), All season | |
| Wheels - Factory Standard (Specify - Aluminum, etc.) | |
| Seating - Two (2) cloth front buckets, One (1) vinyl rear fold down bench, 3 rd row seat option minimum. | |
| Floor Covering - Vinyl <u>only</u> . | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand | |
| Hitch - Class III, Factory Installed Only. | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #19 - 150-1500 Series - Cargo Van

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|--|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Promaster, etc.) | |
| Body Type - 1/2 Ton, Four (4) Door, Cargo | |
| Wheelbase - 129", minimum. | |
| GVWR - 8,500 lbs., minimum | |
| Payload - 3,240 lbs., minimum. | |
| Engine – Gas, List engine size | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Drive Type – Rear Wheel drive, Front Wheel Drive | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | · |
| Air Conditioning - Front, Factory Installed Only | |
| Glass - Fixed Right Side and Rear (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Five (5), All Season | |
| Seating - Two (2) front buckets, No rear seats. | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand. | |
| Doors - Right Side - Dual; Rear - Dual | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #20 - 250-2500 Series - Cargo Van

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|--|--|
| Manufacturer Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Transit, etc.) | |
| Body Type - 3/4 Ton, Four (4) Door, Cargo | |
| Wheelbase - 129", minimum | |
| GVWR - 8,900 lbs., minimum | |
| Payload - 3,610 lbs., minimum | |
| Engine – Gas, List engine size | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Drive Type - Rear Wheel Drive, Front Wheel Drive | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Front, Factory Installed Only | |
| Glass - Fixed Right Side and Rear (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Five (5), All Season | |
| Seating - Two (2) front buckets, No rear seats. | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand | |
| Doors - Dual Rear and Side. | |
| Color - To Be Selected | |
| | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #21 - 350-3500 Series - Cargo Van

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|--|--|
| Manufacturer Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Promaster, etc.) | |
| Body Type - One (1) Ton, Four (4) Door, Cargo | |
| Wheelbase - 135", minimum. | |
| GVWR - 9,300 lbs., minimum. | |
| Payload - 4,040 lbs., minimum. | |
| Engine – Gas, List engine size | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Drive Type – Rear Wheel Drive, Front Wheel Drive | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Front, Factory Installed Only | |
| Glass - Fixed Right Side and Rear (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Five (5), All Season | |
| Hubcaps - Factory Standard | |
| Seating - Two (2) front buckets, No rear seats. | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand | |
| Doors - Dual Rear and Side. | |
| Color - To Be Selected | |
| | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #22 - One (1) Ton Series Wagon - Fifteen (15) Passenger

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - Transit, etc.) | |
| Body Type - One Ton, Four (4) Door, Wagon | |
| Wheelbase - 138", minimum. | |
| GVWR - 9,000 lbs., minimum. | |
| Engine – Gas, List engine size | |
| Horsepower - (List as hp @ rpm) | |
| Torque - (List as lbft. @ rpm) | |
| Drive Type – Rear Wheel Drive, Front Wheel Drive | |
| Transmission - Automatic Overdrive | |
| Brakes - Power, with anti-lock. | |
| Steering - Power | |
| Air Conditioning - Front and Rear, Factory Installed Only | |
| Glass - Full Body Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Five (5), All Season | |
| Roll Stability Control - Factory Standard | |
| Seating - Front - Two (2) Buckets; Three (3), Three Passenger Benches; One (1) Four Passenger Bench. | |
| Upholstery - Vinyl, minimum. (Specify) | |
| Floor Covering (Specify - Carpet, vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand | |
| Doors - Right Side - Dual; Rear - Dual | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #23 - Class 6 Series Chassis Cab, Dual Rear Wheel, Regular Cab

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - F650, etc.) | |
| Wheelbase - 158", minimum; 84" cab to axle. | |
| GVWR - 26,000 lbs., minimum. | |
| Engine - Gas, (Specify horsepower and torque.) | |
| Transmission – Automatic. | |
| Brakes - Hydraulic - ABS. | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Seven(7), full size, as required by manufacturer's GVWR. | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

VEHICLE #24 - Class 7 Series Chassis Cab, Dual Rear Wheel, Regular Cab

| VEHICLE DESCRIPTION | BIDDER PROPOSING: (Fill in each blank) |
|---|--|
| Manufacturer's Being Bid (Specify - Ford, Chevrolet. etc.) | |
| Model Name & Number (Specify - F750, etc.) | |
| Wheelbase - 158", minimum; 84" cab to axle. | |
| GVWR - 31,000 lbs., minimum. | |
| Engine – Gas (Specify Horsepower and torque) | |
| Transmission - Automatic. | |
| Brakes - Hydraulic - ABS | |
| Steering - Power | |
| Air Conditioning - Factory Installed Only | |
| Glass (Specify - Factory Tinted, etc.) | |
| Radio - Factory Installed Only (Specify - AM/FM, CD Player, etc.) | |
| Tires - Seven(7), full size, as required by manufacturer's GVWR. | |
| Seating - Vinyl bench with folding back; for three (3) passengers. | |
| Floor Covering (Specify - Vinyl, etc.) | |
| Mirrors - Inside Rearview Day/Night; Outside Left Hand/Right Hand, Trailer Tow Type. | |
| Color - To Be Selected | |

VEHICLE SPECIFICATIONS (Continued)

Optional Equipment Specifications For:

Option #J - Service Body for Single Rear Wheel (SRW)

List a minimum of one (1) name of vehicle manufacturer the following service is proposed for:

| Manufacturer | Manufacturer | Manufacturer | |
|-----------------------|--|--------------|--|
| SERVICE BODY DETAI | <u>LS</u> : | | BIDDER PROPOSING: (Fill in each blank) |
| Overall Dimensions: | Length - 56" CA | | |
| | Height - 40.0" | | |
| | Width - 78.0" | | |
| | Weight - 1005 lbs. | | |
| | Floor Width - 49.0" | | |
| Compartmentation: (A) | ll dimensions must be specified.) | | |
| Street Side - | Two (2) Vertical Doors | | |
| | One (1) Horizontal Doors | | |
| | (with 3 removable shelves) | | |
| Curbside - | Two (2) Vertical Doors | | |
| | One (1) Horizontal Doors | | |
| | (with 3 removable shelves) | | |
| Floor - | With 12 gauge safety tread plate. | | |
| Lighting - | To comply with DOT, flush mounted on | ı rear. | |
| Finish - | Exterior - White (to match chassis body) |). | |
| | Interior - Factory primer. | | |
| Door Handles - | Stainless steel with locks. | | |
| Bumper - | Step type. | | |
| Hitch - | Class IV receiver hitch. | | |
| Safety Feature - | Back-up alarm, installed. | | |
| Warranty - | Please specify. | | |

VEHICLE SPECIFICATIONS (Continued)

Optional Equipment Specifications For: (Continued)

Option #K - Service Body for Dual Rear Wheel (DRW)

List a minimum of one (1) name of vehicle manufacturer the following service is proposed for:

| SERVICE BODY DETAILS: BIDDER PROPOSING: (F Overall Dimensions: Length - 60" CA | |
|---|--------------------|
| Height - 40.0" Width - 87.0" Weight - 1080 lbs. Floor Width - 54.0" Compartmentation: (All dimensions must be specified.) Street Side - Two (2) Vertical Doors One (1) Horizontal Doors | ill in each blank) |
| Width - 87.0" Weight - 1080 lbs. Floor Width - 54.0" Compartmentation: (All dimensions must be specified.) Street Side - Two (2) Vertical Doors One (1) Horizontal Doors | |
| Weight - 1080 lbs. Floor Width - 54.0" Compartmentation: (All dimensions must be specified.) Street Side - Two (2) Vertical Doors One (1) Horizontal Doors | |
| Floor Width - 54.0" Compartmentation: (All dimensions must be specified.) Street Side - Two (2) Vertical Doors One (1) Horizontal Doors | |
| Compartmentation: (All dimensions must be specified.) Street Side - Two (2) Vertical Doors One (1) Horizontal Doors | |
| Street Side - Two (2) Vertical Doors One (1) Horizontal Doors | |
| One (1) Horizontal Doors | |
| | |
| (with 3 removable shelves) | |
| | |
| Curbside - Two (2) Vertical Doors | |
| One (1) Horizontal Doors | |
| (with 3 removable shelves) | |
| Floor - With 12 gauge safety tread plate. | |
| Lighting - To comply with DOT, flush mounted on rear. | |
| Finish - Exterior - White (to match chassis body). | |
| Interior - Factory primer. | |
| Door Handles - Stainless steel with locks. | |
| Bumper - Step type. | |
| Hitch - Class IV receiver hitch. | |
| Safety Feature - Back-up alarm, installed. | |
| Warranty - Please specify. | |

VEHICLE SPECIFICATIONS (Continued)

Optional Equipment Specifications For: (Continued)

Option #L - Service Body for Dual Rear Wheel (DRW)

List a minimum of one (1) name of vehicle manufacturer the following service is proposed for:

Manufacturer

Manufacturer

Manufacturer

| SERVICE BODY DETAIL | <u>_S:</u> | BIDDER PROPOSING: (Fill in each blank) |
|-----------------------|--|--|
| Overall Dimensions: | Length - 132" Cab to Axle - 84" Height - 40.0" Width - 94.0" Weight - 1700 lbs. Floor Width - 54.0" | |
| Compartmentation: (Al | l dimensions must be specified.) | |
| Street Side - | Three (3) Vertical Doors | |
| | One (1) Horizontal Doors | |
| | (with 3 removable shelves) | |
| Curbside - | Three (3) Vertical Doors | |
| | One (1) Horizontal Doors | |
| | (with 3 removable shelves) | |
| Floor - | With 12 gauge safety tread plate. | |
| Lighting - | To comply with DOT, flush mounted on rear. | |
| Finish - | Exterior - White (to match chassis body). | |
| | Interior - Factory primer. | |
| Door Handles - | Stainless steel with locks. | |
| Bumper - | Step type. | |
| Hitch - | Class IV receiver hitch. | |
| Safety Feature - | Back-up alarm, installed. | |
| Warranty - | Please specify. | |

BIDDER PROPOSING: (Fill in each blank)

CITY OF ALEXANDRIA BID SPECIFICATIONS FOR: ANNUAL VEHICLE BID FOR CURRENT MODEL YEAR OR NEW

VEHICLE SPECIFICATIONS (Continued)

Optional Equipment Specifications For: (Continued)

Option #M - Van Body Details - for use on an 80" - 84" cab to axle

List a minimum of one (1) name of vehicle manufacturer the following service is proposed for:

Manufacturer

Manufacturer

Manufacturer

| SER | VICE | BODY | DETAILS | : |
|-----|------|------|---------|---|
| | | | | |

Overall Dimensions:

Length - 144" Cab to Axle - 80" to 84" Height - 85.0" (inside) Width - 92.5" (inside)

Body Details: (All dimensions must be specified.)

Body - 3" Cross members on 12" c/c, 4" I-beam long sills, undercoating, one piece aluminum ROC, two (2) 12" rear grab handles.

| Floor - | 2" x 6" wood floor. | |
|-------------------|---|--|
| Rear Door - | Rollup door with side shields, minimum. | |
| | | |
| Interior - | Five (5) rows of slats evenly spaced. | |
| Bumper - | Full width, two-step bumper, or equal. | |
| Safety Features - | Backup alarm, dome light with rear switch, minimum. | |
| Warranty - | List warranty information. | |
| | | |

VEHICLE SPECIFICATIONS (Continued)

Optional Equipment Specifications For: (Continued)

Option #N - For 9 Ft. Dump Body (2-3 Yard Capacity)

BODY DETAILS

BIDDER PROPOSING: (Fill in each blank)

| Dump Hoist - | Electrically operated hydraulic hoist with a minimum of 17,000 lb. capacity and a dump angle of 45°, Rugby HR520, or equal. | |
|---------------------|---|--|
| Body - | Dump box approximately 6'8" wide, 12" deep,with 30" front with cab protection, and 12" high tailgate hinged at top and bottom. Box shall be constructed of 3/16" steel plate, properly supported on channel iron with side braces. Option N1 -9 foot Option N2 – 11 foot | |
| Hitch - | Pintle type incorporating 2" ball with 7 prong trailer plug installed and wired. | |
| Safety Feature - | Back-up alarm and rubber mud flaps, installed. | |
| Tarp Cover System - | Tarping system to meet current DOT requirements; automatic only; operate from inside cab; installed. | |
| Warranty - | One year, minimum, specify. | |

VEHICLE SPECIFICATIONS (Continued)

Optional Equipment Specifications For: (Continued)

Option #O - For 10 Ft. Dump Body (5-6 Yard Capacity)

| BODY DETAILS | | BIDDER PROPOSING: (Fill in each blank) |
|---------------------|--|--|
| Dump Hoist - | Direct PTO mount, F-22 RDL; or equal. Cast iron housing, capacity 22 GPM @ 1400 RPM | |
| Body - | Dump box approximately 7'3" wide, 24" sides, with 30" front with cab protector and 24" high tailgate hinged at the top and bottom. Box shall be constructed of 3/16" steel plate, properly supported on channel iron with side braces. | |
| Hitch - | Pintle type incorporating 2" ball with 7 prong trailer plug installed and wired. Glad hands for trailer hook-up. | |
| Safety Feature - | Back-up alarm and rubber mud flaps, installed. | |
| Tarp Cover System - | Tarping system to meet current DOT requirements; automatic only; operate from inside cab; installed. | |
| Warranty - | One year, minimum, specify. | |

Option #P and Option #Q - For 9 Ft. and 11 Ft. Flatbed/Gooseneck Body

| BODY DETAILS | | BIDDER PROPOSING: (Fill in each blank) |
|---------------------|---|--|
| Cross Members - | 3" Channel. | |
| Long Sills - | 4" Channel. | |
| Floor - | 1/8" Treadplate. | |
| Outside Frame - | 2" X 3/8" Rub rail with stake pockets. | |
| Hitch - | Pintle type incorporating 2" ball with 7 prong trailer plug installed and wired. Gooseneck capable. | |
| Safety Feature - | Back-up alarm, installed. | |
| Warranty - | One year, minimum, specify. | |
| | | |

VEHICLE SPECIFICATIONS (Continued)

Vehicle Delivery Schedule:

Bidder shall state estimated time for delivery of completed units (per bid specifications) to the City of Alexandria in the following spaces provided:

Vehicle Bid Specification Number

| Vehicle Bid Specification Number | | Delivery Not Later Than |
|--|--------|-------------------------|
| Vehicle #1 - Mid-Size Car, Four (4) Door Sedan | N/L/T | /Days |
| Vehicle #2 - Full-Size Car, Four (4) Door Sedan | N/L/T | /Days |
| Vehicle #3 - Full-Size, Four (4) Door Sedan, All Wheel Drive, Police Package | N/L/T | /Days |
| Vehicle #4 - Police Utility Vehicle, Four (4) Door, All Wheel Drive | N/L/T | /Days |
| Vehicle #5 – Police Utility Vehicle, Four (4) Door, Rear Wheel Drive | N/L/T_ | /Days |
| Vehicle #6 – Mid- Size Series Pickup Truck | N/L/T | /Days |
| Vehicle #7 - 1/2 Ton Series Pickup Truck, LWB, Regular Cab | N/L/T | /Days |
| Vehicle #8 - 3/4 Ton Series Pickup Truck, LWB, Regular Cab | N/L/T | /Days |
| Vehicle #9 - 1 Ton Series Pickup Truck, LWB, SRW, Regular Cab | N/L/T | /Days |
| Vehicle #10 - 1 Ton Series Pickup Truck, LWB, DRW, Regular Cab, 4X2 | N/L/T | /Days |
| Vehicle #11 - 1 Ton Cutaway/Chassis, LWB, DRW, Regular Cab, 4X2 | N/L/T | /Days |
| Vehicle #12 - 1 Ton Chassis Cab, DRW, Regular Cab | N/L/T | /Days |
| Vehicle #13 - 450/4500 Chassis Cab, DRW, Regular Cab | N/L/T | /Days |
| Vehicle #14 - 550/5500 Chassis Cab, DRW, Regular Cab | N/L/T | /Days |
| Vehicle #15 - 600/6000 Chassis Cab, DRW, Regular Cab | N/L/T | /Days |
| Vehicle #16 - Mid-Size Utility Wagon (SUV), 4 Door, 2 Wheel Drive | N/L/T | /Days |
| Vehicle #17 - Full-Size Utility Wagon (SUV), 4 Door, 2 Wheel Drive | N/L/T_ | /Days |
| Vehicle #18 - Full-Size Utility Wagon (SSV), 4 Door, 2 Wheel Drive | N/L/T | /Days |
| Vehicle #19 – 150-1500 Series Cargo Van | N/L/T | /Days |
| Vehicle #20 – 250-2500 Series Cargo Van | N/L/T | /Days |
| Vehicle #21 – 350-3500 Series Cargo Van | N/L/T | /Days |
| Vehicle #22 - 1 Ton Series Wagon, 15 Passenger | N/L/T | /Days |
| Vehicle #23 - Class 6 Series Chassis Cab, DRW, Regular Cab | N/L/T | /Days |
| Vehicle #24 - Class 7 Series Chassis Cab, DRW, Regular Cab | N/L/T | /Days |

NOTE: An additional thirty (30) days will be allowed for up fitting service bodies, dump bodies, stake bodies, enclosed service bodies and van bodies.

SAMPLE ONLY - Vehicle / Equipment Information Sheet

(To be completed by vendor prior to delivery of vehicles and/or equipment to the City of Alexandria Motor Pool)

| | Vehicle Year/Make: | |
|----------|---|--------|
| | venicie wodei. | |
| | Keycodes: A:B:_ | |
| | Wheelbase: CA: | |
| | VIN #: | |
| | VIN #: Odometer Readings: | Miles |
| | ruchase Date. | |
| | m-Service Date | |
| | Engine Make: | |
|). | Engine Model: | |
| | Engine Oil Capacity: | Qts. |
| 2. | Transmission wake. | |
| 3. | | |
| ŀ. | Transmission Oil Capacity: | Qts. |
| 5. | Real AAL Make. | |
| <i>.</i> | Number of Rear Axles: | |
| ΄. | real Thie on Capacity. | UIS. |
| 3. | Rear Axle Weight Capacity: | Lbs. |
|). | FIOIR AXIC MARC. | |
|). | Front Axle Weight Capacity: | Lbs |
| | Vehicle GVWR: | Lbs |
| | Wheel Size. | |
| | Tire Size/Ply (Front): | |
| | The Sile Tij (Duck). | |
| | The size, Try (spare). | |
| | rotar rite count. | |
| | Lugs Per Wheel: | |
| | Anternator | |
| | Battery (Each):AH | CCA |
| | Brakes (Type): | |
| | Steering (Type): | |
| | Fuel Capacity (Total): | |
| | EPA Fuel Rating: City | Hwy. |
| | Special body Make: | |
| | Special Body Model: | |
| | Special Body Model: Other Special Equipment (List): | |
| | Purchase Price: \$ | |
| | Purchase Order Number | |
| | Purchase Order Number: | 2.711 |
| | Dete of Manufactures | Milles |
| | Warranty Manuals on Vehicle & Other Components: | |
| | Shop Manuals / Line Sheet: | |
| | Additional Filters (As Specified): | |
| | (Trailer Only) Length: H | eight: |
| | (Trailer Only) Hitch Type: | |

| No. | Vehicle Description | Name/Model | Upgrade Pg # | Vehicle Bid Price |
|-----|--|------------|-----------------|-------------------|
| 1 | Mid-Size Car, 4 Door Sedan | | 56 | \$ |
| 2 | Small Size 4 Door SUV | | 56 | \$ |
| 3 | Full-Size Sedan,Police Interceptor, All Wheel Drive | | 56 | \$ |
| 4 | Police Utility Vehicle, 4 Door, AW Drive, Gas | | 57 | \$ |
| 5 | Police Utility Vehicle, 4 Door, RW Drive, Gas | | 57 | \$ |
| 6 | Mid-Size Pickup | | 57 | \$ |
| 7 | 1/2 Ton Pickup, LWB, Reg Cab | | 58 | \$ |
| 8 | 3/4 Ton Pickup, LWB, Reg Cab | | 59 | \$ |
| 9 | 1 Ton Pickup, SRW, Reg Cab, Gas | | 59-60 | \$ |
| 10 | 1 Ton Pickup, DRW, Reg Cab, 4X2,Gas | | 60 | \$ |
| 11 | 1 Ton Cutaway/Chassis, Reg Cab, 4X2,Gas | | 61 | \$ |
| 12 | 1 Ton Chassis Cab, DRW, Gas | | 61 | \$ |
| 13 | 450/4500 Chassis Cab, DRW, Gas | | 62 | \$ |
| 14 | 550/5500 Chassis Cab, DRW, Gas | | 62 | \$ |
| 15 | 600/6000 Chassis Cab, DRW, Gas | | 63 | \$ |
| 16 | Mid-Size Utility Wagon (SUV) | | 64 | \$ |
| 17 | Full-Size Utility Wagon (SUV) | | 64 | \$ |
| 18 | Full-Size Utility Wagon (SSV) | | 64 | \$ |
| 19 | 150-1500 Series Cargo Van | | 65 | \$ |
| 20 | 250-2500 Series Cargo Van | | 65 | \$ |
| 21 | 350-3500 Series Cargo Van | | 65 | \$ |
| 22 | 1 Ton Series Wagon, 15 Passenger | | 65 | |
| 23 | Class 6 Series Chassis, DRW, Gas | | 66 | \$ |
| 24 | Class 7 Series Chassis, DRW, Gas | | 66 | \$ |

PRICE PAGE (Per Basic Vehicle Specifications)

PRICE PAGE (Continued)

Price Quote Sheet for Optional Vehicle – Up-Grades:

| Line No. | Vehicle Description | Opt. No. | Option Description | | Bid Price for Optional Upgrades |
|-------------|--|--|---|--|------------------------------------|
| 1 | Mid-Size Car, 4 Door Sedan | 1A 1B 1C 1D | Engine Upgrade-List Size: Model Upgrade-List Series: Hybrid Model All Weather Mats | \$ \$ \$ \$ | |
| 2 | Small Size, 4 Door SUV | 2A 2B 2C 2D | Engine Upgrade-List Size: Model Upgrade-List Series: All Weather Mats Hands-Free Phone Package | \$ \$ \$ \$ | |
| 3 | Full-Size Police Interceptor, 4 Door Sedan, Rear Wheel Drive | 3A 3B 3C 3D 3E 3F 3G 3H 3I 3J | Spot Light - Driver Side SYNC®, or equal Remote Keyless Entry System | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |

PRICE PAGE (Continued)

Price Quote Sheet For Optional Vehicle Up-Grades:

| Line | W111 D | Opt. No. | | | Bid Price for |
|------|---|--|---|--|-------------------|
| No. | Vehicle Description | 110. | Option Description | - | Optional Upgrades |
| 4 | Police Utility Vehicle, 4 Door, All Wheel Drive | 4A 4B 4C 4D 4E 4F 4G 4H 4I 4J | Spot Light - Drive Side SYNC® (or equal) Remote Keyless Entry System | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| 5 | Police Utility Vehicle, 4 Door, Rear Wheel Drive | 5A 5B 5C 5D 5E 5F 5G 5H 5I 5J | Spot Light - Drive Side SYNC® (or equal) Remote Keyless Entry System | \$ | |
| 6 | Mid-Size Pickup Truck | 6A 6B 6C 6D 6E 6F 6G 6H 6I | Cab UpgradesSuperCab (4x4) 6' BoxSuperCrew (4x2) 5' BoxSuperCrew (4x4) 5' BoxOptional EquipmentPower Window Pkg – SuperCabPower Window Pkg – SuperCabPower Window Pkg – SuperCrewTrailer Tow PkgSpeed ControlModel Upgrade – ListRunning Boards | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |

PRICE PAGE (Continued)

Price Quote Sheet For Optional Vehicle Up-Grades:

| Line No. | Vehicle Description | Opt. No. | Option Description | | Bid Price for |
|-------------|---|--|---|--|-------------------|
| 140. | Venicle Description | | Option Description | + | Optional Upgrades |
| 7 | 1/2 Ton Series Pickup, LWB, Regular Cab, Gas | 7A 7B 7C 7D 7E 7F 7G 7H 7I 7J 7K 7L 7M 7N 7O 7P 7Q 7R | Cab Upgrades Regular Cab (4X4) List Eng Size Bed Size Extended Cab (4X2) List Eng Size Bed Size Extended Cab (4X4) List Eng Size Bed Size 4 Door Crew Cab (4X2) List Eng Size Bed Size 4 Door Crew Cab (4X4) List Eng Size Bed Size 4 Door Crew Cab (4X4) List Eng Size Bed Size 4 Door Crew Cab (4X4) List Eng Size Bed Size 9 Door Crew Cab (4X4) List Eng Size Bed Size 9 Door Crew Cab (4X4) List Eng Size Bed Size 9 Door Crew Cab (4X4) List Eng Size Bed Size 9 Optional Equipment LWB/ 8FT BED Power Window Pkg - Reg Cab Power Window Pkg - Ext Cab Power Window Pkg - Crew Cab Trailer Tow Package Speed Control E-Locking Rear End Brake Controller Model Upgrade – List Model Upgrade - List Size Engine Upgrade - List Size Police Package 4 Door Crewcab 4x4w/all < | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| | | + | | | |

PRICE PAGE (Continued)

Price Quote Sheet For Optional Vehicle Up-Grades:

| V 1'1 D ' ' | Opt. No. | | | Bid Price for |
|--|---|--|---|--|
| Vehicle Description | 140. | Option Description | | Optional Upgrades |
| 3/4 Ton Series Pickup, LWB, Regular Cab, Gas | 8A 8B 8C 8D 8E | Cab UpgradesRegular Cab (4X4)Extended Cab (4X2)Extended Cab (4X4)4 Door Crew Cab (4X2)4 Door Crew Cab (4X4) | \$ \$ \$ \$ \$ | |
| | 8F 8G | Optional Equipment SWB - 6-1/2 Ft. (Deduct) Bed Delete (Deduct – Only available with upfit) | \$ \$ | |
| | 8H 8I 8J 8K 8L 8M 8N | PWR Window/Lock - Reg/Ext PWR Window/Lock - Crew Cab Speed Control Model Upgrade – List Series Limited Slip Rear End Brake Controller Running Boards <u>Engine / Transmission</u> | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| | 80 | Diesel | \$ | |
| 1 Ton Series Pickup, LWB, SRW, Regular Cab, Gas | 9A 9B 9C 9D 9E 9F | Cab UpgradesRegular Cab (4X4)Extended Cab (4X2)Extended Cab (4X4)4 Door Crew Cab (4X2)4 Door Crew Cab (4X4)Bed Delete (Deduct – Only available with upfit)Continued on next page | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| | 3/4 Ton Series Pickup, LWB, Regular Cab, Gas | 3/4 Ton Series Pickup, LWB, Regular Cab, Gas8A 8B 8C 8D 8E3/4 Ton Series Pickup, LWB, SRW, Regular Cab, Gas8A 8B 8C 8D 8C 8D 8E3/4 Ton Series Pickup, LWB, 9C 9D 9E9A 9B 9C 9D 9E | Image: Second state in the second s | Image: Construct of the product of |

PRICE PAGE (Continued)

| Vehicle Description | Opt. No. | Option Description | | Bid Price for Optional Upgrades |
|--|--|---|---|--|
| (Vehicle #9 Continued) 1 Ton Series Pickup, LWB, SRW, Regular Cab, Gas | 9G 9H 9J 9J 9K 9L 9M 9N 9N | Optional Equipment PWR Window/Lock - Reg/Ext PWR Window/Lock - Crew Cab Speed Control Model Upgrade -List Series Limited Slip Rear End Brake Controller Short Wheel Base (Deduct) Running Boards Engine / Transmission Diesel / V-8 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| 1 Ton Series Pickup, LWB, DRW (Dually), Regular Cab, Gas, 4X2 | 10A 10B 10C 10D 10E 10F 10G 10H 10I 10J 10K 10L 10M | Cab Upgrades Regular Cab (4X4) Extended Cab (4X2) Extended Cab (4X4) 4 Door Crew Cab (4X2) 4 Door Crew Cab (4X4) Optional Equipment PWR Window/Lock - Reg/Ext PWR Window/Lock - Crew Cab Speed Control Model Upgrade - List Series Limited Slip Rear End Brake Controller Running Boards Engine / Transmission Diesel / V-8 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| | 1 Ton Series Pickup, LWB, SRW, Regular Cab, Gas 1 Ton Series Pickup, LWB, DRW (Dually), Regular | Vehicle Description No. Image: Continued Image: C | Vehicle DescriptionNo.Option Description(Vehicle #9 Continued)I Ton Series Pickup, LWB, SRW, Regular Cab, Gas9G 9HOptional Equipment PWR Window/Lock - Reg/Ext PWR Window/Lock - Crew Cab Speed Control9I9G 9J9H 9HWR Window/Lock - Reg/Ext PWR Window/Lock - Crew Cab Speed Control9J9G 9JModel Upgrade -List Series 9K 9HItimited Slip Rear End Brake Controller9M9H 9HShort Wheel Base (Deduct) 9NRunning Boards9OEngine / Transmission Diesel / V-81 Ton Series Pickup, LWB, DRW (Dually), Regular Cab, Gas, 4X210A 10A 10A 10D10CExtended Cab (4X2) 10D10E4 Door Crew Cab (4X2) 10E10F 10F PWR Window/Lock - Reg/Ext PWR Window/Lock - Crew Cab 10H 10F10F 10F 10G 10H 10K 10A 10D 10F10F 10T | Vehicle DescriptionNo.Option Description(Vehicle #9 Continued)I Ton Series Pickup, LWB, SRW, Regular Cab, Gas9G 9H 9HOptional Equipment PWR Window/Lock - Crew Cab Speed ControlS peed Control9JModel Upgrade -List SeriesS 9KLimited Slip Rear End 9H 9HShort Wheel Base (Deduct)S S s s PWR Window/Lock - Crew CabS9MShort Wheel Base (Deduct)S s s PMShort Wheel Base (Deduct)S9NPOEngine / Transmission Diesel / V-8S1 Ton Series Pickup, LWB, DRW (Dually), Regular Cab, Gas, 4X210A 10B 10ECab Upgrades Regular Cab (4X4) 4 Door Crew Cab (4X2) 4 Door Crew Cab (4X2) 5 10ES0F 10F 10F 10F 10H 1 |

PRICE PAGE (Continued)

| Line No. | Vehicle Description | Opt. No. | Option Description | | Bid Price for Optional Upgrades |
|-------------|--|--|---|--|------------------------------------|
| 11 | 1 Ton Series Cutaway/ Chassis, LWB, DRW (Dually), Regular Cab, Gas, 4X2 | 11A 11B 11C 11D 11E | Optional Equipment PWR Window/Lock/Mirrors Speed Control Trailer Tow Package Prep Limited Slip Rear End Running Boards | \$ \$ \$ \$ \$ | |
| | | 11F 11G | Wheelbase Upgrade158" Wheelbase List CA176" Wheelbase List CA | \$ \$ | |
| | | 11H 11I 11J | Engine / Transmission Engine Upgrade List Diesel Engine Model Upgrade to 14,000 lbs | \$ \$ \$ | |
| 12 | 1 Ton Chassis Cab, DRW, Regular Cab, Gas | 12A 12B 12C 12D 12E 12F | Cab Upgrades Regular Cab (4X4) Extended Cab (4X2) Extended Cab (4X2) 4 Door Crew Cab (4X2) 4 Door Crew Cab (4X4) Wheel Base - 84" Cab to Axel | \$ \$ \$ \$ \$ \$ \$ | |
| | | 12G 12H 12I 12J 12K 12L | Optional Equipment PWR Window/Lock -Reg/Ext PWR Window/Lock - Crew Cab Speed Control Limited Slip Rear End Brake Controller Running Boards | \$ \$ \$ \$ \$ \$ \$ \$ | |
| | | 12M | <u>Engine / Transmission</u> Diesel Engine | \$ | |

PRICE PAGE (Continued)

| Vehicle Description | Opt. No. | Ontion Description | | Bid Price for |
|--|--|--|---|--|
| Venicle Description | | Option Description | | Optional Upgrade |
| 450/4500 Chassis Cab, DRW, Regular Cab, Gas | 13A 13B 13C 13D 13E 13F 13G | Cab UpgradesRegular Cab (4X4)Extended Cab (4X2)Extended Cab (4X4)4 Door Crew Cab (4X2)4 Door Crew Cab (4X4)Wheel Base - 84" Cab to AxleWheel Base - 108" Cab to Axle | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| | 13H 13I 13J 13K 13L 13M | Optional Equipment PWR Window/Lock -Reg/Ext PWR Window/Lock - Crew Cab Speed Control Limited Slip Rear End Brake Controller Running Boards | \$ \$ \$ \$ \$ \$ | |
| | 13N | Engine / Transmission Diesel Engine | \$ | |
| 550/5500 Chassis Cab, DRW, Gas | 14A 14B 14C 14D 14E 14F 14F 14G | Cab Upgrades Regular Cab (4X4) Extended Cab (4X2) Extended Cab (4X2) 4 Door Crew Cab (4X2) 4 Door Crew Cab (4X2) 4 Door Crew Cab (4X4) Wheel Base - 84" Cab to Axle Wheel Base - 108" Cab to Axle | \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| | 14H 14I 14J 14K 14L 14M | Optional Equipment PWR Window/Lock -Reg/Ext PWR Window/Lock - Crew Cab Speed Control Limited Slip Rear End Brake Controller Running Boards Engine / Transmission Diesel Engine | \$ \$ \$ \$ \$ \$ | |
| | DRW, Regular Cab, Gas 550/5500 Chassis Cab, | Vehicle Description No. 450/4500 Chassis Cab, DRW, Regular Cab, Gas 13A 13B 13C 13D 13E 13F 13G 13 14 14 14 14 1 | Vehicle DescriptionNo.Option Description450/4500 Chassis Cab, DRW, Regular Cab, Gas13A 13BCab Upgrades Regular Cab (4X4) 13D13D13A 4 Door Crew Cab (4X2) 13E4 Door Crew Cab (4X4) 13F13D4 Door Crew Cab (4X4) 13F13F13GWheel Base - 84" Cab to Axle 13G0 Wheel Base - 108" Cab to Axle PWR Window/Lock - Reg/Ext 13I 13J13H9WR Window/Lock - Reg/Ext 13I 13J9wR Window/Lock - Reg/Ext 13K 13IX13KLimited Slip Rear End 13L 13K 13MBrake Controller Diesel Engine550/5500 Chassis Cab, DRW, Gas14A 14B 14DCab Upgrades Regular Cab (4X4) 14D14HPWR Window/Lock - Reg/Ext 14D14D 4 Door Crew Cab (4X2) 14C 14C 14D14HAboor Crew Cab (4X4) 14D 14D14D 4 Door Crew Cab (4X4) 14D 14D14HOptional Equipment PWR Window/Lock - Reg/Ext 14C14HAboor Crew Cab (4X4) 14D 14D14HAboor Crew Cab (4X4) 14D 14D14HAboor Crew Cab (4X4) 14D 14D14HAboor Crew Cab (4X4) 14D 14D14HAboor Crew Cab (4X4) 14F 14H14HPWR Window/Lock - Reg/Ext 14G14HAboor Crew Cab (4X4) 14F 14H14HAboor Crew Cab (4X4) 14F 14H <tr< td=""><td>Vehicle DescriptionNo.Option Description450/4500 Chassis Cab, DRW, Regular Cab, Gas13A 13BCab Upgrades Regular Cab (4X4)\$13B13A Extended Cab (4X2)\$13CExtended Cab (4X2)\$13D4 Door Crew Cab (4X2)\$13E4 Door Crew Cab (4X2)\$13FWheel Base - 84" Cab to Axle\$13GWheel Base - 108" Cab to Axle\$13GWheel Base - 108" Cab to Axle\$13GWheel Base - 108" Cab to Axle\$13GSpeed Control\$13JSpeed Control\$13KLimited Slip Rear End\$13MRunning Boards\$13NEngine / Transmission Diesel Engine\$14A4 Door Crew Cab (4X2)\$14E4 Door Crew Cab (4X4)\$14E4 Door Crew Cab (4X4)\$14E4 Door Crew Cab (4X4)\$14HHar\$14HWheel Base - 108" Cab to Axle\$14HAbor Crew Cab (4X4)\$14HYew Window/Lock - Reg/Ext\$14HPWR Window/Lock - Reg/Ext\$14HPWR Window/Lock - Reg/Ext\$14HPWR Window/Lock - Reg/Ext\$14HHarPWR Window/Lock - Reg/Ext\$14HHarPWR Window/Lock - Reg/Ext\$14HHarPWR Window/Lock - Reg/Ext\$14HHarPWR Window/Lock - Reg/Ext\$14H</td></tr<> | Vehicle DescriptionNo.Option Description450/4500 Chassis Cab, DRW, Regular Cab, Gas13A 13BCab Upgrades Regular Cab (4X4)\$13B13A Extended Cab (4X2)\$13CExtended Cab (4X2)\$13D4 Door Crew Cab (4X2)\$13E4 Door Crew Cab (4X2)\$13FWheel Base - 84" Cab to Axle\$13GWheel Base - 108" Cab to Axle\$13GWheel Base - 108" Cab to Axle\$13GWheel Base - 108" Cab to Axle\$13GSpeed Control\$13JSpeed Control\$13KLimited Slip Rear End\$13MRunning Boards\$13NEngine / Transmission Diesel Engine\$14A4 Door Crew Cab (4X2)\$14E4 Door Crew Cab (4X4)\$14E4 Door Crew Cab (4X4)\$14E4 Door Crew Cab (4X4)\$14HHar\$14HWheel Base - 108" Cab to Axle\$14HAbor Crew Cab (4X4)\$14HYew Window/Lock - Reg/Ext\$14HPWR Window/Lock - Reg/Ext\$14HPWR Window/Lock - Reg/Ext\$14HPWR Window/Lock - Reg/Ext\$14HHarPWR Window/Lock - Reg/Ext\$14HHarPWR Window/Lock - Reg/Ext\$14HHarPWR Window/Lock - Reg/Ext\$14HHarPWR Window/Lock - Reg/Ext\$14H |

PRICE PAGE (Continued)

| Line | | Opt. | | | Bid Price for |
|------|-----------------------------------|--|--|--|-------------------|
| No. | Vehicle Description | No. | Option Description | | Optional Upgrades |
| 15 | 600/6000 Chassis Cab, DRW, Gas | 15A 15B 15C 15D 15E 15H | Cab Upgrades Regular Cab (4X4) Wheel Base - 84" Cab to Axle Wheel Base - 108" Cab to Axle Wheel Base - 132" Cab to Axle Wheel Base - 156" Cab to Axle Optional Equipment PWR Window/Lock -Reg/Ext | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | |
| | | 151 15J 15K 15L 15M | PWR Window/Lock - Keg/Ext PWR Window/Lock - Crew Cab Speed Control Limited Slip Rear End Brake Controller Running Boards | ♪ \$\$ \$\$ \$\$ \$\$ | |
| | | 15N | <u>Engine / Transmission</u> Diesel Engine | \$ | |

PRICE PAGE (Continued)

| Line No. | Vehicle Description | Opt. No. | Option Description | | Bid Price for Optional Upgrades |
|-------------|---|--|--|--|------------------------------------|
| 16 | Mid-Size Utility Wagon, 4 Door, SUV, 2 Wheel Drive | 16A 16B 16C 16D 16E | Upgrades Engine Upgrade-List Size: Model Upgrade-List Series: Four Wheel Drive (4X4) Trailer Tow Package All Weather Mats | \$ \$ \$ \$ \$ | |
| 17 | Full-Size Utility Wagon, 4 Door, SUV, 2 Wheel Drive | 17A 17B 17C 17D 17E | Upgrades Heavy Duty Trailer Tow Four Wheel Drive (4X4) Extended Length (EL Model) Third Row Seat Option Model Upgrade-List Series | \$ \$ \$ \$ \$ | |
| | Full-Size Utility Wagon - Special Service Vehicle (SSV), 4 Door, 2 Wheel Drive | 18A 18B 18C 18D 18E 18F | <u>Upgrades</u> Heavy Duty Trailer Tow Package Four Wheel Drive (4X4) Extended Length (EL Model) 3rd Row Seat Option Hands-Free Phone Package Running Boards | \$ \$ \$ \$ \$ \$ \$ \$ \$ | |

PRICE PAGE (Continued)

| Line | | Opt. | | | Bid Price for |
|------|---------------------|------------|-------------------------------------|------|-------------------|
| No. | Vehicle Description | No. | Option Description | | Optional Upgrades |
| | | | | | optional opgrade |
| | | | Upgrades | | |
| 19 | 150 – 1500 Series | 19A | Engine Upgrade-List Size: | \$ | |
| | Cargo Van | 19B | Diesel Engine | - \$ | |
| | congo van | 19C | Trailer Tow Package | \$ | |
| | | 19D | Long Wheel Base | \$ | |
| | | 19D | | | |
| | | 19E | Raised Roof-List Inches: | \$ | |
| | | 19F | Rear Air Conditioning | \$ | |
| | | 190 | Cruise Control | \$ | |
| | | | Upgrades | _ | |
| 20 | 250 – 2500 Series | 20A | Engine Upgrade-List Size: | ¢ | |
| | Cargo Van | 20R | Diesel Engine | \$ | |
| | | 20B 20C | Trailer Tow Package | \$ | |
| | | 20C 20D | | \$ | |
| | | | Long Wheel Base | \$ | |
| | | 20E | Extended Length | \$ | |
| | | 20F | Raised Roof-List Inches: | \$ | |
| | | 20G | Rear Air Conditioning | \$ | |
| | | 20H | Cruise Control | \$ | |
| | | 201 | AWD | \$ | Prove Dec. 1 |
| | | | TT | | |
| 21 | 350 - 3500 Series | 21A | Upgrades | | |
| 41 | | 21A 21B | Engine Upgrade-List Size: | \$ | |
| | Cargo Van | 1 | Diesel Engine | \$ | |
| | | 21C | Trailer Tow Package | \$ | |
| | | 21D | Extended Length | \$ | |
| | | 21E | Raised Roof-List Inches: | \$ | |
| | | 21F | Rear Air Conditioning | \$ | |
| | | 21G | Alternative Fuel | \$ | |
| | | 21H | Dual Rear Wheels | \$ | |
| | | 21I | Cruise Control | \$ | |
| | | 21J | AWD | \$ | |
| | | | | | |
| 22 | 1 Ton Series Wagon, | 22A | Upgrades Model Upgrade List Suri | | |
| | | 22A 22B | Model Upgrade-List Series: | \$ | |
| | 15 Passenger | | Diesel Engine | \$ | |
| | | 22C | Trailer Tow Package | \$ | |
| | | 22D | Brake Controller | \$ | |
| | | 22E | Privacy Tinted Glass | \$ | |
| | | 22F | Hands-Free Phone Package | \$ | |
| | | 22G | Raised Roof-List Inches | \$ | |
| | | 22H | 11 Passenger Seating – DEDUCT | \$ | |
| | | 22I | Cruise Control | \$ - | |
| | | 22J | | | |

PRICE PAGE (Continued)

Price Quote Sheet For Optional Vehicle Up-Grades: (Continued)

| Line No. | Vehicle Description | Opt. No. | Option Description | | Bid Price for Optional Upgrades |
|-------------|--|---|--|--|------------------------------------|
| 23 | Class 6 Series Chassis Cab, DRW, Regular Cab, Gas | 23A 23B 23C 23D 23E | <u>Cab Upgrades</u> Extended Cab (4X2) Crew Cab (4X2) Diesel Engine Power Windows & Locks Driver Side Air Seat | \$ \$ \$ \$ | |
| 24 | Class 7 Series Chassis Cab, DRW, Regular Cab, Gas | 24A 24B 24C 24D 24E 24F 24G | <u>Cab Upgrades</u> Extended Cab (4X2) Crew Cab (4X2) Diesel Engine Air Brakes with Dryer Power Windows & Locks Driver Side Air Seat Tractor Air Package | \$ \$ \$ \$ \$ \$ \$ | |

END OF VEHICLE UPGRADE PRICE PAGE

PRICE PAGE (Continued)

Optional Equipment:

Bid proposals that are received should contain bid prices for all optional equipment listed below.

The following equipment shall be applicable to any or all vehicles quoted in this proposal. All bid prices include installation:

Option Item Number & Description Current Model Year Installed Pricing A. Rearview Rear mounted camera: review mirror or OEM Camera factory dash monitor; on in 'reverse' only. Add \$_____ Β. Remote Keyless Entry Key Fob #2 Add \$_____ C. Hitch Class III hitch with appropriate ball mount (to be designated prior to order placement.) (Light duty trucks only) Add \$_____ D. Pintle Hitch With 2" ball. Add \$_____ E. Bed Liner Spray-in bed liner. Add \$_____ F. Crossover Small - CDI / BSL60, or equal (for 1/2 ton Toolbox Add \$_____ pickups. G. Crossover Full - CDI / BSL69 or BSL72 (for 3/4 ton or Toolbox 1 ton pickups), or equal. Add \$_____ H. Sidemount Toolbox Add \$_____ Small - CDI / SM48 to allow crossover, or equal. I. Sidemount Toolbox Full - CDI / SM72 without crossover, or equal. Add \$_____ J. Service For single rear wheel pickups with bed delete Body for ³/₄ or 1 ton SRW. Add \$_____ Κ. Service For dual rear wheel trucks. Body 60" cab to axle. Add \$_____ L. Service For dual rear wheel trucks, Add \$_____ Body 84" Cab to Axle Van Body – For use on 80" – 84" cab to axle. M. Add \$_____

PRICE PAGE (Continued)

Optional Equipment: (Continued)

| Optio | on Item Number | & Description | Current Model Year Installed Pricing |
|---------------|---|--|--------------------------------------|
| N-1 | Dump Body | 9 Foot body (2-3 Yard Capacity) | Add \$ |
| N-2 | Dump Body | 11 Foot body (2-3 Yard Capacity) | Add \$ |
| О. | Dump Body | 10 Foot body (5-6 Yard Capacity 30,000 GVWR) | Add \$ |
| Р. | Flatbed Body | 9 Foot body - 60" Cab to Axle | Add \$ |
| Q. | Flatbed Body | 11 Foot body - 84" Cab to Axle | Add \$ |
| R-1. | Winch | Warn 9K brand with winch mount installed (light duty) with a grill guard. | Add \$ |
| R-2. | Winch | Warn 12K brand; with grill protector. Installed. | Add \$ |
| R-3. | Winch | Warn 16.5K brand with full steel bumper; with grill protector; installed. | Add \$ |
| S-1. | Lift Gate | 1200/1300 Pound rated lift gate, installed. | Add \$ |
| S-2. | Lift Gate | 1500/1600 Pound rated lift gate, installed. | Add \$ |
| T-1. | Ladder - Pipe Rack | 8 Foot bed pickup, black round tubing, installed. | Add \$ |
| T -2 . | Ladder - Pipe Rack | 8 Foot service body, black round tubing, installed. | Add \$ |
| U. | Four Corner Strobes | LED type, Four-corner remote strobes with lighted switch. | Add <u>\$</u> |
| V. | Emergency Lighting | 16" LED amber light bar. Outer dome is amber in color. | Add \$ |
| W. | equipment not This line item i circumvent the | uisiana R.S. 38:2212.1 A.(1)(b), all other optional listed, shall be at Dealer's invoice cost. is for incidentals only; it is not to be used as a means t Louisiana Bid Law. Written quote shall be supplied department as backup documentation. | o Comply |

PRICE PAGE (Continued)

Bidder has examined copies of all the Bidding Documents and of the following

Addenda (receipt of all which is hereby acknowledged):

Addendum <u>#_____</u>

Date _____

Warranty Emplacement/Service Site:

Please list your factory authorized warranty emplacement or service site below.

| Company Name: | | |
|-----------------|-----------------|--|
| Street Address: | City/State/Zip: | |
| Phone No.: | Fax No.: | |
| Attention: | Title: | |
| | | |

Bidder Information:

| Company Name: | |
|---|--|
| Address: | |
| City/State/Zip: | |
| Telephone #: () | |
| Authorized Printed Name and Title: | |
| Authorized Signature: | |
| | |
| (Per LA R.S. 38:2212 B. (5)(a)(b)(c) - See General Conditions | |

Copy of Louisiana's Vehicle Dealer's License attached: Yes No