ALEXANDRIA CITY COUNCIL TUESDAY SEPTEMBER 23, 2025

CITY COUNCIL CHAMBERS- 5:00 P.M.

PERSONS DESIRING TO ADDRESS THE COUNCIL SHALL INFORM THE PRESIDENT AT THE APPROPRIATE AGENDA ITEM

- A. CALL TO ORDER
- **B. INVOCATION**
- C. PLEDGE OF ALLEGIANCE
- D. ROLL CALL

E. APPROVAL OF MINUTES TAKEN FROM A REGULAR MEETING HELD ON SEPTEMBER 9, 2025.

F. CONSENT CALENDAR

- 1) Introduction of an ordinance authorizing the mayor to accept the low bid submitted for auxiliary power generator at Fire Station Number 5 located at 540 Coliseum Blvd.
- 2) Introduction of an ordinance authorizing the mayor to accept the low bid submitted for Genealogical Library roof stabilization and repair project.
- 3) Introduction of an ordinance authorizing the mayor to accept the lowest proposal received from Yankee Holdings dba Yankee Clipper for landscape maintenance services at Jackson and MacArthur.
- 4) Introduction of an ordinance authorizing the mayor to accept the lowest proposal received from Taylorscapes for landscape maintenance services for the Community Centers.
- 5) Introduction of an ordinance authorizing the mayor to enter into an agreement with the U. S. Department of Housing and Urban Development with respect to annual CDBG and HOME grant funding

- contracts, amendments, and other documents and matters with respect thereto.
- 6) Introduction of an ordinance authorizing the mayor accept the lowest proposal received from Yankee Holdings dba Yankee Clipper for landscape maintenance services for I-49 Greenbelt.
- 7) Introduction of an ordinance authorizing the mayor to accept the lowest proposal received from Ted Finn LLC for landscape maintenance services for Martin Park.

G. RESOLUTIONS

- 8) **RESOLUTION** authorizing advertisement for bids for treated wood poles.
- 9) **RESOLUTION** authorizing advertisement for bids for a minimum of one rear loading refuse truck 25 cubic yard capacity.
- 10) **RESOLUTION** authorizing advertisement for bids for a minimum of one grapple truck for the Sanitation Department.
- 11) **RESOLUTION** authorizing advertisement for bids for a minimum of one shuttle truck for the Sanitation Department.
- 12) **RESOLUTION** authorizing advertisement for bids for Jackson Street Gas Main Replacement for the Gas Department.
- 13) **RESOLUTION** authorizing advertisement for bids for Masonic Court Sports.
- 14) **RESOLUTION** setting a public hearing to be held on October 21, 2025 to consider condemnation of twenty-five (25) structures.

H. ORDINANCES FOR FINAL ADOPTION SUBJECT TO PUBLIC HEARING

...

- 15) To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for sludge removal and disposal services for the Wastewater Treatment Plant Phase 1.
- 16) To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for DG Hunter Units 5, 6, 7 and 8 Wartsila overhaul maintenance services.
- 17) To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for turn out gear for the Fire Department.
- 18) To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for plastic refuse bags.
- 19) To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for Consolidated City Compound Metal Roof and Soffit Replacement.
- 20) To consider final adoption of an ordinance authorizing the mayor to accept the lowest proposal received from Electric Power Systems International, Inc. for testing and maintenance of substation transformers, circuit breakers and related equipment.
- 21) To consider final adoption of an ordinance authorizing the mayor to renew the existing contract with Xpress Recycling for the sale of scrap metal.
- 22) To consider final adoption of an ordinance authorizing the mayor to renew the contract with Milliman, Inc. for actuarial services relating to Risk Management Fund.

23) To consider final adoption of an ordinance authorizing the mayor to enter into an Intergovernmental Agreement with Rapides Parish Law Enforcement District relative to an employee health and wellness clinic venue program and related services.

I. PUBLIC HEARING - COMMUNITY DEVELOPMENT

24) To hold a public hearing on the cost of demolition of twenty-five (25) residential structures.

25) Adjourned

Alexandria City Council meetings and Council committee meetings are broadcast live and may be viewed live by the public on Optimum Cable Channel 4. A rebroadcast may be viewed on Optimum Cable Channel 4 and the City of Alexandria, LA website www.cityofalexandriala.com

ALEXANDRIA CITY COUNCIL

TUESDAY SEPTEMBER 23, 2025

CITY COUNCIL CHAMBERS- 5:00 P.M.

PERSONS DESIRING TO ADDRESS THE COUNCIL SHALL INFORM THE PRESIDENT AT THE APPROPRIATE AGENDA ITEM

- A. CALL TO ORDER
- **B. INVOCATION**
- C. PLEDGE OF ALLEGIANCE
- D. ROLL CALL
- E. APPROVAL OF MINUTES TAKEN FROM A REGULAR MEETING HELD ON SEPTEMBER 9, 2025.

PROCEEDINGS OF THE COUNCIL OF THE CITY OF ALEXANDRIA, STATE OF LOUISIANA, TAKEN AT A REGULAR MEETING HELD ON SEPTEMBER 9, 2025

The Council of the City of Alexandria, Louisiana, met in a regularly scheduled meeting session in the City Council Chambers, on Tuesday, September 9, 2025 at 5:00 P.M. Those present were the Honorable Cynthia Perry, Gary Johnson, Lizzie Felter, Jules Green, Chuck Fowler, Jim Villard and Malcolm Larvadain. Also present were Mayor Roy, City Attorney Jonathon Goins, Michael Caffery and Council Staff.

The Council of the City of Alexandria, State of Louisiana was duly convened as the governing authority of said City by the Honorable Cynthia Perry, who stated that the Council was ready for the transaction of business. The invocation was pronounced by Ms. Felter and the Pledge of Allegiance was led by Mr. Fowler.

On a motion of Mr. Fowler and seconded by Mr. Green the minutes taken from a regular Council Meeting held on August 26, 2025 were unanimously approved by the Council.

CONSENT CALENDAR

The Council next read all items found under the heading Consent Calendar and assigned them to committees.

Mr. Fowler moved for the introduction of all items appearing under the heading Consent Calendar.

Mr. Villard seconded the motion. It was unanimously carried by the Council.

Bids were received for DG Hunter Units 5, 6, 7 and 8 Wartsila Overhaul Maintenance Services.

Name of Bidders
Wartsilia North America
MSHS Pacific Power Group

DCS North America KA Innovative Maritime Services MSHS Pacific Power Group (on-line bid)

The above bid was referred to the Mayor and appropriate committee for tabulation and recommendation. The following ordinance was introduced by Mr. Fowler and seconded by Mr. Villard to wit:

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR DG HUNTER UNITS 5, 6, 7 AND 8 WARTSILA OVERHAUL MAINTENANCE SERVICES AND OTHER MATTERS WITH RESPECT THERETO.

Bids were received for Turn Out Gear.

Name of Bidders

Municipal Emergency Services

Casco Industries

North America Fire Equipment Company, Inc.

BGS, LLC

The above bid was referred to the Mayor and appropriate committee for tabulation and recommendation. The following ordinance was introduced by Mr. Fowler and seconded by Mr. Villard to wit:

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR TURN OUT GEAR FOR THE FIRE DEPARTMENT AND OTHER MATTERS WITH RESPECT THERETO.

Bids were received for plastic refuse bags.

Name of Bidders
Dispose N Save
Interboro Packing Company
Economical Janitorial and Paper Supplies, LLC
Unipak
United Sales USA Corporation
Cari Trading Company, LLC

Central Poly Corporation Global Packaging Incorporated New York Packaging

The above bid was referred to the Mayor and appropriate committee for tabulation and recommendation. The following ordinance was introduced by Mr. Fowler and seconded by Mr. Villard to wit:

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR PLASTIC REFUSE BAGS AND OTHER MATTERS WITH RESPECT THERETO.

Bids were received for Consolidated City Compound Metal Roof and Soffit Replacement.

Name of Bidders
Ducote Development Group
Johnny's Roofing and Metal Works, Inc.
Coleman Roofing and Construction, LLC
Morcore Roofing

The above bid was referred to the Mayor and appropriate committee for tabulation and recommendation. The following ordinance was introduced by Mr. Fowler and seconded by Mr. Villard to wit:

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR CONSOLIDATED CITY COMPOUND METAL ROOF AND SOFFIT REPLACEMENT AND OTHER MATTERS WITH RESPECT THERETO.

Bids were received for minimum of one heavy duty electro hydraulic tire changer.

Name of Bidders
Grand Automotive Supply, LLC
Lift Now Auto Equipment

Upon request from the Administration and a motion of Mr. Fowler and seconded by Mr. Villard, the following item was removed from the agenda:

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR MINIMUM OF ONE HEAVY DUTY ELECTRO HYDRAULIC TIRE CHANGER AND OTHER MATTERS WITH RESPECT THERETO.

On a motion of Mr. Fowler and seconded by Mr. Villard the following ordinance was introduced to wit:

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOWEST PROPOSAL RECEIVED FROM ELECTRIC POWER SYSTEMS INTERNATIONAL, INC. FOR TESTING AND MAINTENANCE OF SUBSTATION TRANSFORMERS, CIRCUIT BREAKERS AND RELATED EQUIPMENT AND OTHER MATTERS WITH RESPECT THERETO.

On a motion of Mr. Fowler and seconded by Mr. Villard the following ordinance was introduced to wit:

AN ORDINANCE AUTHORIZING THE MAYOR TO RENEW THE EXISTING CONTRACT WITH XPRESS RECYCLING FOR THE SALE OF SCRAP METAL AND OTHER MATTERS WITH RESPECT THERETO.

On a motion of Mr. Fowler and seconded by Mr. Villard the following ordinance was introduced to wit:

AN ORDINANCE AUTHORIZING THE MAYOR TO RENEW THE CONTRACT WITH MILLIMAN, INC. FOR ACTUARIAL SERVICES RELATING TO RISK MANAGEMENT FUND AND OTHER MATTERS WITH RESPECT THERETO.

RESOLUTIONS

1 / S

Mr. Villard moved for the adoption of the following resolution, which was seconded by Ms. Felter.

RESOLUTION NO. 0690-2025

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR WIRE AND CABLE.

The President called for any discussion, a vote was called for and resulted as follows:

YEAS: Villard, Larvadain, Perry, Johnson, Felter, Green, Fowler.

NAYS: None.

ABSENT: None.

This resolution was thereupon declared adopted on this the 9^{th} day of September, 2025.

Mr. Fowler moved for the adoption of the following resolution, which was seconded by Ms. Felter.

RESOLUTION NO. 0691-2025

RESOLUTION CONFIRMING THE APPOINTMENT OF BRIDGET VAUGHN TO SERVE AS A MEMBER OF THE ALEXANDRIA MUNICIPAL FIRE AND POLICE CIVIL SERVICE BOARD NOMINATED BY LOUISIANA STATE UNIVERSITY OF ALEXANDRIA TO SERVE A THREE YEAR TERM.

The President called for any discussion, a vote was called for and resulted as follows:

YEAS: Fowler, Villard, Larvadain, Perry, Johnson, Felter, Green.

NAYS: None.

ABSENT: None.

This resolution was thereupon declared adopted on this the 9^{th} day of September, 2025.

Mr. Fowler moved for the adoption of the following resolution, which was seconded by Mr. Villard.

RESOLUTION NO. 0692-2025

RESOLUTION CONFIRMING THE APPOINTMENT OF MICHAEL DAY TO SERVE AS A MEMBER OF THE ALEXANDRIA MUNICIPAL FIRE AND POLICE CIVIL SERVICE BOARD NOMINATED BY LOUISIANA STATE UNIVERSITY OF ALEXANDRIA TO COMPLETE THE THREE YEAR TERM OF RAFAEL ROMERO.

The President called for any discussion, a vote was called for and resulted as follows:

YEAS: Fowler, Villard, Larvadain, Perry, Johnson, Felter, Green.

NAYS: None.

ABSENT: None.

This resolution was thereupon declared adopted on this the 9th day of September, 2025.

ORDINANCES FOR FINAL ADOPTION SUBJECT TO A PUBLIC HEARING

The following ordinance, which was previously introduced and laid over for publication of notice and no objection having been filed thereto, was brought up for final adoption on a motion of Mr. Villard and seconded by Mr. Johnson.

ORDINANCE NO. 95-2025

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR THE 2025-2028 WATER WELL MAINTENANCE AND REHABILITATION CONTRACT AND OTHER MATTERS WITH RESPECT THERETO.

The President called for any discussion, a vote was called for and resulted as follows:

YEAS: Villard, Larvadain, Perry, Johnson, Felter, Green, Fowler.

NAYS: None.

ABSENT: None.

This ordinance was thereupon declared adopted on this the 9th day of September, 2025.

Upon request from the Administration and a motion of Mr. Fowler and seconded by Mr. Villard, the following item was delayed for two weeks:

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR SLUDGE REMOVAL AND DISPOSAL SERVICES FOR THE WASTEWATER TREATMENT PLANT PHASE 1 AND OTHER MATTERS WITH RESPECT THERETO.

The following ordinance, which was previously introduced and laid over for publication of notice and no objection having been filed thereto, was brought up for final adoption on a motion of Mr. Villard and seconded by Ms. Felter.

ORDINANCE NO. 96-2025

AN ORDINANCE AUTHORIZING THE MAYOR TO ENTER INTO AN AGREEMENT WITH THE STATE OF LOUISIANA, DEPARTMENT OF CULTURE, RECREATION AND TOURISM OFFICE OF THE SECRETARY KEEP LOUISIANA BEAUTIFUL INITIATIVE AND OTHER MATTERS WITH RESPECT THERETO.

The President called for any discussion, a vote was called for and resulted as follows:

YEAS: Villard, Larvadain, Perry, Johnson, Felter, Green, Fowler.

NAYS: None.

ABSENT: None.

This ordinance was thereupon declared adopted on this the 9th day of September, 2025.

The following ordinance, which was previously introduced and laid over for publication of notice and no objection having been filed thereto, was brought up for final adoption on a motion of Mr. Fowler and seconded by Mr. Villard.

ORDINANCE NO. 97-2025

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE PROPOSALS RECEIVED FOR ELECTRIC TRANSMISSION AND DISTRIBUTION EMERGENCY SERVICES AND OTHER MATTERS WITH RESPECT THERETO. The President called for any discussion, a vote was called for and resulted as follows:

YEAS: Fowler, Villard, Larvadain, Perry, Johnson, Felter, Green.

NAYS: None.

ABSENT: None.

This ordinance was thereupon declared adopted on this the 9th day of September, 2025.

The following ordinance, which was previously introduced and laid over for publication of notice and no objection having been filed thereto, was brought up for final adoption on a motion of Mr. Villard and seconded by Ms. Felter.

ORDINANCE NO. 98-2025

AN ORDINANCE AUTHORIZING THE MAYOR TO EXECUTE AN AMENDMENT TO THE COOPERATIVE ENDEAVOR AGREEMENT BETWEEN THE STATE OF LOUISIANA AND THE CITY FOR ADDITIONAL FUNDS FOR THE LOUISIANA

WATERSHED INITIATIVE PROJECT AND OTHER MATTERS WITH RESPECT THERETO.

The President called for any discussion, a vote was called for and resulted as follows:

YEAS: Villard, Larvadain, Perry, Johnson, Felter, Green, Fowler.

NAYS: None.

ABSENT: None.

This ordinance was thereupon declared adopted on this the 9th day of September, 2025.

The following ordinance, which was previously introduced and laid over for publication of notice and no objection having been filed thereto, was brought up for final adoption on a motion of Mr. Villard and seconded by Mr. Johnson.

ORDINANCE NO. 99-2025

AN ORDINANCE AUTHORIZING THE MAYOR TO ENTER INTO AN AGREEMENT WITH STRIPE INC. FOR PAYMENT PROCESSING AND OTHER MATTERS WITH RESPECT THERETO.

The President called for any discussion, a vote was called for and resulted as follows:

YEAS: Villard, Larvadain, Perry, Johnson, Felter, Green, Fowler.

NAYS: None.

ABSENT: None.

This ordinance was thereupon declared adopted on this the 9th day of September, 2025.

Upon request from the Administration and a motion of Mr. Fowler and seconded by Mr. Villard, the following item was delayed for two weeks:

AN ORDINANCE AUTHORIZING THE MAYOR TO ENTER INTO AN INTERGOVERNMENTAL AGREEMENT WITH RAPIDES PARISH LAW ENFORCEMENT DISTRICT RELATIVE TO AN EMPLOYEE HEALTH AND WELLNESS CLINIC VENUE PROGRAM AND RELATED SERVICES AND OTHER MATTERS WITH RESPECT THERETO.

The President adjourned the meeting at 5:17 p.m.

/S/ Cynthia Perry
President

ATTEST:
/S/Donna P. Jones
City Clerk

F. CONSENT CALENDAR

Introduction of an ordinance authorizing the mayor to accept the low bid submitted for auxiliary power generator at Fire Station Number 5 located at 540 Coliseum Blvd.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: Public Safety/Fire Date: July 31, 2025 Resolution authorizing advertisement of bids for Auxillary Power Generator at Fire Station No. 5 (5540 Title: Coliseum Blvd.) **Explanation of Proposal:** Additional Information Attached - The City Council is requested to authorize advertisement of bids for this project, which includes a 150kW natural gas fed generator and additive alternate to replace the existing automatic transfer switch. - Engineer's cost estimate is \$160,000. Neutral Within **Budget:** Requires **Existing Amendment** Account Number: 101-076000-707600 Expense Amount: \$160,000 Account Line Item: \$657,944 Remaining Amount: **Authorization:** 1. Mayor Council Staff Form Information: Sufficient Review: Content

Remarks:

AUG 0 5 2025

Insufficient

SECTION 00100

ADVERTISEMENT FOR BIDS

CITY OF ALEXANDRIA

AUXILIARY POWER GENERATOR FIRE STATION NO. 5 (5540 COLISEUM BOULEVARD)

Separate sealed bids for the <u>CITY OF ALEXANDRIA AUXILIARY POWER GENERATOR FIRE STATION NO. 5 (5540 COLISEUM BOULEVARD)</u> Project will be received by the City of Alexandria, Louisiana by the City Clerk, at the City Council Office, City Hall, 915 Third Street, Alexandria, Louisiana, 71301 until 10:00 a.m. (Central Time) on Tuesday, September 23, 2025 and then at said office publicly opened and read aloud. Any bid received after the specified time and date will not be considered.

A Mandatory Pre-Bid Conference will be held at 10:00 a.m. on Thursday, September 11, 2025 at the City of Alexandria Fire Station No. 5 located at 5540 Coliseum Boulevard, Alexandria, LA 71303.

The Instructions to Bidders, Bid Form, Agreement Between Owner and Contractor, Forms of Bid Bond, Performance and Payment Bonds, Drawings and Specifications, and other Contract Documents may be examined at the following location:

PAN AMERICAN ENGINEERS, LLC (Design Professional) 1717 JACKSON STREET (71301) P. O. BOX 8599 (71306) ALEXANDRIA, LOUISIANA (318) 473-2100

The work is generally described as follows:

All work related to the project entitled "City of Alexandria Auxiliary Power Generator Fire Station No. 5 (5540 Coliseum Boulevard)," being a 150 kW generator, natural gas fed. An additive alternate to replace the existing auto transfer switch is included.

Copies of the bidding documents shall be obtained from the office of Pan American Engineers, LLC upon deposit of \$150.00 for each set of documents; or from the electronic bid submittal option as noted in the Advertisement. The deposit on the first set of documents furnished to bonafide prime bidders will be fully refunded upon return of the documents, in good condition, no later than ten (10) days after receipt of bids. On other sets of documents furnished to bidders, the deposit less actual cost of reproduction will be refunded upon return of the documents, in good condition, no later than ten (10) days after receipt of bids.

Pursuant to Louisiana Revised Statute (L.R.S.) 38:2212.E.(1), Bidders have the option to secure bidding documents and submit bids electronically. Bidding documents may be secured from Central Bidding. Electronic bids for this project may be submitted through Central Bidding. The Central Bidding web address is www.CentralBidding.com. To register, or for assistance with completing an e-bid, contact Central Bidding at 225-810-4814 or 866-570-9620.

The OWNER reserves the right to reject any or all bids for just cause. Such actions will be in accordance with Title 38 of the L.R.S.

In accordance with L.R.S. 38:2212.B.(1), the provisions and requirements stated in the Bidding Documents shall not be considered as informalities and shall not be waived.

Each Bidder must deposit with the bid, security in the amount of at least five percent (5%) of the total bid price, as described in the Instructions to Bidders. Bid bonds shall be written by a surety or insurance company meeting the requirements noted in L.R.S. 38:2218.

The successful Bidder shall be required to furnish a Performance Bond and Payment Bond, in an amount equal to 100% of the Contract amount, written by a surety or insurance company meeting the requirements noted in L.R.S. 38:2219 A.(1)(a), (b) and (c), or for Federally funded projects, must be listed as acceptable on the U.S. Department of Treasury Circular 570.

City of Alexandria is an equal opportunity employer.

City of Alexandria encourages all small and minority-owned firms and women's business enterprises to apply.

Any person with disabilities required special accommodations must contact the City of Alexandria no later than seven (7) days prior to bid opening.

City of Alexandria P. O. Box 71 Alexandria, Louisiana 71309 Jacques M. Roy, Mayor

PLEASE PUBLISH THREE (3) TIMES: Friday, August 15, 2025 Friday, August 22, 2025 Friday, August 29, 2025

RESOLTUION NO. 0685-2024

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR AUXILIARY POWER GENERATOR AT FIRE STATION NUMBER 5 LOCATED AT 5540 COLISEUM BLVD.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for Auxiliary Power Generator at Fire Station Number 5 located at 5540 Coliseum Blvd.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on September 23 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 12th day of August, 2025.

/s/ Donna P. Jones, MMC City Clerk



ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR AUXILIARY POWER GENERATOR AT FIRE STATION NUMBER 5 LOCATED AT 540 COLISEUM BLVD AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the low bid submitted for auxiliary power generator at Fire Station Number 5 located at 540 Coliseum Blvd.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION IV: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION V: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 23rd day of September, 2025.

NOTICE PUBLISHED on the 26th day of September, 2025.

published, was then submitted to being as follows:	submitted in writing, introduced and a final vote as a whole, the vote thereon
YEAS:	
NAYS:	
ABSENT:	
AND THE ORDINANCE was dec September, 2025 and final publication. Town Talk on the day of Se	lared adopted on this the day of ation was made in the Alexandria Daily ptember, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL/VETO	

Introduction of an ordinance authorizing the mayor to accept the low bid submitted for Genealogical Library roof stabilization and repair project.



AGENDA ITEM FACT SHEET

Date: August 4, 2025

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: Planning/Engineering

Title: Resolution to Advertise for Bid of Genealogical Libra	ary Roof Stabilization and Repair Project
Explanation of Proposal: The City Engineer's Office has prepared plans and specification Library roof. The City Council is requested to authorize advertisement of bion The City Engineer's Office project estimate is \$60,000. Bids to be received September 23, 2025.	
Budget: Neutral Within Existing	Requires Amendment
Account Number: 101-043400-707405	Expense Amount: \$60,000(estimate)
Account Line Item: \$98,345.27	Remaining Amount:
Authorization:	4. Finance Director
1. Mayor	5. Division Director
2. Chief Operating Officer	6. Department Head
3. Gig Morney	7. Purchasing Agent
Council Staff Form Content	Information: Sufficient Insufficient

Remarks:

AUG 0 5 2025

CITY COULDIL

ADVERTISEMENT FOR BIDS

Sealed bids will be received for the City of Alexandria, Louisiana, by the City Clerk, at the City Council Chambers, City Hall, 915 Third Street, Alexandria, Louisiana, 71301, until 10:00 a.m. on Tuesday, the 23rd day of September, 2025, and then at said office publically opened and read aloud.

Any person requiring special accommodation shall notify the City Clerk of the type(s) of accommodations required not less than seven (7) days before the bid opening.

For:

GENEALOGICAL LIBRARY ROOF STABILIZATION AND REPAIR 503 WASHINGTON STREET

Complete Bidding Documents may be obtained from:

City Engineers Office 625 Murray Street, Second Floor Alexandria, LA 71301 318-473-1170 (P) 318-441-6377 (F)

A Compact Disk (CD) with a complete set of bid documents will be given to licensed contractors.

Pursuant to LA R.S. 38:2212 A.(1)(f) and R.S. 38:2212 A.(1)(f)(vii), vendors/contractors have the option to submit bids and bonds electronically. Bids and bonds to be filed electronically shall be posted with **Central Bidding** at www.centralauctionhouse.com (1-225-810-4814). Registration will need to be completed prior to posting of bid. Plans, specifications and bid documents shall be obtained from the consultant listed above and posted with Central Bidding.

All bids must be accompanied by a bid security equal to five percent (5%) of the sum of the Base Bid, and must be in the form of a certified check, cashier's check of Bid Bond written by a surety or insurance company complying with R.S. 38.2218 C. The Bid Bond shall be in the favor of the Owner, and shall be accompanied by appropriate power of attorney.

The successful Bidder shall be required to furnish a Performance Bond and Payment Bond, in an amount equal to 100% of the Contract amount, written by a surety or insurance company meeting the requirements noted in R.S. 38.2219 A.(1)(a), (b) and (c).

Bids shall be accepted from Contractors who are licensed under R.S. 37.2150-2163 for the classification of "Building Construction". Project work shall consist of the following major items – installation of dimensional lumber to brace existing roof frame structure

and removal/replacement of roof tiles. The contract duration shall be forty-five (45) working days. The engineer's estimated cost of construction is \$ 70,000.

In accordance with 38.2212.(A)(1)(b)(ii)(bb) and 38.2227, the apparent low bidder will submit the CONTRACTOR'S AFFIDAVIT (AFF-1), CONTRACTOR'S ATTESTION (AC 1-2) and ATTESTATION CLAUSE REGARDING VERIFICATION OF EMPLOYEES (AV-1) within ten (10) days of the bid opening or they will be declared non-responsive.

No bid may be withdrawn for a period of forty-five (45) days after receipt of bids, except under the provisions of R.S. 38.2214.

The Owner reserves the right to reject any and all bids for just cause. In accordance with R.S. 38.2212.(A)(1)(b), the provisions and requirements of this section, and those stated in the Advertisement Bids, and those required on the Bid Form shall not be considered as informalities and shall not be waived.

Donna Jones City Clerk August 12, 2025

Please Publish August 15, 22 and 29

RESOLUTION NO. 0686-2025

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR GENEALOGICAL LIBRARY ROOF STABILIZATION AND REPAIR PROJECT.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for Genealogical Library Roof Stabilization and Repair Project.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on September 23 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 12th day of August, 2025.

/s/ Donna P. Jones, MMC City Clerk

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR GENEALOGICAL LIBRARY ROOF STABILIZATION AND REPAIR PROJECT AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the low bid submitted for Genealogical Library Roof Stabilization and repair project.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION IV: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION V: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 23rd day of September, 2025.

NOTICE PUBLISHED on the 26th day of September, 2025.

published, was then submitted to a f being as follows:	omitted in writing, introduced and final vote as a whole, the vote thereon
YEAS:	
NAYS:	
ABSENT:	
AND THE ORDINANCE was declared September, 2025 and final publication Town Talk on the day of September.	on was made in the Alexandria Daily
CITY CLERK F	PRESIDENT
MAYOR'S APPROVAL/VETO	

Introduction of an ordinance authorizing the mayor to accept the lowest proposal received from Yankee Holdings dba Yankee Clipper for landscape maintenance services at Jackson and MacArthur.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Please insure that the information is clear, concise and current.

Division/Department: FINANCE/PURCHASING

Date: SEPTEMBER 3,2025

Title: ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOWEST PROPOSAL FOR LANDSCAPE MAINTENANCE SERVICES - JACKSON @ MacARTHUR

Explanation of Proposal:	Additional Information Attached
: effect for a period of twelve (12) months. Contingent upo	posal for Landscape Maintenance Services for Jackson @ M, three (3) proposals were received. It is our e Clipper at rates as proposed. This contract shall remain in on the availability of funds, and the ability of the successful to renew the existing contract for an additional twelve (12)
Budget: Neutral With Exist	
Account Number: 101-042400-605110	Expense Amount: N/A
Account Line Item: Maintenance-Grounds and R-O-W	Remaining Amount: N/A
Authorization:	4. Finance Director
1. Mayor	5. Division Director
2. Chief Operating Officer	6. Department Head
3. City Attorney	7 Purchasing Agent V CR Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q
Council Staff Form Content Con	Information: Sufficient Insufficient

Remarks:

RFQ TABULATION

MANDATORY PRE-BID CONFERENCE - NIA
RFO OPENING DATE - Wednesday, September RFQ NUMBER AND NAME - #1936P LANDSCAPE MAINTENANCE SERVICE - JACKSON @ MACARTHUR

yes	Yes	Yes	Insurance Certificate attached?
yes	Yes	Yes	Copy of Licenses attached?
		,	
<u>\$1,397.12</u>	<u>\$61,832,32</u>	<u>\$1,380.00</u>	Landscape Maintenance Service per month:
			RENEWAL YEAR: October 2026 -October 2027
\$1.393.12	\$61.832.32	\$1,200.00	Landscape Maintenance Service per month:
			BASE YEAR: October 2025 - October 2026
IAILONSCAFES	ALEXANDRIA	Yankee Clipper	Description of Service/Unit of Issue
Vendor #3	Vendor #2	Vendor#1	
			Using Department: Urban Forester
		5 @ 2:00PM	RFQ OPENING DATE -Wednesday, September 3, 2025 @ 2:00PM

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOWEST PROPOSAL RECEIVED FROM YANKEE HOLDINGS DBA YANKEE CLIPPER FOR LANDSCAPE MAINTENANCE SERVICES AT JACKSON AND MACARTHUR AND OTHER MATTERS WITH RESPECT THERETO.

WHEREAS, Wednesday, September 3, 2025 at 2:00 PM, three proposals were received for landscape maintenance services for Jackson and MacArthur; and,

WHEREAS, award is to be made to the lowest, most responsive, responsible proposer; and,

WHEREAS, the Administration recommendation to award to Yankee Holdings DBA Yankee Clipper at rates as proposed, now therefore

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the lowest proposal received from Yankee Holdings DBA Yankee Clipper for landscape maintenance services.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc. this contract shall remain in effect for a period of twelve (12) months. Contingent upon the availability of funds, and the ability of the successful bidder to honor quoted prices, the City reserves the right to renew the existing contract for an additional twelve (12) month period.

SECTION IV: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION V: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION VI: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 23rd day of September, 2025.

NOTICE PUBLISHED on the 26th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

being as follows.	
YEAS:	
NAYS:	
ABSENT:	
AND THE ORDINANCE was September, 2025 and final pure Town Talk on the day of	declared adopted on this the day of iblication was made in the Alexandria Daily September, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL/VETO)

Introduction of an ordinance authorizing the mayor to accept the lowest proposal received from Taylorscapes for landscape maintenance services for the Community Centers.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Please insure that the information is clear, concise and current.

Division/Department: FINANCE/PURCHASING

Date: SEPTEMBER 3, 2025

Title:	ORDINANCE AUTHORIZING THE MAYO MAINTENANCE SERVICES - COMMUNITY	R TO ACCEPT THE LOWEST PROPOSAL FOR LANDSCAPE TY CENTERS
Explan	ation of Proposal:	Additional Information Attached
to award Continge reserves	on Wednesday, September 3, 2025 @ 2:00 Pl I to Taylorscapes at rates as proposed. This col	proposal for Landscape Maintenance Service for Community M, three (3) proposals were received. It is our recommendation ntract shall remain in effect for a period of twelve (12) months.
Budge	1 1 1 1V 1	Vithin Requires xisting Amendment
Account N	lumber: 101-042400-605110	Expense Amount: N/A
Account L	ine Item: Maintenance-Grounds and R-O-W	Remaining Amount: N/A
Author	ization:	4. Finance Director
1. Mayor		5. Division Director
2. Chief Ope	erating Officer	6. Department Head
3. City Attori	ney M	7. Purchasing Agent Rent Roll Roll Roll Roll Roll Roll Roll Rol
Council ! Review		Information: Sufficient Insufficient

Remarks:

RFQ TABULATION

RFQ NUMBER AND NAME: #1934P Landscape Maintenance Service - Community Centers

Mandatory Pre-Bid Conference: N/A

RFQ Opening Date: Wednesday, September 3, 2025 at 2:00 PM

Using Department: Urban Forester

		Vendor #1	Vendor #2	Vendor #3
		TAYLORSCAPES	YANKEE HOLDINGS	U.S, Lawns of
Item #	Description of Service/Unit of Issue		CLIPPER	Alexandria
	BASE YEAR: October 2025 - October 2026			
	Landscape Maintenance Service per month:			
	Bolton Ave. Community Center:	\$353.85	\$850.00	\$2,572.06
	Boys and Girls Club (beds only):	\$353.85	\$145.00	\$896.97
	Broadway Resource Center:	\$353.85	\$600.00	\$905.66
	Casson Street Teen Center.	\$353.85	\$700.00	\$700.81
	Central Louisiana Incubator:	\$220.00	\$350.00	\$752.30
	Downtown Mini Park:	\$353.85	\$750.00	\$894.96
	Martin Community Center:	\$353.85	\$800.00	\$1,005.80
	Martin Luther King Community Center:	\$353.85	\$440.00	\$478.33
	TOTAL FOR BASE YEAR	\$2,696.95	\$4,635.00	\$8,206.89
	RENEWAL, YEAR: October 2026 -October 2027			
	Landscape Maintenance Service per month:			
	Bolton Ave. Community Center:	\$373.85	\$950.00	\$2,572.06
	Boys and Girls Club (beds only):	\$373.85	\$145.00	\$896.97
	Broadway Resource Center:	\$373.85	\$600.00	\$905.66
	Casson Street Teen Center:	\$373.85	\$700.00	\$700.81
	Central Louisiana Incubator;	\$240.00	\$450.00	\$752.30
Ī	Downtown Mini Park:	\$373.85	\$750.00	\$894.96
	Martin Community Center:	\$373.85	\$850.00	\$1,005.80
	Martin Luther King Community Center:	\$373.85	\$440.00	\$478.33
	TOTAL FOR RENEWAL YEAR	\$2,856.95	\$4,885.00	\$8,206.89
	Copy of Licenses attached?	Yes	Yes	Yes
	Insurance Certificate attached?	Yes	Yes	Yes

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOWEST PROPOSAL RECEIVED FROM TAYLORSCAPES FOR LANDSCAPE MAINTENANCE SERVICES FOR THE COMMUNITY CENTERS AND OTHER MATTERS WITH RESPECT THERETO.

WHEREAS, Wednesday, September 3, 2025 at 2:00 PM, three proposals were received for landscape maintenance services for the Community Centers; and,

WHEREAS, award is to be made to the lowest, most responsive, responsible proposer; and,

WHEREAS, the Administration recommendation to award to Taylorscapes at rates as proposed, now therefore

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the lowest proposal received from Taylorscapes for landscape maintenance services.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc. this contract shall remain in effect for a period of twelve (12) months. Contingent upon the availability of funds, and the ability of the successful bidder to honor quoted prices, the City reserves the right to renew the existing contract for an additional twelve (12) month period.

SECTION IV: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION V: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION VI: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 23rd day of September, 2025.

NOTICE PUBLISHED on the 26th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:	
NAYS:	
ABSENT:	
AND THE ORDINANCE September, 2025 and fine Town Talk on the d	was declared adopted on this the day of all publication was made in the Alexandria Daily ay of September, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL/\	

Introduction of an ordinance authorizing the mayor to enter into an agreement with the U. S. Department of Housing and Urban Development with respect to annual CDBG and HOME grant funding contracts, amendments, and other documents and matters with respect thereto.



AGENDA ITEM FACT SHEET

Date: September 16, 2025

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: Planning/Community Development

An ordinance authorizing the Mayor to enter into agreements with the U.S. Dept. of Housing and Urban Development with respect to annual CDBG and HOME grant funding contracts, amendments, and other documents and matters with respect thereto. **Explanation of Proposal:** Additional Information Attached The City of Alexandria receives federal entitlement grant funding from the U.S. Department of Housing and Urban Development (HUD) on an annual basis through the CDBG and HOME grant programs. These programs require the City to enter into various grant agreements with HUD and to submit other documentation to supporting the program. Please see attached documentation for more information. Neutral Within Requires **Budget: Existing Amendment** Account Number: **Expense Amount:** Account Line Item: Remaining Amount: **Authorization:** 4. Finance Director 5. Division Director 2. Chief Operating Officer 3. City Attorney Council Staff Form Information: Sufficient Review:

Remarks:

Content

Insufficient

SEP 1 6 2029

CITY COUNCIL

U.S. DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT OFFICE OF COMMUNITY PLANNING AND DEVELOPMENT FEDERAL AWARD AGREEMENT

A. General Federal Award Information

Recipient name (must match Unique Entity Identifier	12. Assistance listing number and title:
name) and address:	14.239, HOME Investment Partnerships Program
Alexandria	
915 3RD ST	
ALEXANDRIA, LA 71301-8342	
2. Recipient's Unique Entity Identifier:	13. Amount of federal funds obligated by this action:
NKLGHTN3TS34	\$241,045.37
3. Tax identification number:	14. Total amount of federal funds obligated:
726000014	\$241,045.37
4. Federal Award Identification Number (FAIN):	15. Total approved cost sharing (if applicable):
M25MC220205	See Addendum 2
5. Instrument type:	16. Total federal award amount, including approved cost
Grant 🛛 Cooperative agreement 🗍	sharing:
Loan Guarantee	\$241,045.37
6. Period of performance start and end date:	17. Budget approved by HUD:
- 09/30/2034	
7. Budget period start and end date:	18. Fiscal year:
FY 2025 through FY 2033	See Addendum 2
8. Initial Agreement 🔀 Amendment 🗌 #	19. Statutory authority:
<u> </u>	42 U.S.C. 12701 et seg
9. Indirect cost rate (per § 200.414):	20. Applicable appropriations act(s):
Recipients must complete Addendum 3: Indirect Cost	Public Law 118-158, Public Law 119-4
Rate Schedule	
10. Is this award for research and development (per 2	21. Notice/notice of funding opportunity this award is
C.F.R. § 200.1)? Yes No 🔀	made under (if applicable):
· – –	N/A
11. Awarding official name and contact information:	22. Program regulations (if applicable):
Mayor Jacques Roy	24 C.F.R. Part 92
PO BOX 71, Alexandria, LA 71303	
23. Federal award description:	
Under the HOME Investment Partnerships Program, HUD a	allocates funds by formula among eligible State and local
governments to strengthen public-private partnerships and	d to expand the supply of decent, safe, sanitary, and
affordable housing, with primary attention to rental housing	ng, for very low-income and low-income families.
 Addendum 1. Policy Requirements 	
 Addendum 2. Program-Specific Requirements 	
Addendum 3. Indirect Cost Rate Schedule	

Authority and Agreement. This agreement between the U.S. Department of Housing and Urban Development (HUD) and the Recipient is made pursuant to the statutory authority above (box 19) and is subject to the applicable appropriations act(s) (box 20). This agreement incorporates by reference the HOME Investment Partnerships program statute 42 U.S.C. 12701 et seq., the program regulations at 24 C.F.R. § 92 (as now in effect and as may be amended from time to time), Recipient's consolidated plan/action plan, the relevant funding notice (box 21), any attached Specific Terms and Conditions, and the attached addenda (box 23).

B. Terms and Conditions

1.	General terms and requirements. The Recipient must comply with all applicable federal laws, regulations, and requirements unless otherwise provided through HUD's formal waiver authorities. This agreement, including any attachments and addenda, may only be amended in writing executed by parties to this agreement and any addenda.
2.	Administrative requirements. The Recipient must comply with the following requirement(s) if checked below:
	The administrative requirements in the HUD General Administrative, National, and Departmental Policy

NOFO, apply to this agreement.

The grantee shall comply with requirements established by the Office of Management and Budget (OMB) concerning the Unique Entity Identifier (UEI); the System for Award Management (SAM.gov.); the Federal Funding Accountability and Transparency Act as provided in 2 C.F.R. part 25, Universal Identifier and General Contractor Registration; and 2 C.F.R. part 170, Reporting Subaward and Executive Compensation Information.

Requirements and Terms for HUD's Financial Assistance Programs 2025, as indicated in the relevant

3. Applicability of 2 C.F.R. part 200.

\boxtimes	The Recipient must comply with the applicable requirements at 2 C.F.R. part 200, as may be amended
	from time to time. If any previous or future amendments to 2 C.F.R. part 200 replace or renumber any part
	200 section cited in HUD's regulations in Title 24 of the Code of Federal Regulations, the amended part
	200 requirements will govern award activities carried out after the amendments' effective date.

The Recipient must comply with the applicable requirements at 2 C.F.R. part 200. If any previous amendments to 2 C.F.R. part 200 replace or renumber any part 200 section cited in HUD's regulations in Title 24 of the Code of Federal Regulations, the amended part 200 requirements will govern award activities carried out after the amendments' effective date.

- 4. Future budget periods. If the period of performance spans multiple budget periods, subsequent budget periods are subject to the availability of funds, program authority, satisfactory performance, and compliance with the terms and conditions of the Federal award.
- 5. Indirect Cost Rate. If the Recipient intends to use a negotiated or de minimis rate for indirect costs, the Recipient must submit an Indirect Cost Rate form to HUD, either with its application using HUD-426 (competitive grants) or with this agreement using "Addendum #3 "Indirect Cost Rate Schedule" (formula and congressional grants). The submitted form/addendum will be incorporated into and made part of this agreement, provided that the rate information is consistent with the applicable requirements under 2 C.F.R. § 200.414. If there is any change in the Recipient's indirect cost rate, it must immediately notify HUD and execute an amendment to this agreement to reflect the change if necessary.
- 6. Recipient integrity and performance matters. If the Federal share of this award is more than \$500,000 over the period of performance (box 6), the terms and conditions in 2 C.F.R. part 200 Appendix XII apply to this agreement.
- 7. Recordkeeping and Access to Records. The Recipient hereby agrees to maintain complete and accurate books of account for this award and award activities in such a manner as to permit the preparation of statements and reports in accordance with HUD requirements, and to permit timely and effective audit. The Recipient agrees to furnish HUD such financial and project reports, records, statements, subrecipient data, and documents at such times, in such form, and accompanied by such reporting data as required by HUD. HUD and its duly authorized representative shall have full and free access to all Recipient offices and facilities, and to all books, documents, and records of the Recipient relevant to the administration, receipt, and use of this award and award activities, including the right to audit and make copies. The Recipient agrees to maintain records that identify the source and application of funds, including relevant subrecipient data, in such a manner as to allow HUD to determine that all funds are and have been expended in accordance with program requirements and in a manner consistent with applicable law.

Further, the Recipient hereby acknowledges that HUD is in the process of implementing new grants management and reporting tools, which will be made available for the Recipient's use in the future. The Recipient agrees to report on grant performance and financial activities (including vendor and cash disbursement supporting details for the Recipient and its subrecipients) using these new tools when they are released. HUD will work with the Recipient to support the Recipient's transition to this new reporting environment. Once implemented, timely reporting in this new environment will be mandatory. HUD reserves the right to exercise all of its available rights and remedies for any noncompliance with these grants management and financial reporting requirements, to include, without limitation, requiring 100% review, suspension of disbursements, and all other legally available remedies, to the furthest extent permitted by law, as amended.

- 8. Noncompliance. If the Recipient fails to comply with the provisions of this agreement, HUD may take one or more of the actions provided in program statutes, regulations or 2 C.F.R. § 200.339, as applicable. Nothing in this agreement shall limit any remedies otherwise available to HUD in the case of noncompliance by the Recipient. No delay or omissions by HUD in exercising any right or remedy available to it under this agreement shall impair any such right or remedy or constitute a waiver of or acquiescence in any Recipient noncompliance.
- 9. *Termination provisions*. Unless superseded by program statutes, regulations or NOFOs, the termination provisions in 2 C.F.R. § 200.340 apply.
- 10. Build America, Buy America. The Recipient must comply with the requirements of the Build America, Buy America (BABA) Act, 41 U.S.C. § 8301 note, and all applicable rules and notices, as may be amended, if applicable. Pursuant to HUD's Notice, "Public Interest Phased Implementation Waiver for FY 2022 and 2023 of Build America, Buy America Provisions as Applied to Recipients of HUD Federal Financial Assistance" (88 Fed. Reg. 17001), BABA requirements apply to any infrastructure projects HUD has obligated funds for after the effective dates, unless excepted by a waiver.
- 11. Waste, Fraud, Abuse, and Whistleblower Protections. Any person who becomes aware of the existence or apparent existence of fraud, waste, or abuse of any HUD award must report such incidents to both the HUD official responsible for the award and to HUD's Office of Inspector General (OIG). Allegations of fraud, waste, and abuse related to HUD programs can be reported to the HUD OIG hotline via phone at 1-800-347-3735 or online hotline form. The Recipient must comply with 41 U.S.C. § 4712, which includes informing employees in writing of their rights and remedies, in the predominant native language of the workforce. Under 41 U.S.C. § 4712, employees of a government contractor, subcontractor, recipient, and subrecipient—as well as a personal services contractor—who make a protected disclosure about a Federal award or contract cannot be discharged, demoted, or otherwise discriminated against if they reasonably believe the information they disclose is evidence of (1) gross mismanagement of a Federal contract or award; (2) waste of Federal funds; (3) abuse of authority relating to a Federal contract or award; (4) substantial and specific danger to public health and safety; or (5) violations of law, rule, or regulation related to a Federal contract or award.
- 12. Third-Party Claims. Nothing in this agreement shall be construed as creating or justifying any claim against the federal government or the Recipient by any third party.
- 13. Rule of Construction and No Construction Against Drafter. Notwithstanding anything contained in this agreement, the terms and conditions hereof are to be construed to have full and expansive effect in both interpretation and application, and the parties agree that the principle of interpretation that holds that ambiguities in terms or conditions are construed against the drafter shall not apply in interpreting this agreement.

C. Federal Award Performance Goals
The Recipient must meet any applicable performance goals, indicators, targets, and baseline data as required by
and the blank and the second and the second

applicable program requirements.		
D. Specific Terms and Conditions	Not applicable 🔀	Attached

For the U.S. Department of HUD (name and title of authorized official) Marlet N. Cox, Acting Director	Signature	Date
For the Recipient (name and title of authorized official) Jacques M. Roy, Mayor	Signature	Date

ADDENDUM 1. POLICY REQUIREMENTS

If applicable:

- The Recipient shall not use grant funds to promote "gender ideology," as defined in Executive Order (E.O.) 14168, Defending Women from Gender Ideology Extremism and Restoring Biological Truth to the Federal Government;
- 2. The Recipient agrees that its compliance in all respects with all applicable Federal antidiscrimination laws is material to the U.S. Government's payment decisions for purposes of section 3729(b)(4) of title 31, United States Code:
- 3. The Recipient certifies that it does not operate any programs that violate any applicable Federal anti-discrimination laws, including Title VI of the Civil Rights Act of 1964;
- 4. The Recipient shall not use any grant funds to fund or promote elective abortions, as required by E.O. 14182, Enforcing the Hyde Amendment; and that,
- Notwithstanding anything in the NOFO or Application, this Grant shall not be governed by Executive Orders revoked by E.O. 14154, including E.O. 14008, or NOFO requirements implementing Executive Orders that have been revoked.
- 6. The Recipient must administer its grant in accordance with all applicable immigration restrictions and requirements, including the eligibility and verification requirements that apply under title IV of the Personal Responsibility and Work Opportunity Reconciliation Act of 1996, as amended (8 U.S.C. 1601-1646) (PRWORA) and any applicable requirements that HUD, the Attorney General, or the U.S. Citizenship and Immigration Services may establish from time to time to comply with PRWORA, Executive Order 14218, or other Executive Orders or immigration laws.
- 7. No state or unit of general local government that receives funding under this grant may use that funding in a manner that by design or effect facilitates the subsidization or promotion of illegal immigration or shields illegal aliens from deportation, including by maintaining policies or practices that materially impede enforcement of federal immigration statutes and regulations.
- 8. The Recipient must use SAVE, or an equivalent verification system approved by the Federal government, to prevent any Federal public benefit from being provided to an ineligible alien who entered the United States illegally or is otherwise unlawfully present in the United States.
- 9. Faith-based organizations may be subrecipients for funds on the same basis as any other organization. Recipients may not, in the selection of subrecipients, discriminate against an organization based on the organization's religious character, affiliation, or exercise.

ADDENDUM 2. PROGRAM-SPECIFIC REQUIREMENTS

Assistance Listing 14.239, HOME Investment Partnerships Program

- 1. For the purposes of this Agreement and any applicable addenda, the term "recipient" shall have the meaning of "grantee", "participating jurisdiction" as defined in 24 C.F.R. 92.2., or "insular area" as defined in 24 C.F.R. 92.2.
- 2. Community Housing Development Organizations (CHDOs). When 42 U.S.C. 12771(b) is suspended by a given year's appropriations, the Secretary shall not deduct funds set aside for CHDOs from the Recipient's HOME Investment Trust Fund for failure to reserve those funds for projects owned, developed, or sponsored by CHDOs within 24 months after the last day of the month in which HUD notifies the Recipient of HUD's execution of this Agreement.
- 3. Commitment. When 42 U.S.C. 12749(g) is suspended by a given year's appropriations, the Recipient's ability to commit funds provided through this Agreement will not expire 24 months after the last day of the month in which such funds are deposited in the jurisdiction's HOME Investment Trust Fund.
- 4. Deobligations. To the extent authorized by HUD regulations at 24 C.F.R. Part 92, HUD may, by its execution of an amendment to this Agreement, deobligate funds previously awarded to the Recipient without the Recipient's execution of the amendment or other consent.
- 5. State Environmental Review. If a Recipient is a State, as defined in 24 C.F.R. 92.2, and the Recipient provides HOME funds to a "State recipient", as that term is defined in 24 CFR 92.2, then the Recipient must require that the "State recipient" shall assume responsibility for the environmental review in accordance with 24 CFR 92.352 in the written agreement entered into pursuant to 24 CFR 92.504. Notwithstanding the foregoing, as per 24 CFR 92.504(c)(1)(vi), the "State recipient" shall not assume the Recipient's responsibilities for release of funds under 24 CFR 92.352.
- 6. Reallocations. All funds for the specified Fiscal Year provided by HUD by formula reallocation are covered by this Agreement upon execution of an amendment by HUD, without the Recipient's execution of the amendment or other consent.
- Repayments. The Recipient agrees that funds invested in affordable housing under 24 C.F.R. Part 92 are repayable when the housing no longer qualifies as affordable housing. Repayment shall be made as specified in 24 C.F.R. Part 92.
- 8. Cost Sharing. This award is subject to match provisions in 24 C.F.R. 92.64(a)(1) and 24 C.F.R. 92.218-222, as applicable. The amount of match that a recipient may be required to provide in a year is not based upon the amount of the recipient's award. Under 24 C.F.R. 92.218, the amount of match that a recipient may be required to provide is determined by the type of eligible costs incurred by the recipient and the amount of funds drawn from the HOME Investment Trust Fund Treasury Account in that year. Since these factors are fact-sensitive, the amount of match is not included in either Box 15 or Box 16 of this Agreement.

9. Funding Information:

Source of Funds	Appropriation Code	PAS Code	Amount
2023	86 3/6 0205	HMF (M)	\$1,197.61
2024	86 4/7 0205	HMF (N)	\$898.86
2025	86 5/8 <i>0205</i>	HMF (P)	\$238,948.90

ADDENDUM 3. INDIRECT COST RATE SCHEDULE

As the duly authorized representative of the Recipient, I certify that the Recipient:

Will not use an indirect cost rate to calculate and charge indirect costs under the grant.

Will calculate and charge indirect costs under the grant by applying a de minimis rate as provided by 2 C.F.R. § 200.414(f), as may be amended from time to time.

Will calculate and charge indirect costs under the grant using the indirect cost rate(s) listed below, and each rate listed is included in an indirect cost rate proposal developed in accordance with the applicable appendix to 2 C.F.R. part 200 and, if required, was approved by the cognizant agency for indirect costs.

Agency/department/major function	Indirect cost rate	Type of Direct Cost Base
	%	
	%	
	%	

Instructions for the Recipient:

The Recipient must mark the one (and only one) checkbox above that best reflects how the Recipient's indirect costs will be calculated and charged under the grant. Do not include indirect cost rate information for subrecipients.

The table following the third box must be completed only if that box is checked. When listing a rate in the table, enter both the percentage amount (e.g., 10%) and the type of direct cost base to be used. For example, if the direct cost base used for calculating indirect costs is Modified Total Direct Costs, then enter "MTDC" in the "Type of Direct Cost Base" column.

If using the Simplified Allocation Method for indirect costs, enter the applicable indirect cost rate and type of direct cost base in the first row of the table.

If using the Multiple Allocation Base Method, enter each major function of the organization for which a rate was developed and will be used under the grant, the indirect cost rate applicable to that major function, and the type of direct cost base to which the rate will be applied.

If the Recipient is a government and more than one agency or department will carry out activities under the grant, enter each agency or department that will carry out activities under the grant, the indirect cost rate(s) for that agency or department, and the type of direct cost base to which each rate will be applied.

To learn more about the indirect cost requirements, see 2 C.F.R. part 200, subpart E and Appendix VII to Part 200 (for state and local governments).

U.S. DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT OFFICE OF COMMUNITY PLANNING AND DEVELOPMENT FEDERAL AWARD AGREEMENT

A. General Federal Award Information

A. Ocheraci edelat Award Information	
Recipient name (must match Unique Entity Identifier name) and address: Alexandria 915 3RD ST ALEXANDRIA, LA 71301-8342 Recipient's Unique Entity Identifier:	12. Assistance listing number and title:
NKLGHTN3TS34	13. Amount of federal funds obligated by this action: \$489,682.00
3. Tax identification number:	14. Total amount of federal funds obligated:
726000014	\$489,682.00
4. Federal Award Identification Number (FAIN): B25MC220001	15. Total approved cost sharing (if applicable): N/A
5. Instrument type: Grant Cooperative agreement C Loan Guarantee	16. Total federal award amount, including approved cost sharing: \$489,682.00
Period of performance start and end date: 10/1/2024 - See Addendum 2	17. Budget approved by HUD:
7. Budget period start and end date:	18. Fiscal year:
10/1/2024 - See Addendum 2	2025
8. Initial Agreement 🔲 Amendment 🗍 #	19. Statutory authority: 42 U.S.C. 5301 et seq.
9. Indirect cost rate (per § 200.414):	20. Applicable appropriations act(s):
Recipients must complete Addendum 3: Indirect Cost Rate Schedule	Public Law 119-4
10. Is this award for research and development (per 2 C.F.R. § 200.1)? Yes No	21. Notice/notice of funding opportunity this award is made under (if applicable): N/A
11. Awarding official name and contact information: Mayor Jacques Roy PO Box 71, Alexandria, LA 71303	22. Program regulations (if applicable): 24 C.F.R. Part 570
23. Federal award description:	
The CDBG program provides funding to eligible granted	es for the development of viable urban
communities, by providing decent housing and a suita	ıble living environment and expanding economic
opportunities, principally for persons of low and mode	erate income.
 Addendum 1. Policy Requirements 	
 Addendum 2. Program-Specific Requirements 	
 Addendum 3. Indirect Cost Rate Schedule 	

Authority and Agreement. This agreement between the U.S. Department of Housing and Urban Development (HUD) and the Recipient is made pursuant to the statutory authority above (box 19) and is subject to the applicable appropriations act(s) (box 20). This agreement incorporates by reference the Community Development Block Grant program statute 42 U.S.C. 5301 et seq., the program regulations at 24 C.F.R. § 570 (as now in effect and as may be

amended from time to time), Recipient's consolidated plan/action plan, the relevant funding notice (box 21), any attached Specific Terms and Conditions, and the attached addenda (box 23).

B. Terms and Conditions

- 1. General terms and requirements. The Recipient must comply with all applicable federal laws, regulations, and requirements, unless otherwise provided through HUD's formal waiver authorities. This agreement, including any attachments and addenda, may only be amended in writing executed by parties to this agreement and any addenda. 2. Administrative requirements. The Recipient must comply with the following requirement(s) if checked below: The administrative requirements in the HUD General Administrative, National, and Departmental Policy Requirements and Terms for HUD's Financial Assistance Programs 2025, as indicated in the relevant NOFO, apply to this agreement. The grantee shall comply with requirements established by the Office of Management and Budget (OMB) concerning the Unique Entity Identifier (UEI); the System for Award Management (SAM.gov.); the Federal Funding Accountability and Transparency Act as provided in 2 C.F.R. part 25, Universal Identifier and General Contractor Registration; and 2 C.F.R. part 170, Reporting Subaward and Executive Compensation Information. 3. Applicability of 2 C.F.R. part 200. The Recipient must comply with the applicable requirements at 2 C.F.R. part 200, as may be amended from time to time. If any previous or future amendments to 2 C.F.R. part 200 replace or renumber any part 200 section cited in HUD's regulations in Title 24 of the Code of Federal Regulations, the amended part 200 requirements will govern award activities carried out after the amendments' effective date. The Recipient must comply with the applicable requirements at 2 C.F.R. part 200. If any previous amendments to 2 C.F.R. part 200 replace or renumber any part 200 section cited in HUD's regulations in Title 24 of the Code of Federal Regulations, the amended part 200 requirements will govern award activities carried out after the amendments' effective date.
- 4. Future budget periods. If the period of performance spans multiple budget periods, subsequent budget periods are subject to the availability of funds, program authority, satisfactory performance, and compliance with the terms and conditions of the Federal award.
- 5. Indirect Cost Rate. If the Recipient intends to use a negotiated or de minimis rate for indirect costs, the Recipient must submit an Indirect Cost Rate form to HUD, either with its application using HUD-426 (competitive grants) or with this agreement using "Addendum #3 "Indirect Cost Rate Schedule" (formula and congressional grants). The submitted form/addendum will be incorporated into and made part of this agreement, provided that the rate information is consistent with the applicable requirements under 2 C.F.R. § 200.414. If there is any change in the Recipient's indirect cost rate, it must immediately notify HUD and execute an amendment to this agreement to reflect the change if necessary.
- 6. Recipient integrity and performance matters. If the Federal share of this award is more than \$500,000 over the period of performance (box 6), the terms and conditions in 2 C.F.R. part 200 Appendix XII apply to this agreement.
- 7. Recordkeeping and Access to Records. The Recipient hereby agrees to maintain complete and accurate books of account for this award and award activities in such a manner as to permit the preparation of statements and reports in accordance with HUD requirements, and to permit timely and effective audit. The Recipient agrees to furnish HUD such financial and project reports, records, statements, subrecipient data, and documents at such times, in such form, and accompanied by such reporting data as required by HUD. HUD and its duly authorized representative shall have full and free access to all Recipient offices and facilities, and to all books, documents, and records of the Recipient relevant to the administration, receipt, and use of this award and award activities, including the right to audit and make copies. The Recipient agrees to maintain records that identify the source and application of funds, including relevant subrecipient data, in

such a manner as to allow HUD to determine that all funds are and have been expended in accordance with program requirements and in a manner consistent with applicable law.

Further, the Recipient hereby acknowledges that HUD is in the process of implementing new grants management and reporting tools, which will be made available for the Recipient's use in the future. The Recipient agrees to report on grant performance and financial activities (including vendor and cash disbursement supporting details for the Recipient and its subrecipients) using these new tools when they are released. HUD will work with the Recipient to support the Recipient's transition to this new reporting environment. Once implemented, timely reporting in this new environment will be mandatory. HUD reserves the right to exercise all of its available rights and remedies for any noncompliance with these grants management and financial reporting requirements, to include, without limitation, requiring 100% review, suspension of disbursements, and all other legally available remedies, to the furthest extent permitted by law, as amended.

- 8. Noncompliance. If the Recipient fails to comply with the provisions of this agreement, HUD may take one or more of the actions provided in program statutes, regulations or 2 C.F.R. § 200.339, as applicable. Nothing in this agreement shall limit any remedies otherwise available to HUD in the case of noncompliance by the Recipient. No delay or omissions by HUD in exercising any right or remedy available to it under this agreement shall impair any such right or remedy or constitute a waiver of or acquiescence in any Recipient noncompliance.
- 9. *Termination provisions*. Unless superseded by program statutes, regulations or NOFOs, the termination provisions in 2 C.F.R. § 200.340 apply.
- 10. Build America, Buy America. The Recipient must comply with the requirements of the Build America, Buy America (BABA) Act, 41 U.S.C. § 8301 note, and all applicable rules and notices, as may be amended, if applicable. Pursuant to HUD's Notice, "Public Interest Phased Implementation Waiver for FY 2022 and 2023 of Build America, Buy America Provisions as Applied to Recipients of HUD Federal Financial Assistance" (88 Fed. Reg. 17001), BABA requirements apply to any infrastructure projects HUD has obligated funds for after the effective dates, unless excepted by a waiver.
- 11. Waste, Fraud, Abuse, and Whistleblower Protections. Any person who becomes aware of the existence or apparent existence of fraud, waste, or abuse of any HUD award must report such incidents to both the HUD official responsible for the award and to HUD's Office of Inspector General (OIG). Allegations of fraud, waste, and abuse related to HUD programs can be reported to the HUD OIG hotline via phone at 1-800-347-3735 or online hotline form. The Recipient must comply with 41 U.S.C. § 4712, which includes informing employees in writing of their rights and remedies, in the predominant native language of the workforce. Under 41 U.S.C. § 4712, employees of a government contractor, subcontractor, recipient, and subrecipient—as well as a personal services contractor—who make a protected disclosure about a Federal award or contract cannot be discharged, demoted, or otherwise discriminated against if they reasonably believe the information they disclose is evidence of (1) gross mismanagement of a Federal contract or award; (2) waste of Federal funds; (3) abuse of authority relating to a Federal contract or award; (4) substantial and specific danger to public health and safety; or (5) violations of law, rule, or regulation related to a Federal contract or award.
- 12. *Third-Party Claims*. Nothing in this agreement shall be construed as creating or justifying any claim against the federal government or the Recipient by any third party.
- 13. Rule of Construction and No Construction Against Drafter. Notwithstanding anything contained in this agreement, the terms and conditions hereof are to be construed to have full and expansive effect in both interpretation and application, and the parties agree that the principle of interpretation that holds that ambiguities in terms or conditions are construed against the drafter shall not apply in interpreting this agreement.

C. Federal Award Performance Goals

The Recipient must meet any applicable performance goals, indicators, targets, and baseline data as required by applicable program requirements.

D. Specific Terms and Conditions	Not applicable Attached	
For the U.S. Department of HUD (name and title of authorized official) Marlet N. Cox, Acting Director	Signature	Date
For the Recipient (name and title of authorized official) Jacques M. Roy, Mayor	Signature	Date

ADDENDUM 1. POLICY REQUIREMENTS

If applicable:

- 1. The Recipient shall not use grant funds to promote "gender ideology," as defined in Executive Order (E.O.) 14168, Defending Women from Gender Ideology Extremism and Restoring Biological Truth to the Federal Government;
- 2. The Recipient agrees that its compliance in all respects with all applicable Federal antidiscrimination laws is material to the U.S. Government's payment decisions for purposes of section 3729(b)(4) of title 31, United States Code;
- 3. The Recipient certifies that it does not operate any programs that violate any applicable Federal anti-discrimination laws, including Title VI of the Civil Rights Act of 1964;
- 4. The Recipient shall not use any grant funds to fund or promote elective abortions, as required by E.O. 14182, Enforcing the Hyde Amendment; and that,
- 5. Notwithstanding anything in the NOFO or Application, this Grant shall not be governed by Executive Orders revoked by E.O. 14154, including E.O. 14008, or NOFO requirements implementing Executive Orders that have been revoked.
- 6. The Recipient must administer its grant in accordance with all applicable immigration restrictions and requirements, including the eligibility and verification requirements that apply under title IV of the Personal Responsibility and Work Opportunity Reconciliation Act of 1996, as amended (8 U.S.C. 1601-1646) (PRWORA) and any applicable requirements that HUD, the Attorney General, or the U.S. Citizenship and Immigration Services may establish from time to time to comply with PRWORA, Executive Order 14218, or other Executive Orders or immigration laws.
- 7. No state or unit of general local government that receives funding under this grant may use that funding in a manner that by design or effect facilitates the subsidization or promotion of illegal immigration or shields illegal aliens from deportation, including by maintaining policies or practices that materially impede enforcement of federal immigration statutes and regulations.
- 8. The Recipient must use SAVE, or an equivalent verification system approved by the Federal government, to prevent any Federal public benefit from being provided to an ineligible alien who entered the United States illegally or is otherwise unlawfully present in the United States.
- 9. Faith-based organizations may be subrecipients for funds on the same basis as any other organization. Recipients may not, in the selection of subrecipients, discriminate against an organization based on the organization's religious character, affiliation, or exercise.

ADDENDUM 2. PROGRAM-SPECIFIC REQUIREMENTS

Assistance Listing 14.218, Community Development Block Grant Program for Entitlement Communities

Assistance Listing 14.225, Community Development Block Grant Program for Insular Areas

Assistance Listing 14.228, Community Development Block Grant Program for States and Non-Entitlement Grants in Hawaii

- Environmental Review. The Recipient agrees to assume all the responsibilities for environmental
 review, decision making, and actions, as specified and required in regulations issued by the
 Secretary pursuant to section 104(g) of title I of the Housing and Community Development Act of
 1974 and published in 24 C.F.R. part 58; except that if the Recipient is a state, the Recipient must
 require the unit of general local government to assume that responsibility and must comply with the
 state's responsibilities under 24 C.F.R. 58.4.
- 2. Public Use. The Recipient shall ensure that no CDBG funds are used to support any Federal, State, or local projects that seek to use the power of eminent domain, unless eminent domain is employed only for public use. For the purposes of this requirement, public use shall not be construed to include economic development that primarily benefits private entities. Any use of funds for mass transit, railroad, airport, seaport, or highway projects as well as utility projects that benefit or serve the general public (including energy-, communication-, water-, and wastewater-related infrastructure), other structures designated for use by the general public or which have other common-carrier or public-utility functions that serve the general public and are subject to regulation and oversight by the government, and projects for the removal of an immediate threat to public health and safety or brownfield as defined in the Small Business Liability Relief and Brownfields Revitalization Act (Pub. Law No. 107–118) shall be considered a public use for purposes of eminent domain.
- 3. Prohibition on Selling, Trading, and Transferring Funds. The Recipient or unit of general local government that directly or indirectly receives CDBG funds may not sell, trade, or otherwise transfer all or any such portion of such funds to another such entity in exchange for any other funds, credits or non-Federal considerations, but must use such funds for activities eligible under title I of the Housing and Community Development Act of 1974.
- 4. Construction of Water and Sewer Facilities. Notwithstanding any other provision of this agreement, the Recipient may not obligate or expend award funds to plan or construct water or sewer facilities, including any new or revised activities, until after 1) it completes the review procedures required under Executive Order 12372, Intergovernmental Review of Federal Programs, and 24 C.F.R. part 52 and 2) HUD provides written notice of the release of funds.
- 5. Funds for For-Profit Entities. Under 42 U.S.C. § 5305(a)(17), CDBG funds may not be provided to a for-profit entity unless such activity or project has been evaluated and selected in accordance with Appendix A to 24 C.F.R. § 570, Guidelines and Objectives for Evaluating Project Costs and Financial Requirements.
- 6. Violence Against Women Act. The Recipient will comply with the right to report crime and emergencies protections at 34 U.S.C. § 12495 of the Violence Against Women Act.

7. Funding Information and Period of Performance and Budget Period End Dates

Source of Funds	Amount	Period of Performance End Date	Budget Period End Date
2025	\$489,682.00	9/30/2033	9/30/2033

ADDENDUM 3. INDIRECT COST RATE SCHEDULE

As th	ne duly authorized representative of the Recipient, I certify that the Recipient: Will not use an indirect cost rate to calculate and charge indirect costs under the grant.
' □	Will calculate and charge indirect costs under the grant by applying a <i>de minimis</i> rate as provided by 2 C.F.R. § 200.414(f), as may be amended from time to time.
	Will calculate and charge indirect costs under the grant using the indirect cost rate(s) listed below and each rate listed is included in an indirect cost rate proposal developed in accordance with the applicable appendix to 2 C.F.R. part 200 and, <i>if required</i> , was approved by the cognizant agency for indirect costs.

Agency/department/major function	Indirect cost rate	Type of Direct Cost Base
	%	
	%	
	%	

Instructions for the Recipient:

The Recipient must mark the one (and only one) checkbox above that best reflects how the Recipient's indirect costs will be calculated and charged under the grant. Do not include indirect cost rate information for subrecipients.

The table following the third box must be completed only if that box is checked. When listing a rate in the table, enter both the percentage amount (e.g., 10%) and the type of direct cost base to be used. For example, if the direct cost base used for calculating indirect costs is Modified Total Direct Costs, then enter "MTDC" in the "Type of Direct Cost Base" column.

If using the Simplified Allocation Method for indirect costs, enter the applicable indirect cost rate and type of direct cost base in the first row of the table.

If using the Multiple Allocation Base Method, enter each major function of the organization for which a rate was developed and will be used under the grant, the indirect cost rate applicable to that major function, and the type of direct cost base to which the rate will be applied.

If the Recipient is a government and more than one agency or department will carry out activities under the grant, enter each agency or department that will carry out activities under the grant, the indirect cost rate(s) for that agency or department, and the type of direct cost base to which each rate will be applied.

To learn more about the indirect cost requirements, see 2 C.F.R. part 200, subpart E and Appendix VII to Part 200 (for state and local governments).

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ENTER INTO AN AGREEMENT WITH THE U. S. DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT WITH RESPECT TO ANNUAL CDBG AND HOME GRANT FUNDING CONTRACTS, AMENDMENTS, AND OTHER DOCUMENTS AND MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to enter into an agreement with the U. S. Department of Housing and Urban Development with respect to annual CDBG and Home Grant Funding Contracts, amendments, and other documents.

SECTION II: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION III: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION IV: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 23rd day of September, 2025.

NOTICE PUBLISHED on the 26th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:

NAYS:	
ABSENT:	
	vas declared adopted on this the day of I publication was made in the Alexandria Daily of September, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL/V	— ETO

Introduction of an ordinance authorizing the mayor accept the lowest proposal received from Yankee Holdings, dba Yankee Clipper for landscape maintenance services for I-49 Greenbelt.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: FINANCE/PURCHASING Date: SEPTEMBER 3, 2025

Title: ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOWEST PROPOSAL FOR LANDSCAPE MAINTENANCE SERVICES - 1-49 GREENBELT

MANATENANCE SERVICES - 1-45 GRE	CINDELI
Explanation of Proposal: Ordinance authorizing the Mayor to accept the lower	Additional Information Attached est proposal for Landscape Maintenance Service for I-49 Greenbelt.
: On Wednesday, September 3, 2025 @ 2:00 PM, two : Yankee Holdings dba Yankee Clipper at rates as pro	0 (2) proposals were received. It is our recommendation to award to posed. This contract shall remain in effect for a period of twelve (12) and the ability of the successful hidder to bonor quoted prices, the
Budget: Neutral	Within Requires Existing Amendment
Account Number: 101-042400-605110	Expense Amount: N/A
Account Line Item: Maintenance-Grounds and R-O-	W Remaining Amount: N/A
Authorization:	4/Finance Direction
1. Moyor	5. Division Director
2. Chief Operating Officer	6. Department Head
3 City Attorney Q Co	7) Purchasing Agent Collaboration (Collaboration)
Council Staff Form Review: Content	Information: Sufficient Insufficient
Demarks.	

kemarks:

SEP 1 THE

RFQ TABULATION

RFQ NUMBER AND NAME - #1935P LANDSCAPE MAINTENANCE SERVICE - 1-49 GREENBELT

MANDATORY PRE-BID CONFERENCE - N/A

RFQ OPENING DATE -Wednesday, September 3, 2025 @ 2:00PM

Using Department: Urban Forester

	Vendor #1	Vendor #2
Proposition of Constant Lines	Yankee Holdings dba	US LAWNS OF
BASE YEAR: October 2025 - October 2026	i alinee Olippei	ALEVANDRIA
Landscape Maintenance Service per month:	\$10,270.00	\$276.816.71
RENEWAL YEAR: October 2026 -October 2027		
Landscape Maintenance Service per month:	\$11,540.00	\$276,816.71
		VENDOR QUOTED
		YEARLY RATE RATHER
		THAN MONTHLY RATE
		\$23,068.06/ MONTHLY
opy of Licenses attached?	Yes	Yes
nsurance Certificate attached?	Yes	Yes

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR ACCEPT THE LOWEST PROPOSAL RECEIVED FROM YANKEE HOLDINGS, DBA YANKEE CLIPPER FOR LANDSCAPE MAINTENANCE SERVICES FOR 1-49 GREENBELT AND OTHER MATTERS WITH RESPECT THERETO.

WHEREAS, Wednesday, September 3, 2025 at 2:00 PM, two proposals were received for landscape maintenance services for the I-49 Greenbelt; and,

WHEREAS, award is to be made to the lowest, most responsive, responsible proposer; and,

WHEREAS, the Administration recommendation to award to Yankee Holdings dba Yankee Clipper at rates as proposed, now therefore

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the lowest proposal received from Yankee Holdings dba Yankee Clipper for landscape maintenance services.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc. this contract shall remain in effect for a period of twelve (12) months. Contingent upon the availability of funds, and the ability of the successful bidder to honor quoted prices, the City reserves the right to renew the existing contract for an additional twelve (12) month period.

SECTION IV: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION V: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION VI: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 23rd day of September, 2025.

NOTICE PUBLISHED on the 26th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:	
NAYS:	
ABSENT:	
AND THE ORDINANCE was of September, 2025 and final pub Town Talk on the day of	declared adopted on this the day of plication was made in the Alexandria Daily September, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL METO	

Introduction of an ordinance authorizing the mayor to accept the lowest proposal received from Ted Finn LLC for landscape maintenance services for Martin Park.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Please insure that the information is clear, concise and current.

SEP 1 6 2025

CHY COMMON.

Division/Department: FINANCE/PURCHASING Date: SEPTEMBER 3, 2025

Title: ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOWEST PROPOSAL FOR LANDSCAPE MAINTENANCE SERVICES - MARTIN PARK

:	•••••	•••••			
Explanation of	•			tional Information Attached 🗹	
Ted Finn LLC at rates upon the availability	nber 3, 2025 @ 2:00 PM, s as proposed. This contr of funds, and the ability g contract for an additior	three (3) propose ract shall remain i of the successful	als were i n effect fo bidder to	ndscape Maintenance Service for Martin Park received. It is our recommendation to award for a period of twelve (12) months. Continger to honor quoted prices, the City reserves the riod.	to nt
Budget:	Neutral	Within Existing		Requires Amendment	
Account Number: 1	01-042400-605110		Expense	e Amount: N/A	
Account Line Item: N	Naintenance-Grounds ar	nd R-O-W	Remaini	ning Amount: N/A	
Authorization:		•••••••••••••••••••••••••••••••••••••••	4. Fin ó nco	ce Director	•••••
1. Mayor		guille.	5. Division	on Director	-
2. Chief Operating Officer		V //\	6. Depart	tment Head /	
3. City Attorney	DCV		7. Purcha	asing Agent Rolly	
Council Staff Review:	Form Content		Infor	rmation: Sufficient	
Remarks:				والما المنظم المناط المنظم	

RFQ TABULATION

RFQ NUMBER AND NAME - #1937P LANDSCAPE MAINTENANCE SERVICE - MARTIN PARK

MANDATORY PRE-BID CONFERENCE - N/A

RFQ OPENING DATE - Wednesday. September 3, 2025 @ 2:00PM

Using Department: Urban Forester

	Vendor #1	Vendor #2	Vendor #3
Description of Service/Unit of Issue	TAYLORSCAPES	Ted Finn LLC	US LAWNS OF ALEXANDRIA
BASE YEAR: October 2025 - October 2026			
Landscape Maintenance Service per month:	\$1,596.42	\$1,500.00	\$44,074.84
RENEWAL YEAR: October 2026 - October 2027			
Landscape Maintenance Service per month:	\$1,598.42	\$1,500.00	\$44,074.84
			VENDOR QUOTED
			YEARLY RATE RATHER
			THAN MONTHLY RATE
			\$3,672.90/ MONTHLY
Copy of Licenses attached?	Yes	Yes	Yes
Insurance Certificate attached?	Yes	Yes	Yes

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOWEST PROPOSAL RECEIVED FROM TED FINN LLC FOR LANDSCAPE MAINTENANCE SERVICES FOR MARTIN PARK AND OTHER MATTERS WITH RESPECT THERETO.

WHEREAS, Wednesday, September 3, 2025 at 2:00 PM, three proposals were received for landscape maintenance services for the Martin Park; and,

WHEREAS, award is to be made to the lowest, most responsive, responsible proposer; and,

WHEREAS, the Administration recommendation to award to Ted Finn LLC, at rates as proposed, now therefore

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the lowest proposal received from Ted Finn LLC, for landscape maintenance services.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc. this contract shall remain in effect for a period of twelve (12) months. Contingent upon the availability of funds, and the ability of the successful bidder to honor quoted prices, the City reserves the right to renew the existing contract for an additional twelve (12) month period.

SECTION IV: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed

by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION V: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION VI: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 23rd day of September, 2025.

NOTICE PUBLISHED on the 26th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:	
NAYS:	
ABSENT:	
	declared adopted on this the day of iblication was made in the Alexandria Daily September, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL/VETO	D

RESOLUTIONS

RESOLUTION authorizing advertisement for bids for treated wood poles.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: FINANCE/PURCHASING Date: 09/03/2025

Title: Resolution Authorizing Permission to Advertise for Treated Wood Poles

Explanation of Proposal: Request permission to advertise for Treated Wood Poles. Sair Warehouse Department. Material to be ordered on an "as-ne	Additional Information Attached d material to be inventoried by the Electric Distribution ed" basis.
Budget: Neutral Existing Account Number: 401-0-141720-00000	Requires Amendment Expense Amount: N/A
Account Line Item: INVENTORY	Remaining Amount: N/A
Authorization: 1. Mayor 2. Chief Operating Officer	4. Finance Director 5. Division Director 6. Department Head
3. City Attorney Council Staff Form Review: Content	7. Purchasing Agents Information: Sufficient Insufficient

Remarks:

ADVERTISEMENT FOR BID

CITY OF ALEXANDRIA, LOUISIANA PURCHASING DEPARTMENT

BID # 2535 Treated Wood Poles

Separate sealed bids for, TREATED WOOD POLES, will be received by the CITY OF ALEXANDRIA at the CITY COUNCIL MEETING CHAMBERS, ALEXANDRIA CITY HALL, ALEXANDRIA, LOUISIANA, until 10:00 AM CST CDT, TUESDAY, November 18, 2025, and then at said office publically opened and read aloud.

Complete bid packet, bid specifications may be obtained at the City of Alexandria's website, www.cityofalexandriala.com under the heading "Business", and drop down to "RFP/RFQ/RFI/BIDS". There is no charge to download bid documents from the City's website.

Pursuant to LA R.S. 38:2212.1 B.(4)(a), vendors have the <u>option</u> to submit their bids electronically. Please find bid related documents and place electronic bids at <u>www.centralbidding.com</u>. For questions regarding the electronic bidding process, please call Central Bidding at 225-810-4814.

Questions and/or clarifications of bid specifications are to be in written form only, either mailed, faxed, or emailed to the attention of Andre Garsaud, City of Alexandria Purchasing Department, PO Box 71, Alexandria, LA 71309-0071; Fax 318-441-6185; email to andre.garsaud@cityofalex and must be received by 2:00 PM, Thursday, October 30, 2025.

OR

Address for Postal Delivery:

City of Alexandria Donna Jones, City Clerk PO Box 71 Alexandria, LA 71309-0071

Address for Courier or Overnight Delivery:

City of Alexandria
Donna Jones, City Clerk
915 Third Street, 1st Floor
Alexandria, LA 71301
Phone: 318-449-5090

Address for Electronic Bid Submission:

www.centralbidding.com

Phone: 225-810-4814

PLEASE PUBLISH THREE (3) TIMES:

Friday, September 26, 2025 Friday, October 3, 2025 Friday, October 10, 2025

RESOLUTION NO

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR TREATED WOOD POLES.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for treated Wood Poles.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on November 18, 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 23rd day of September, 2025.

/s/ Donna P. Jones, MMC City Clerk



RESOLUTION authorizing advertisement for bids for a minimum of one rear loading refuse truck 25 cubic yard capacity.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Please insure that the information is clear, concise and current.

Division/Department: FINANCE/PURCHASING Date:

Title: RESOLUTION AUTHORIZING PERMISSION TO ADVERTISE FOR A MINIMUM OF ONE (1) REAR LOADING REFUSE TRUCK - 25 CUBIC YARD CAPACITY

Explanation of Proposal:			Additional Information Attached			
We request permission to advertise for a minimum of one (· · · · · · · · · · · · · · · · · · ·			
Mandatory pre-bi Purchasing Depart	d conference shall be held Iment, located at 2021 Ind	d on Wednesday, lustrial Park Road,	October 22, 2025 at 10:00 AM, at the City of Alexandria Building WH, Alexandria, LA 71303.			
Budget:	Neutral	Within Existing	Requires Amendment			
Account Number:	402-043001-707500		Expense Amount: \$306,716.00			
Account Line Item:	Vehicles		Remaining Amount: N/A			
Authorization	:	•••••••••••••••••••••••••••••••••••••••	4. Finance Director			
1.Mayor			5. Division Director			
2. Chief Operating Offic	er		6. Department Head			
3. City Attorney	-~		Aurchasine Agent Kelly			
Council Staff Review:	Form Content		Information: Sufficient Insufficient			

Remarks:

ADVERTISEMENT FOR BID

CITY OF ALEXANDRIA, LOUISIANA PURCHASING DEPARTMENT

BID #2538- Rear Loading Refuse Truck, 25 Cubic Yard Capacity

Separate sealed bids for a minimum of (1) one Rear Loading Refuse Truck – 25 Cubic Yard Capacity, will be received by the CITY OF ALEXANDRIA at the CITY COUNCIL MEETING CHAMBERS, ALEXANDRIA CITY HALL, ALEXANDRIA, LOUISIANA, until 10:00 AM CST CDT, TUESDAY, November 4, 2025, and then at said office publically opened and read aloud.

Complete bid packet, bid specifications may be obtained at the City of Alexandria's website, www.cityofalexandriala.com under the heading "Business", and drop down to "RFP/RFQ/RFI/BIDS". There is no charge to download bid documents from the City's website.

Pursuant to LA R.S. 38:2212.1 B.(4)(a), vendors have the <u>option</u> to submit their bids electronically. Please find bid related documents and place electronic bids at <u>www.centralbidding.com</u>. For questions regarding the electronic bidding process, please call Central Bidding at 225-810-4814.

A mandatory pre-bid conference shall be held on Wednesday, October 22, 2025 at 10:00 AM, at the City of Alexandria Purchasing Department, Building WH, located at 2021 Industrial Park Road, Alexandria, LA 71303. All vendors wishing to submit bid proposals for this project "MUST ATTEND" this pre-bid conference. Pursuant to LA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid.

Address for Postal Delivery:

City of Alexandria Donna Jones, City Clerk PO Box 71 Alexandria, LA 71309-0071

Address for Courier or Overnight Delivery:

City of Alexandria
Donna Jones, City Clerk
915 Third Street, 1st Floor
Alexandria, LA 71301
Phone: 318-449-5090

Address for Electronic Bid Submission:

www.centralbidding.com

Phone: 225-810-4814

PLEASE PUBLISH THREE (3) TIMES:

Friday, September 26, 2025 Friday, October 3, 2025 Friday, October 10, 2025

RESOLUTION NO.

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR A MINIMUM OF ONE REAR LOADING REFUSE TRUCK 25 CUBIC YARD CAPACITY.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for treated Wood Poles.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on November 4, 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 23rd day of September, 2025.

/s/ Donna P. Jones, MMC City Clerk

RESOLUTION authorizing advertisement for bids for a minimum of one grapple truck for the Sanitation Department.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Please insure that the information is clear, concise and current.

Division/Department: FINANCE/PURCHASING Date: SEPTEMBER 5, 2025

Title: RESOLUTION AUTHORIZING PERMISSION TO ADVERTISE FOR A MINIMUM OF ONE (1) GRAPPLE TRUCK

F	
Explanation of Proposal:	Additional Information Attached
we request permission to advertise for a minimum of o	one (1) Grapple Truck for use by the Sanitation Department.
Mandatory pre-bid conference shall be held on Wedne Purchasing Department, located at 2021 Industrial Park	esday, October 22, 2025 at 10:00 AM, at the City of Alexandria k Road, Building WH, Alexandria, LA 71303.
KIINGQ1.	Vithin Requires xisting Amendment
Account Number: 402-043001-707500	Expense Amount: \$240,025.00
Account Line Item: Vehicles	Remaining Amount: N/A
Authorization:	4. Finance Director
1. Mayor	5. Division Director
2. Chief Operating Officer	6. Department Head
3. City Attorney 2 2	7. Purchasing Agent Ma Kally
Council Staff Form Content	Information: Sufficient Insufficient

Remarks:

ADVERTISEMENT FOR BID

CITY OF ALEXANDRIA, LOUISIANA PURCHASING DEPARTMENT

BID #2540 - GRAPPLE TRUCK

Separate sealed bids for a minimum of one (1) Grapple Truck, will be received by the CITY OF ALEXANDRIA at the CITY COUNCIL MEETING CHAMBERS, ALEXANDRIA CITY HALL, ALEXANDRIA, LOUISIANA, until 10:00 AM CST CDT, TUESDAY, November 4, 2025, and then at said office publically opened and read aloud.

Complete bid packet, bid specifications may be obtained at the City of Alexandria's website, www.cityofalexandriala.com under the heading "Business", and drop down to "RFP/RFQ/RFI/BIDS". There is no charge to download bid documents from the City's website.

Pursuant to LA R.S. 38:2212.1 B.(4)(a), vendors have the <u>option</u> to submit their bids electronically. Please find bid related documents and place electronic bids at <u>www.centralbidding.com</u>. For questions regarding the electronic bidding process, please call Central Bidding at 225-810-4814.

A mandatory pre-bid conference shall be held on Wednesday, October 22, 2025 at 10:00 AM, at the City of Alexandria Purchasing Department, Building WH, located at 2021 Industrial Park Road, Alexandria, LA 71303. All vendors wishing to submit bid proposals for this project "MUST ATTEND" this pre-bid conference. Pursuant to LA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid.

Address for Postal Delivery:

City of Alexandria Donna Jones, City Clerk PO Box 71 Alexandria, LA 71309-0071 Address for Courier or Overnight Delivery:

City of Alexandria
Donna Jones, City Clerk
915 Third Street, 1st Floor
Alexandria, LA 71301
Phone: 318-449-5090

Address for Electronic Bid Submission:

www.centralbidding.com

Phone: 225-810-4814

PLEASE PUBLISH THREE (3) TIMES:

Friday, September 26, 2025 Friday, October 3, 2025 Friday, October 10, 2025

RESOLUTION NO.

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR A MINIMUM OF ONE GRAPPLE TRUCK FOR THE SANITATION DEPARTMENT.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for a minimum of one grapple truck for the Sanitation Department.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on November 4, 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 23rd day of September, 2025.

/s/ Donna P. Jones, MMC City Clerk

RESOLUTION authorizing advertisement for bids for a minimum of one shuttle truck for the Sanitation Department.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Insufficient

Division/Department: FINANCE/PURCHASING Date: SEPTEMBER 5, 2025

Title: RESOLUTION AUTHORIZING PERMISSION TO ADVERTISE FOR A MINIMUM OF ONE (1) **Explanation of Proposal:** Additional Information Attached We request permission to advertise for a minimum of one (1) Shuttle Truck for use by the Sanitation Department. Mandatory pre-bid conference shall be held on Wednesday, October 22, 2025 at 10:00 AM, at the City of Alexandria Purchasing Department, located at 2021 Industrial Park Road, Building WH, Alexandria, LA 71303. Neutrai Within Requires **Budget: Existing Amendment** Account Number: 402-043001-707500 **Expense Amount:** \$104,015.00 Account Line Item: Vehicles Remaining Amount: N/A **Authorization:** 5. Division Director 2. Chief Operation Officer 6. Department Head 3. City Attorney **Council Staff** Form Information: Sufficient

Remarks:

Content

Review:

ADVERTISEMENT FOR BID

CITY OF ALEXANDRIA, LOUISIANA PURCHASING DEPARTMENT

BID #2539 – SHUTTLE TRUCK

Separate sealed bids for a minimum of one (1) Shuttle Truck, will be received by the CITY OF ALEXANDRIA at the CITY COUNCIL MEETING CHAMBERS, ALEXANDRIA CITY HALL, ALEXANDRIA, LOUISIANA, until 10:00 AM CST CDT, TUESDAY, November 4, 2025 and then at said office publically opened and read aloud.

Complete bid packet, bid specifications may be obtained at the City of Alexandria's website, www.cityofalexandriala.com under the heading "Business", and drop down to "RFP/RFQ/RFI/BIDS". There is no charge to download bid documents from the City's website.

Pursuant to LA R.S. 38:2212.1 B.(4)(a), vendors have the <u>option</u> to submit their bids electronically. Please find bid related documents and place electronic bids at <u>www.centralbidding.com</u>. For questions regarding the electronic bidding process, please call Central Bidding at 225-810-4814.

A mandatory pre-bid conference shall be held on Wednesday, October 22, 2025 at 10:00 AM, at the City of Alexandria Purchasing Department, Building WH, located at 2021 Industrial Park Road, Alexandria, LA 71303. All vendors wishing to submit bid proposals for this project "MUST ATTEND" this pre-bid conference. Pursuant to LA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid.

Address for Postal Delivery:

City of Alexandria Donna Jones, City Clerk PO Box 71 Alexandria, LA 71309-0071 Address for Courier or Overnight Delivery:

City of Alexandria Donna Jones, City Clerk 915 Third Street, 1st Floor Alexandria, LA 71301 Phone: 318-449-5090 Address for Electronic Bid Submission:

www.centralbidding.com

Phone: 225-810-4814

PLEASE PUBLISH THREE (3) TIMES:

Friday, September 26, 2025 Friday, October 3, 2025 Friday, October 10, 2025

RESOLUTION NO.

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR A MINIMUM OF ONE SHUTTLE TRUCK FOR THE SANITATION DEPARTMENT.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for a minimum of one shuttle truck for the Sanitation Department.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on November 4, 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 23rd day of September, 2025.

/s/ Donna P. Jones, MMC City Clerk

1

RESOLUTION authorizing advertisement for bids for Jackson Street Gas Main Replacement for the Gas Department.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Please insure that the information is clear, concise and current.

Division/Department: Utility Division/Gas Department Date: 09/10/2025

Title: Jackson Street Gas Main Replacement

Explanation of Proposal:	Additional Information Attached			
We request permission to advertise for the Jackson Street Gas will replace an existing 4" steel gas main along Jackson Street gas main. Bid prices shall be for the replacement of the new 4	Main Replacement for the Gas Department. This project from McNutt Drive to Peterman Drive with a new 4" PE			
Budget: Neutral Within Existing	Requires Amendment			
Account Number: 411-782203-707000	Expense Amount: \$ 504,742.40			
Account Line Item: Jackson Street Gas Replacement	Remaining Amount: \$ 461,582.40			
Authorization:	4. Finance Director			
1. Mayor	5. Division Director			
2. Chief Operating Officer	6. Degartment Head			
3. City Altorney Day Tit	7. Pursusing Agent			
Council Staff Form Review: Content	Information: Sufficient Insufficient			

Remarks:

RECEIVED

SEP 1 9 2025

CITY COLLEGIL

ADVERTISEMENT FOR BID

CITY OF ALEXANDRIA, LOUISIANA PURCHASING DEPARTMENT

Jackson Street Gas Main Replacement

Separate sealed bids for, Jackson Street Gas Main Replacement, will be received by the CITY OF ALEXANDRIA at the CITY COUNCIL MEETING CHAMBERS, ALEXANDRIA CITY HALL, ALEXANDRIA, LOUISIANA, until 10:00 AM CST CDT, Tuesday, November 4, 2025, and then at said office publically opened and read aloud.

Hard copies of the complete bid packet, specifications and construction plans may be obtained at the office of Monceaux-Buller and Associates, LLC, 610 Desoto Street, Alexandria, LA 71301 or digital copies can be requested from David Melancon by email at david@monceauxbuller.com.

Pursuant to LA R.S. 38:2212.1 B.(4)(a), vendors have the <u>option</u> to submit their bids electronically. Please find bid related documents and place electronic bids at <u>www.centralbidding.com</u>. For questions regarding the electronic bidding process, please call Central Bidding at 225-810-4814.

Questions and/or clarifications of bid specifications are to be in written form only and emailed to the attention of David Melancon, by email at david@monceauxbuller.com and must be received by 4:00 PM CST, Thursday, October 29, 2025. A Pre-Bid Meeting will be held on October 14, 2025 at 10:00 am the offices of MONCEAUX – BULLER and ASSOCIATES, LLC, 610 Desoto Street, Alexandria, LA. 71301.

Address for Postal Delivery:

City of Alexandria Donna Jones, City Clerk PO Box 71 Alexandria, LA 71309-0071 Address for Courier or Overnight Delivery:

City of Alexandria Donna Jones, City Clerk 915 Third Street, 1st Floor Alexandria, LA 71301 Phone: 318-449-5090 Address for Electronic Bid Submission:

www.centralbidding.com

Phone: 225-810-4814

PLEASE PUBLISH THREE (3) TIMES:

Friday, September 26, 2025 Friday, October 3, 2025 Friday, October 10, 2025

RESOLUTION NO.

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR JACKSON STREET GAS MAIN REPLACEMENT FOR THE GAS DEPARTMENT.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for Jackson Street Gas Main Replacement for the Gas Department.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on November 4, 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 23rd day of September, 2025.

<u>/s/ Donna P. Jones, MMC</u> City Clerk **RESOLUTION** authorizing advertisement for bids for Masonic Court Sports.



AGENDA ITEM FACT SHEET

City (Company

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: Community Service/Parks and Recreation Date: September 9, 2025

Title: Resolution Authorizing Advertisement for Bids for Masonic Court Sports

······			•••••			•••••
Explanation of Pr			Additional Info			
This project is designated	ted REIGNITE pro	ject, which means	the project is part	of catalytic act	ions creatin	ıg value-
added development op opportunity to grow ou	portunities. REIG ir tax base REIGI	NITE optimizes d	rainage and transp	ortation infras	tructure, cr	eating the
primarily focused on re	etail, healthcare, se	rvice industries, re	ecreation, and spor	ts and public f	acilities ma	nagement.
						-
The City of Alexandria Masonic Court Sports.	The City Council	has prepared Plan	18 & Specification f	or Advertisem	ent of Bids	for t with
bids to be received Tue	sday, November 4	, 2025 at 10:00am	at the Council Cha	mbers where t	hey will be	oublicly
opened and read aloud	. The Engineer's e	stimate for this pr	oject is \$980,000.00).		
Budget:	Neutral	Within Existing	Requires Amendme	4		
		EXISTING	Amenune	ent		
Account Number:		442501	Expense Amount:			
			,			
Account Line Item:			Remaining Amoun	it: \$		
			0			
Authorization:	***************************************	***************************************	4. Finance Director		••••••••	*************
Addionzation.				2/1		
1. Mayor	-)		5. Division Director			
			S. Wision Director	Call	• •	
2. Chief Operating Officer			Much	uni		
2. Cliej Opproduig Officer			6. Department Head		•	
2 57 47	·	$-\mathcal{U}\mathcal{M}$				
3. City Attorney	0.	10 11	7. Purchasing Agent			
Janis	hit				_	
C	<i>()</i>			- ***		
Council Staff	Form		Information:	Sufficient		
Review:	Content	•••••		Insufficient		
Dama auka-						
Remarks:				En ma os	70. 4.	
					EWED	
				SEP	1 6 2025	
					" " " " " " " " " " " " " " " " " "	

ADVERTISEMENT FOR BIDS

Sealed bids will be received for the City of Alexandria, Louisiana, by the City Clerk, at the City Council Chambers, City Hall, 915 Third Street, Alexandria, Louisiana, 71301, until 10:00 a.m. on Tuesday, the 4 day of November, 2025, and then at said office publically opened and read aloud.

Any person requiring special accommodation shall notify the City Clerk of the type(s) of accommodations required not less than seven (7) days before the bid opening.

For:

MASONIC SPORTS COURT

Complete Bidding Documents may be obtained from:

City Engineers Office 625 Murray Street, Second Floor Alexandria, LA 71301 318-473-1170 (P) 318-441-6377 (F)

A Compact Disk (CD) with a complete set of bid documents will be given to licensed contractors.

Pursuant to LA R.S. 38:2212 A.(1)(f) and R.S. 38:2212 A.(1)(f)(vii), vendors/contractors have the option to submit bids and bonds electronically. Bids and bonds to be filed electronically shall be posted with **Central Bidding** at www.centralauctionhouse.com (1-225-810-4814). Registration will need to be completed prior to posting of bid. Plans, specifications and bid documents shall be obtained from the consultant listed above and posted with Central Bidding.

All bids must be accompanied by a bid security equal to five percent (5%) of the sum of the Base Bid, and must be in the form of a certified check, cashier's check of Bid Bond written by a surety or insurance company complying with R.S. 38.2218 C. The Bid Bond shall be in the favor of the Owner, and shall be accompanied by appropriate power of attorney.

The successful Bidder shall be required to furnish a Performance Bond and Payment Bond, in an amount equal to 100% of the Contract amount, written by a surety or insurance company meeting the requirements noted in R.S. 38.2219 A.(1)(a), (b) and (c).

Bids shall be accepted from Contractors who are licensed under R.S. 37.2150-2163 for the classification of <u>Highway</u>, <u>Street and Bridge Construction</u>. Project work shall consist of the following major items – Concrete Paving, Acrylic Sports surfacing and colors,

Fencing, Sporting Equipment, Lighting etc. The contract duration shall be Ninty (90) working days. The engineer's estimated cost of construction is \$980,000.00


In accordance with 38.2212.(A)(1)(b)(ii)(bb) and 38.2227, the apparent low bidder will submit the CONTRACTOR'S AFFIDAVIT (AFF-1), CONTRACTOR'S ATTESTION (AC 1-2) and ATTESTATION CLAUSE REGARDING VERIFICATION OF EMPLOYEES (AV-1) within ten (10) days of the bid opening or they will be declared non-responsive.

No bid may be withdrawn for a period of forty-five (45) days after receipt of bids, except under the provisions of R.S. 38.2214.

The Owner reserves the right to reject any and all bids for just cause. In accordance with R.S. 38.2212.(A)(1)(b), the provisions and requirements of this section, and those stated in the Advertisement Bids, and those required on the Bid Form shall not be considered as informalities and shall not be waived.

Donna Jones City Clerk September 10, 2025

Please Publish, Sept 26, Oct. 3, and Oct. 10, 2025



MASONIC SPORT COURTS REVISED COST ESTIMATE 8-28-2025

ITEM	DISCRIPTION	QUANTITY UT	บา	COST	AM	IOUNT
	1 Joint Sawcutting	3500 LF	\$	5.00	\$	17,500.00
	2 Portland Cement Concrete Paving 6" thick	3877 SY	\$	70.00	\$	271,390.00
	3 6" CRUSHED STONE BASE	510 SY	\$	40.00	\$	20,400.00
	4 REMOVE EXISTING CONC. BASE AND PAVING	510 SY	\$	20.00	\$	10,200.00
	5 SEEDING AND FERTILIZER	1200 SY	\$	2.00	\$	2,400.00
+	6 REMOVE EXISTING BLOCK WALL	1 LS	\$	750.00	\$	750.00
	7 CONSTRUCTION LAYOUT	1 LS	\$	5,000.00	\$	5,000.00
	8 ACRYLIC SURFACER AND PAINT	3877 SY	\$	25.00	\$	96,925.00
	9 MISC. PREPARATING FOR PAVING	1 LS	\$	1,500.00	\$	1,500.00
1	O GRADE TREE REMOVAL AREA TO DRAIN	1 LS	\$	8,000.00	\$	8,000.00
1	1 MOBILIZATION	1 LS	\$	10,000.00	\$	10,000.00
1	2 COURT PATCHING	300 SY	\$	10.00	\$	3,000.00
1	3 8' CHAIN LINK FENCE/W MOW STRIP	870 LF	\$	120.00	\$	104,400.00
1	4 6' CHAIN LINK FENCE COURT DIVIDERS	330 LF	\$	75.00	\$	24,750.00
1	5 8' CHAIN LINK FENCE GATE 12' WIDE	1 EA	\$	1,800.00	\$	1,800.00
1	6 8' CHAIN LINK FENCE GATE 6' WIDE	3 EA	\$	1,200.00	\$	3,600.00
1	7 4' Chain Link Fence Pickleball Court	264 LF	\$	75.00	\$	19,800.00
1	8 BASKET BALL GOAL	2 EA	\$	9,000.00	\$	18,000.00
1	9 PICKLE BALL NETS	6 EA	\$	1,764.00	\$	10,584.00
2	0 CORN HOLE SETS	4 EA	\$	2,231.00	\$	8,924.00
2	1 TENNIS TABLES	2 EA	\$	7,480.00	\$	14,960.00
2	2 CHESS TABLES	3 EA	\$	1,477.00	\$	4,431.00
					\$	658,314.00
	PLUS 5% CONTENGENCY				\$	32,915.70
	ESTIMATED COST				\$	691,229.70
	ADD FOR PARKING L	OT AND SIDEWALK				
	1 REMOVE EXISTING ASPHALT AND BASE	1500 SY	\$	15.00	\$	22,500.00
	2 GRADE AREA TO RECEIVE BASE AND PAVE	1500 SY	\$	5.00	\$	7,500.00
	3 CRUSHED STONE BASE (8" THICK)	1500 SY	\$	30.00	\$	45,000.00
	4 ASPHALT SURFACE COURSE 2" TK	1500 SY	\$	40.00	\$	60,000.00
	5 STRIPING AND SIGNAGE	1 LS	\$	5,000.00		5,000.00
	6 4" SIDEWALK	220 SY	\$	60.00		13,200.00
	7 PARKING BUMPERS	26 EA	\$	150.00	\$	3,900.00
	TOTAL ADD FOR PARKING LOT AND SIDEWALK				\$	157,100.00
	PLUS 5% CONTINGENCY				\$	7,855.00
	ESTIMATED COST				\$	164,955.00

TOTAL ESTIMATED COST

1 MULTI-USE COURT	\$ 691,229.70
2 PARKING LOT	\$ 164,955.00
3 Lighting	\$ 133,000.00
TOTAL ESTIMATED COST	\$ 989,184.70

RESOLUTION NO.

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR MASONIC COURT SPORTS.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for Masonic Court Sports.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on November 4, 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 23rd day of September, 2025.

/s/ Donna P. Jones, MMC City Clerk

RESOLUTION setting a public hearing to be held on October 21, 2025 to consider condemnation of twenty-five (25) structures.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: Planning / Community Development Date: September 08, 2025 Title: Resolution setting a public hearing to held on September 23, 2025 to consider condemnation of (25) structures within the City **Explanation of Proposal:** Additional Information Attached Introduce on September 23, 2025 for authorization to set a Public Hearing on October 21, 2025 for the condemnation of (25) blighted and abandoned structures throughout the City for the imminent threat to public health, safety and welfare of its surroundings. All structures have been inspected and ranked in order of severity of danger to its neighbors. All property owners have been sent notices of code violations and given the opportunity to correct or repair, however, have failed to take action. Neutral Requires **Budget: Existing Amendment** Account Number: 101-054701 **Expense Amount:** Account Line Item: 531201 Remaining Amount: **Authorization:** 1. Mayor 2. Chief Operating Officer 6. Department Head 8 Branham 3. City Atto 7. Purchasing Agent **Council Staff** Form Information: Sufficient Review: Content Insufficient

Remarks: Exhibit A: List of (25) structures

Exhibit B: Pictures of structures Exhibit C: List of deficiencies

RECEIVED

SEP 1 6 2025

CITY COUNCIL

Public Hearing for Condemnation - October 21, 2025 Community Development

Key	MPN File	Street number	Address	Property Owner	AA Needed Y/N
1	CD-13562	124	N. 16th St.	Swanson Enterprises, Bryce Evans, Kolor Blind Properties, Lionel Washington, Lacula Washington	Y
2	CD-13563	126	N. 16th St.	Swanson Enterprises, Bryce Evans Kolor Blind Properties, Lionel Washington, Lacula Washington	Y
3	CD-11675	99	Bertie St.	Lynda Lewis, PHH Mortage Corporation	N
4	CD-13755	1212	Broadway Ave.	Marion G. Peterson, Vanessa Baptiste, Alice Hammond	Υ
5	CD-12575	36	Chester St.	Cherilyn Ann Dean Morris, Korliss R. Foster, Grady M. Dean, Felix G. Dean, Carlton M Dean, Pamela D. Hudson, Curtis A. Dean	N
6	CD-15734	74	Chester St.	D McManus Properties, LLC, Douglas McManus, Lewis Chapel Pentacostal Church	N
7	CD-14863	124	Chester St.	Larwood Properties, Kylie Larwood, Jerry Larwood, Abigail Land Holdings, LLC, Rantan Properties, Randy Michiels	N
8	CD-14203	1410	Fenner St.	Melecia A. Scott	Υ
9	CD-14633	2415	Hynson St.	Jose N. Garrido, Martin Johnson, Red River Ques II, Cedric Williams, Ronnie Brooks, Bay 1 Properties, Benjiman Bayone	Y
10	CD-15771	2416	Hynson St.	Jamane M. County	Y
11	CD-12371	1527	Kelly St.	Kenneth Singleton, James Singleton, Madeline White McCurry	Y
12	CD-14841	67	Louisiana Ave.	Eula T. Reynolds, Tina T. Smith	Y
13	CD-15209	89	Louisiana Ave.	Lionel D. Washington, Calvin Alston	Y

Public Hearing for Condemnation - October 21, 2025 Community Development


			<u> </u>		
14	CD-14763	19061908	Main St.	Freezer Fillers, LLC, Gary Moreau, Laura Ann Medica, Mary Cataldie, Catherine Giordano, Angela Tassin, Sam Cataldie, Tootsie LLC, Camille Giordano	Υ
15	CD-15583	1208	Maryland	Brock Peterman, EH Pooled 610 LP, Deutsche Bank National	Υ
16	CD-14944	2717	Overton St.	Alex A. Brown, David Archinard, Geraldine Brown	Y
17	CD-14773	44	Prospect	William R. Silver	Υ
18	CD-10895	1424	Shirland St.	Bobby R. Blake, Christopher Blake, Estate of John H. Villemarette	у
19	CD-10686	1518	Shirland St.	Leotina Dauzat, Chad Luneau, Felicia Dauzat	Υ
20	CD-15773	1615	Shirland St.	Ellis & Rhoad, LLC, Susan R. Ellis, John Rhoad, Jermey Rhoad, Diane R. Woodard Stekx, Stacy R. Roy, John W. Munsterman, Elizabeth DeVanie, G Squared, LLC, Glenn Younger	N
21	CD-14746	1009	South St.	Jules Brydels, Tina L. Miller, Elizabeth A. Brydels	Y
22	CD-14055	35	Tennessee	Rapides Habitat for Humanity, Connie R. Cooper, Kevin Brough, Terence Cooper, Jeanie Dendy, Detra, Gaulden, Monique Rauls, Angela Lavalais, Toni Martin	У
23	CD-13596	2715	Third St.	Rosa Williams	Υ
24	CD-14707		Third St.	Alice Hammond, Robert Hammond	Y
25	CD-11930	2227	Webster St.	Mary Ann Pantallion, Eric Pantallion, Raymond Pantallion, Velma Marie Pantallion	Υ







Address: 124 North 16th St. MPN #: CD-13562



Date Original Complaint was filed: 08/10/20



Address: 126 North 16th St. MPN #: CD-13563




Date Original Complaint was filed: 08/10/20







Address: 99 Bertie St. MPN #: 11675



Date Original Complaint was filed: 08/20/25




Address: 1212 Broadway Ave. MPN #: CD-13755



Date Original Complaint was filed: 07/23/21


Alexandria



Address: 36 Chester St. MPN #: CD-12575



Date Original Complaint was filed: 10/20/23



Address: 74 Chester St. MPN #: CD-15734




Date Original Complaint was filed: 07/24/25

Community Development Department


Properties for consideration of condemnation and demolition:



EXHIBIT B



Address: 124 Chester St. MPN #: CD-14863



Date Original Complaint was filed: 01/23/24



Address: 1410 Fenner St. MPN #: CD-14203




Date Original Complaint was filed: 08/16/22


Community Development Department Properties for consideration of condemnation and demolition:

EXHIBIT B







Address: 2415 Hynson St. MPN #: CD-14633



Date Original Complaint was filed: 04/17/23



Address: 2416 Hynson St. MPN #: CD-15771



Date Original Complaint was filed: 08/20/25

Community Development Department Properties for consideration of condemnation and demolition:

EXHIBIT B





Address: 1527 Kelly St. MPN #: CD-12371



Date Original Complaint was filed: 06/09/13




Address: 67 Louisiana Ave. MPN #: CD-14841



Date Original Complaint was filed: 01/18/24







Address: 89 Louisiana Ave. MPN #: CD-15209



Date Original Complaint was filed: 07/30/24




Address: 1906 & 1908 Main St. MPN #: CD-14763



Date Original Complaint was filed: 10/20/23


Properties for consideration of condemnation and demolition:








Address: 1208 Maryland Ave. MPN #: CD-15583



Date Original Complaint was filed: 03/20/25



Address: **27**17 Overton St. MPN #: CD-14944




Date Original Complaint was filed: 02/20/24

Properties for consideration of condemnation and demolition:




EXHIBIT B




Address: 44 Prospect St. MPN #: CD-14773



Date Original Complaint was filed: 10/26/23



Address: 1424 Shirland Ave. MPN #: 10895



Date Original Complaint was filed:04/29/11

Properties for consideration of condemnation and demolition:









Address: 1518 Shirland Ave. MPN #: cD:10686



Date Original Complaint was filed: 09/13/23



Address: 1615 Shirland Ave. MPN #: CD-15773




Date Original Complaint was filed: 08/20/25

EXHIBIT B




Properties for consideration of condemnation and demolition:



Address: 1009 South St. MPN #: CD.11716


CD-14746



Date Original Complaint was filed: 10/16/23



Address: 35 Tennessee Ave MPN #: CD-14055




Date Original Complaint was filed: 03/02/22

Properties for consideration of condemnation and demolition:




EXHIBIT B



Address: 2715 Third St. MPN #: CD-13596



Date Original Complaint was filed: 09/21/23



Address: 3710 Third St. MPN #: CD-14707




Date Original Complaint was filed: 07/12/23


EXHIBIT B

Alexandria

Properties for consideration of condemnation and demolition:



Address: 2227 Webster St. MPN #: 11930



Date Original Complaint was filed: 05/22/24

Address: MPN #:

Date Original Complaint was filed:

DATE:

PROPERTY ADDRESS:

124 NORTH 16th STREET Alexandria, LA 71301 CD-13562

OWNER NAME & ADDRESS:

SWANSON ENTERPRISES Bryce Evans 17 Main St. FairHaven, MA 02719

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X **302.9 Defacement of Property** No person shall willfully or wantonly damage, mutilate or deface any exterior surface or any structure or building on any private or public property by placing thereon any marking, carving or graffiti. It shall be the responsibility of the owner to restore said surface to an approved state of maintenance and repair.

- X **304.12 Handrails and guards -** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.

- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.

- X **305.4 Stairs and walking surfaces -** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

Office: 318.449.5071 / cda@cityofalex.com

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

126 NORTH 16th STREET Alexandria, LA 71301 CD-13563

OWNER NAME & ADDRESS:

SWANSON ENTERPRISES Bryce Evans 17 Main St. FairHaven, MA 02719

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.1 Sanitation & 308 Rubbish & Garbage -** All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X **302.4 Weeds** All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

- X **304.12 Handrails and guards** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X **304.5 Foundation Walls** All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- X **304.18 & 304.19 Building security Doors, Windows & Grates -** Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

- 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.11 Chimneys and towers All chimneys, cooling towers, smoke stacks, and similar appurtenances shall be maintained structurally safe and sound, and in good repair. All exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar surface treatment.
- X **304.4 Structural Members -** All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

- X **305.4 Stairs and walking surfaces** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
- 305.5 and 307.1 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. Every exterior and interior flight of stairs having more than four risers shall have a handrail on one side of the stair and every open portion of a stair, landing, balcony, porch, deck, ramp or other walking surface which is more than 30 inches above the floor or grade below shall have guards. Handrails shall not be less than 30 inches high or more than 42 inches high measured vertically above the nosing of the tread or above the finished floor of the landing or walking surfaces. Guards shall not be less than 30 inches height above the floor of the landing, balcony, porch, deck, or ramp or other walking surface.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

DATE:

PROPERTY ADDRESS:

99 Bertie Alexandria, LA 71301 11675

OWNER NAME & ADDRESS:

Lynda Lewis 6011 Benjamin St.

Alexandria, LA 71303

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

SECTION 304 - EXTERIOR STRUCTURE

304.13.1 Glazing & 304.13.2, 304.18.2 Windows - All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.

- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.

X 304.6 Exterior Walls - All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

SECTION 305 - INTERIOR STRUCTURE

- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.

DATE:

PROPERTY ADDRESS: 1212 BROADWAY AVENUE Alexandria, LA 71302 CD-13755

OWNER NAME & ADDRESS: Marion Gene Peterson 1212 Broadway Ave.

Alexandria, LA 71302

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Mobile Home

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X **302.1 Sanitation & 308 Rubbish & Garbage** All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X **302.4 Weeds** All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.

- X **304.10 Stairways, decks, porches and balconies -** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X **304.4 Structural Members -** All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.

- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X **304.18 & 304.19 Building security Doors, Windows & Grates** Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X **304.12 Handrails and guards -** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- Window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.

City of Alexandria's Community Development Department, 625 Murray Street, Suite 7, Alexandria, LA 71301 Office: 318.449.5071 / cda@cityofalex.com

304.14 Insect Screens - Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

DATE:

PROPERTY ADDRESS: 36 CHESTER STREET Alexandria, LA 71301 CD-12575

OWNER NAME & ADDRESS: CHERILYN ANN DEAN Morris, ET AL c/o KORLISS R. FOSTER

6265 CLARK CIRCLE Pineville, LA 71360

ADDITIONAL OWNERS: Grady Morris Dean 1620 East Ave

Olla, LA 71465

TYPE OF STRUCTURE: Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X **302.1 Sanitation & 308 Rubbish & Garbage** All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X **302.4 Weeds** All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.6 Exhaust Vents** Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.

SECTION 304 - EXTERIOR STRUCTURE

X **304.8 Decorative Features -** All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.

- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X **304.10 Stairways, decks, porches and balconies** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

- X **305.2 Structural members -** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected

DATE:

PROPERTY ADDRESS:

74 Chester St. Alexandria, LA 71301 CD-15734

OWNER NAME & ADDRESS:

D MCMANUS PROPERTIES LLC

Douglas David McManus 303 Milton St.

Pineville, LA 71360

ADDITIONAL OWNERS:

Douglas David McManus 303 Milton St.

Pineville, LA 71360

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.

SECTION 304 - EXTERIOR STRUCTURE

304.14 Insect Screens - Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X **304.3 Premises Identification** Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X **304.10 Stairways, decks, porches and balconies** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X **304.5 Foundation Walls -** All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

- 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.

- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- 305.5 and 307.1 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. Every exterior and interior flight of stairs having more than four risers shall have a handrail on one side of the stair and every open portion of a stair, landing, balcony, porch, deck, ramp or other walking surface which is more than 30 inches above the floor or grade below shall have guards. Handrails shall not be less than 30 inches high or more than 42 inches high measured vertically above the nosing of the tread or above the finished floor of the landing or walking surfaces. Guards shall not be less than 30 inches height above the floor of the landing, balcony, porch, deck, or ramp or other walking surface.
- X 305.2 Structural members All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- X **305.4 Stairs and walking surfaces -** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.

Office: 318.449.5071 / cda@cityofalex.com

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

124 CHESTER STREET Alexandria, LA 71301 CD-14863

OWNER NAME & ADDRESS:

Larwood Properties, LLC

Kylie Larwood Jerry Larwood

125 Fred's Lane Bunkie, LA 71322

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X 304.12 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.

- 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X **304.18 & 304.19 Building security Doors, Windows & Grates -** Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.

- 305.5 and 307.1 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. Every exterior and interior flight of stairs having more than four risers shall have a handrail on one side of the stair and every open portion of a stair, landing, balcony, porch, deck, ramp or other walking surface which is more than 30 inches above the floor or grade below shall have guards. Handrails shall not be less than 30 inches high or more than 42 inches high measured vertically above the nosing of the tread or above the finished floor of the landing or walking surfaces. Guards shall not be less than 30 inches height above the floor of the landing, balcony, porch, deck, or ramp or other walking surface.
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- X **305.4 Stairs and walking surfaces** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.

Office: 318.449.5071 / cda@cityofalex.com

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

1410 FENNER STREET Alexandria, LA 71301 CD-14203

OWNER NAME & ADDRESS:

Melecia A. Scott 1406 N Dye Rd.

Flint, MI 48532

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X **302.2 Grading and Drainage** All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X **302.4 Weeds** All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

- X **304.12 Handrails and guards -** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.

- X 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X **304.6 Exterior Walls** All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.

DATE:

PROPERTY ADDRESS:

2415 Hynson St Alexandria, LA 71301 CD-14633

OWNER NAME & ADDRESS:

Jose Nelson Garrido Alba Castro

5801 Joyce St.

Alexandria, LA 71301

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.1 Sanitation & 308 Rubbish & Garbage** All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.

SECTION 304 - EXTERIOR STRUCTURE

X 304.12 Handrails and guards - Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.

- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.

304.2 Protective Treatment - All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.

SECTION 305 - INTERIOR STRUCTURE

- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X 305.2 Structural members All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

DATE:

PROPERTY ADDRESS:

2416 Hynson St. Alexandria, LA CD-15771

OWNER NAME & ADDRESS:

Jamane M. County 2467 Hwy 71

Montgomery, LA 71454

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.6 Exhaust Vents -** Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X **304.12 Handrails and guards -** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.

- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X **304.10 Stairways, decks, porches and balconies** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X 305.2 Structural members All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

1527 KELLY STREET Alexandria, LA 71301 CD-12371

OWNER NAME & ADDRESS:

Kenneth Singleton 405 19th Street

Alexandria, LA 71301

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X **302.2 Grading and Drainage** All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

SECTION 304 - EXTERIOR STRUCTURE

X **304.12 Handrails and guards** - Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.

- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.

- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

- X **305.4 Stairs and walking surfaces** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

67 Louisiana Ave. Alexandria, LA 71301 CD-14841

OWNER NAME & ADDRESS:

Eula T. Reynolds 67 Louisiana Ave.

Alexandria, LA 71301

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.1 Sanitation & 308 Rubbish & Garbage** All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.

- X **304.5 Foundation Walls** All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.

- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X **304.4 Structural Members** All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X **304.6 Exterior Walls** All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

304.14 Insect Screens - Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

SECTION 305 - INTERIOR STRUCTURE

- X 305.4 Stairs and walking surfaces Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
 - X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
 - X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
 - X **305.2 Structural members -** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

89 Louisiana Avenue Alexandria , LA 71301 CD-15209

OWNER NAME & ADDRESS:

Lionel Dewain Washington 2813 Woodlawn Dr.

Alexandira, LA 71303

ADDITIONAL OWNERS:

Calvin Alsoton 2813 Woodlawn Dr.

Alexandria, LA 71303

TYPE OF STRUCTURE:

Residential Duplex

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.1 Sanitation & 308 Rubbish & Garbage** All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X **302.2 Grading and Drainage -** All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X **302.4 Weeds** All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- 302.9 Defacement of Property No person shall willfully or wantonly damage, mutilate or deface any exterior surface or any structure or building on any private or public property by placing thereon any marking, carving or graffiti. It shall be the responsibility of the owner to restore said surface to an approved state of maintenance and repair.

- X **304.12 Handrails and guards -** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.

- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.

- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X **305.4 Stairs and walking surfaces -** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

1906 Main St. Alexandria, LA 71301 and 1908 Main Street Alexandria, LA 71301 CD-

14763

OWNER NAME & ADDRESS:

Freezer Fillers, LLC

Gary Moreau 4807 Whitefield Blvd.

Alexandria, LA 71301

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Duplex

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

SECTION 302 - EXTERIOR PROPERTY AREAS

- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.6 Exhaust Vents -** Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

- X 304.12 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X **304.10 Stairways, decks, porches and balconies** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.

- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

- X **305.4 Stairs and walking surfaces -** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

1208 Maryland Ave. Alexandria, LA 71301 CD-15583

OWNER NAME & ADDRESS:

Brock Peterman 3019 Dawkins St.

Alexandria, LA 71301

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.6 Exhaust Vents -** Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X **302.1 Sanitation & 308 Rubbish & Garbage** All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X **302.4 Weeds** All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

- X 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X 304.12 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.

- 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X **304.4 Structural Members -** All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X **304.3 Premises Identification -** Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.

- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- 305.5 and 307.1 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. Every exterior and interior flight of stairs having more than four risers shall have a handrail on one side of the stair and every open portion of a stair, landing, balcony, porch, deck, ramp or other walking surface which is more than 30 inches above the floor or grade below shall have guards. Handrails shall not be less than 30 inches high or more than 42 inches high measured vertically above the nosing of the tread or above the finished floor of the landing or walking surfaces. Guards shall not be less than 30 inches height above the floor of the landing, balcony, porch, deck, or ramp or other walking surface.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X **305.4 Stairs and walking surfaces -** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

2717 Overton St. Alexandria, LA 71302 CD-14944

OWNER NAME & ADDRESS:

Alex A. Brown 2717 Overton St.

Alexandria, LA 71302

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.6 Exhaust Vents -** Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X **302.1 Sanitation & 308 Rubbish & Garbage** All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.

SECTION 304 - EXTERIOR STRUCTURE

304.14 Insect Screens - Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X **304.10 Stairways, decks, porches and balconies -** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X **304.18 & 304.19 Building security Doors, Windows & Grates -** Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X **304.12 Handrails and guards** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.

- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.4 Stairs and walking surfaces Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

44 PROSPECT STREET Alexandria, LA 71301 CD-14773

OWNER NAME & ADDRESS:

William R. Silver 11907 Hwy 71 N.

Colfax, LA 71417

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X 302.9 Defacement of Property No person shall willfully or wantonly damage, mutilate or deface any exterior surface or any structure or building on any private or public property by placing thereon any marking, carving or graffiti. It shall be the responsibility of the owner to restore said surface to an approved state of maintenance and repair.
- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.

- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X **304.10 Stairways, decks, porches and balconies** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X **304.6 Exterior Walls -** All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

- X 304.12 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.

- 305.5 and 307.1 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. Every exterior and interior flight of stairs having more than four risers shall have a handrail on one side of the stair and every open portion of a stair, landing, balcony, porch, deck, ramp or other walking surface which is more than 30 inches above the floor or grade below shall have guards. Handrails shall not be less than 30 inches high or more than 42 inches high measured vertically above the nosing of the tread or above the finished floor of the landing or walking surfaces. Guards shall not be less than 30 inches height above the floor of the landing, balcony, porch, deck, or ramp or other walking surface.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X 305.2 Structural members All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- X 305.4 Stairs and walking surfaces Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

1424 Shirland Ave Alexandria, LA 71301 10895

OWNER NAME & ADDRESS:

Bobby R Blake 5405 Hideaway Dr.

Alexandria, LA 71303

ADDITIONAL OWNERS:

Estate of F. Ray & Gracie Moreau 1344 Melody Drive

Metairie, LA 70002

TYPE OF STRUCTURE:

Residential Private Garage

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

- X 404.4.1 Living Room Requirements (120 sq feet minimum) -
- X 602.5 Residential measured 3 ft above floor & 2 ft inward from ext wall -
- X 606.1 Elevators -
- X 306 Component Serviceability -
- X 404.4.1Bedroom Requirements (70 sq feet minimum) -
- X 404.3 Minimum Ceiling Heights (7 feet clear see exceptions) -
- X 404.4.3 Water Closet Accessibility -
- X 602.2 Residential Heating capable of maintaining 68 degrees F -
- X 404.1 Privacy -
- X 404.2 Minimum Room Widths (7 feet in any plan dimension except kitchen) -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.

- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.

- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X 304.12 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

- 702 & 702.4 Means of Egress & Emergency Escape Openings Required emergency escape openings shall be maintained in accordance with the code in effect at the time of construction, and the following. Required emergency escape and rescue openings shall be operational from the inside of the room without the use of keys or tools. Bars, grilles, grates or similar devices are permitted to be placed over emergency escape and rescue openings provided the minimum net clear opening size complies with the code that was in effect at the time of construction and such devices shall be releasable or removable from the inside without the use of a key, tool or force greater than that which is required from normal operation of the escape and rescue opening.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.

- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X **305.4 Stairs and walking surfaces** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.

- 305.5 and 307.1 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. Every exterior and interior flight of stairs having more than four risers shall have a handrail on one side of the stair and every open portion of a stair, landing, balcony, porch, deck, ramp or other walking surface which is more than 30 inches above the floor or grade below shall have guards. Handrails shall not be less than 30 inches high or more than 42 inches high measured vertically above the nosing of the tread or above the finished floor of the landing or walking surfaces. Guards shall not be less than 30 inches height above the floor of the landing, balcony, porch, deck, or ramp or other walking surface.
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

SECTION 402 - LIGHT

- X 402.3 Other Spaces Light All other spaces shall be provided with natural or artificial light sufficient to permit the maintenance of sanitary conditions, and the safe occupancy of the space and utilization of the appliances, equipment and fixtures.
- 402.2 Common Halls and Stairways Light Every common hall and stairway in residential occupancies, other than in one- and two- family dwellings, shall be lighted at all times with at least a 60-watt standard incandescent light bulb for each 200 square feet of floor area or equivalent illumination, provided that the spacing between lights shall not be greater than 30 feet. In other than residential occupancies, means of illumination at all times the building space served by the means of egress is occupied with a minimum of 1 footcandle (11 lux) at floors, landings and treads.
- 402.1 Habitable Spaces Light Every habitable space shall have at least one window of approved size facing directly to the outdoors. The minimum total glazed area for every habitable space shall be 8 percent of the floor area of such room. Wherever walls or other portions of a structure face a window of any room and such obstructions are located less than 3 feet (914mm) from the window and extend to a level above that of the ceiling of the room such window shall not be deemed to face directly to the outdoors nor to a court and shall not be included as contributing to the required minimum total window area for the room.

SECTION 403 - VENTILATION

- X **403.5 Clothes Dryer Exhauast Ventilation** Clothes dryer exhaust systems shall be independent of all other systems and shall be exhausted in accordance with the manufacturer's instructions.
- 403.2 Bathrooms and Toilet Rooms Ventilation Every bathroom and toilet room shall comply with the ventilation requirements for habitable spaces as required by Section 403.1, except that a window shall not be required in such spaces equipped with a mechanical ventilation system. Air exhausted by a mechanical ventilation system from a bathroom or toilet room shall discharge to the outdoors and shall not be recirculated
- X **403.1 Habitable Spaces Ventilation** Every habitable space shall have at least one openable window. The total openable area of the window in every room shall be equal to at least 45 percent of the minimum glazed area required in Section 402.1.

SECTION 404 - OCCUPANCY LIMITATIONS

- X 404.5 Overcrowding The number of persons occupying a dwelling unit shall not create conditions that, in the opinion of the Housing Inspector, endanger the life, health, safety or welfare of the occupants.
- X 404.4.4 Prohibited Occupancy Kitchens and non-habitable spaces shall not be used for sleeping purposes.
- 404.7 Food Preparation All spaces to be occupied for food preparation purposes shall contain suitable space and equipment to store, prepare and serve foods in a sanitary manner. There shall be adequate facilities and services for the sanitary disposal of food wastes and refuse, including facilities for temporary storage.

SECTION 502 - REQUIRED FACILITIES

502.1 Minimum one tub / shower, one lavatory, one toilet & one kitchen sink - Every dwelling unit shall contain its own bathtub or shower, lavatory, water closet and kitchen sink which shall be maintained in a sanitary, safe working condition. The lavatory shall be placed in the same room as the water closet or located in close proximity to the door leading directly into the room in which such water closet is located. A kitchen sink shall not be used as a substitute for the required lavatory.

SECTION 503 - TOILET ROOMS

X 503.1 & 503.3 Toilet Room Privacy & Location - Bathrooms shall provide privacy and shall not constitute the only passageway to a hall or other space, or to the exterior. A door and interior locking device shall be provided for all common or shared bathrooms in a multiple dwelling.

SECTION 504 - PLUMBING SYSTEMS AND FIXTURES

- 504.1 & 504.2 Fixtures in functional condition and adequate clearances All plumbing fixtures shall be properly installed and maintained in working order, and shall be kept free from obstructions, leaks and defects and be capable of performing the function for which such plumbing fixtures are designed. All plumbing fixtures shall be maintained in a safe, sanitary and functional condition. Plumbing fixtures shall have adequate clearance for usage and cleaning.
- 504.3 Plumbing System Hazards Where it is found that a plumbing system in a structure constitutes a hazard to the occupants or the structure by reason of inadequate service, inadequate venting, cross connection, back-siphonage, improper installation, deterioration or damage or for similar reasons, the code official shall require the defects to be corrected to eliminate the hazard.

SECTION 505 - WATER SYSTEM

- Sobs.2 Water Supply and Contamination The water supply system shall be installed and maintained to provide a supply of water to plumbing fixtures, devices and appurtenances in sufficient volume and at pressures adequate to enable the fixtures to function properly, safely, and free from defects and leaks. The water supply shall be maintained free from contamination, and all water inlets for plumbing fixtures shall be located above the flood-level rim of the fixture. Hose bibs or faucets to which hoses are attached and left in place, shall be protected by an approved atmospheric-type vacuum breaker or an approved permanently attached hose connection vacuum breaker.
- Sob.1 Hot and Cold Water Available with Potable Drinking Water Every sink, lavatory, bathtub or shower, drinking fountain, water closet or other plumbing fixture shall be properly connected to either a public water system or to an approved private water system. All kitchen sinks, lavatories, laundry facilities, bathtubs and showers shall be supplied with hot or tempered and cold running water in accordance with the current adopted edition of the International Plumbing Code. There shall be a means of potable drinking water on premises.
- 505.4 Water Heating Facilities Water heating facilities shall be properly installed, maintained and capable of providing an adequate amount of water to be drawn at every required sink, lavatory, bathtub, shower and laundry facility at a temperature of not less than 110F (43C). A gas-burning water heater shall not be located in any bathroom, toilet room, bedroom or other occupied room normally kept closed, unless adequate combustion air is provided. An approved combination temperature and pressure-relief valve and relief valve discharge pipe shall be properly installed and maintained on water heaters.

SECTION 506 - SANITARY DRAINAGE SYSTEM

X 506.1 Sanitary Drainage System - All plumbing fixtures shall be properly connected to either a public sewer system or to an approved private sewage disposal system. Every plumbing stack, vent, waste and sewer line shall function properly and be kept free from obstructions, leaks and defects.

SECTION 507 - STORM DRAINAGE

X 507.1 General Storm Drain System - Drainage of roofs and paved areas, yards and courts, and other open areas on the premises shall not be discharged in a manner that creates a public nuisance.

SECTION 603 - MECHANICAL EQUIPMENT

- X 603.3 Clearances & 603.4 Safety controls All required clearances to combustible materials shall be maintained. All safety controls for fuel-burning equipment shall be maintained in effective operation.
- X 603.5 Combustion air A supply of air for compete combustion of the fuel for ventilation of the space containing the fuel-burning equipment shall be provided for the fuel-burning equipment.
- X **603.2 Removal of combustion products** All fuel-burning equipment and appliances shall be connected to an approved chimney or vent. Exception: Fuel-burning equipment and appliances which are labeled for unvented operation.
- X 607.1 General Duct Systems (ADD) Duct systems shall be maintained free of obstruction and shall be capable of performing the required function.
- X 603.1 Mechanical appliances All mechanical appliances, fireplaces, solid fuel-burning appliances, cooking appliances and water heating appliances shall be properly installed and maintained in a safe working condition, and shall be capable of performing the intended function.

SECTION 604 - ELECTRICAL FACILITIES & 605 ELECTRICAL EQUIPMENT

- X 605.2 Receptacles Every habitable space in a dwelling shall contain at least two separate and remote receptacle outlets. Every laundry area shall contain at least one grounded-type receptacle or a receptacle with a ground fault circuit interrupter. Every bathroom shall contain at least one receptacle. Any new bathroom receptacle outlet shall have ground fault circuit interrupter protection.
- X 604.1 Facilities required & 605.1 Installation Electrical Systems Every occupied building shall be provided with an electrical system in compliance with the requirements of this section and Section 605. All electrical equipment, wiring and appliances shall be properly installed and maintained in a safe and approved manner.
- X 605.3 Luminaires Every public hall, interior stairway, toilet room, kitchen, bathroom, laundry room, boiler room and furnace room shall contain at least one electric luminaire.
- 604.2 Service Electrical The size and usage of appliances and equipment shall serve as a basis for determining the need for additional facilities in accordance with the ICC Electrical Code. Dwelling units shall be served by a three-wire 120/240 volt, single phase electrical service having a rating of not less than 100 amperes.
- 604.3 Electrical system hazards Where it is found that the electrical system in a structure constitutes a hazard to the occupants or the structure by reason of inadequate service, improper fusing, insufficient receptacle and lighting outlets, improper wiring or installation, deterioration or damage or for similar reasons, the code official shall require the defects to be corrected to eliminate the hazard. This includes electrical equipment exposed to water and/or fire.

SECTION 703 - FIRE-RESISTANCE RATINGS

- X 703.2 Opening protectives Required opening protectives shall be maintained in an operative condition. All fire and smokestop doors shall be maintained in operable condition. Fire doors and smoke barrier doors shall not be blocked or obstructed or otherwise made inoperable.
- X 703.1 Fire-resistance-rated assemblies Required fire-resistance rating of fire-resistance-rated walls, fire stops, shaft enclosures, partitions and floors shall be maintained.

SECTION 704 - FIRE PROTECTION SYSTEMS

- 704.2 Smoke Alarms & Required Locations Single or multiple-station smoke alarms shall be installed and maintained in Groups R-2, R-3, R-4 and in dwellings not regulated in Group R occupancies, regardless of occupant load at all of the following locations: 1. On the ceiling or wall outside of each separate sleeping area in the immediate vicinity of bedrooms.; 2. In each room used for sleeping purposes.; 3. In each story within a dwelling unit, but not including crawl spaces and uninhabitable attics. In dwellings or dwelling units with split levels and without an intervening door between the adjacent levels, a smoke alarm installed on the upper level shall suffice for the adjacent lower level provided that the lower level is less than one full story below the upper level. Single or multiple-station smoke alarms shall be installed in other groups in accordance with the International Fire Code.
- NEC 704.3 Power source Batter Back-up and Direct Wire Single-station smoke alarms shall receive their primary power from the building wiring provided that such wiring is served from a commercial source and shall be equipped with a battery backup. Smoke alarms shall emit a signal when the batteries are low. Wiring shall be permanent and without a disconnecting switch other than as required for overcurrent protection. Exception: Smoke alarms are permitted to be solely battery operated in buildings where no construction is taking place, buildings that are not served from a commercial power source and in existing areas of buildings undergoing alteration or repairs that do not result in the removal of interior wall or ceiling finishes exposing the structure, unless there is an attic, crawl space or basement available which could provide access for building wiring without the removal of interior finishes.
- IRC 309.5 Carbon Monoxide Alarms Carbon monoxide alarms shall be installed outside of sleeping areas if the house has fuel-fired appliances. Carbon monoxide alarms shall also be installed when garages are attached to the dwelling unit.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

1518 Shirland Ave Alexandria, LA 71301 10686

OWNER NAME & ADDRESS:

Leotina Dauzat 3160 Military Hwy

Pineville, LA 71360

ADDITIONAL OWNERS:

Felicia Dauzat 6155 Third St.

Alexandria, LA 71301

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- X 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.

SECTION 304 - EXTERIOR STRUCTURE

304.18 & 304.19 Building security - Doors, Windows & Grates - Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.

- 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X 304.12 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

- X 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X **304.6 Exterior Walls -** All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

- X 305.4 Stairs and walking surfaces Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
- X 305.2 Structural members All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS: 1615 Shirland Ave. Alexandria, LA 71301 CD-15773

OWNER NAME & ADDRESS: ELLIS & RHOAD LLC 3750 GOVERNMENT ST STE 1

STE 1

Alexandria, LA 71302

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X **302.6 Exhaust Vents** Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.

SECTION 304 - EXTERIOR STRUCTURE

304.13.1 Glazing & 304.13.2, 304.18.2 Windows - All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.

- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X **304.5 Foundation Walls** All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.

304.9 Overhang extensions - All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.

SECTION 305 - INTERIOR STRUCTURE

- 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X 305.2 Structural members All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- X 305.4 Stairs and walking surfaces Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

1009 South St. Alexandria, LA 71301 CD-14746

OWNER NAME & ADDRESS:

Jules Brydels c/o Tina Brydels

PO Box 8172

Alexandria, LA 71306

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- X 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X 302.3 Sidewalks and driveways All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

- X **304.12 Handrails and guards** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- X **304.10 Stairways, decks, porches and balconies -** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.

- 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.

SECTION 305 - INTERIOR STRUCTURE

- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.
- X 305.4 Stairs and walking surfaces Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.

Inspector did not enter the structure, however, based on the current condition of the exterior, it appears that significant work will have to be performed on the interior that may include electrical, plumbing, mechanical and carpentry work by licensed Contractors.

- Garden City Orland A. Comp

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

35 TENNESSEE AVENUE Alexandria, LA 71301 CD-14055

OWNER NAME & ADDRESS:

Rapides Habitat for Humanity Connie R. Cooper 1320 Monroe St

Alexandria, LA 71301

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

SECTION 304 - EXTERIOR STRUCTURE

304.14 Insect Screens - Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.

- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X **304.12 Handrails and guards** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.

Rev250901

- X **304.10 Stairways, decks, porches and balconies -** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
 - X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X **304.6 Exterior Walls** All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

SECTION 305 - INTERIOR STRUCTURE

- 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X 305.2 Structural members All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

Inspector did not enter the structure, however, based on the current condition of the exterior, it appears that significant work will have to be performed on the interior that may include electrical, plumbing, mechanical and carpentry work by licensed Contractors.

Office: 318.449.5071 / cda@cityofalex.com

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

2715 3RD STREET Alexandria, LA 71301 CD-13596

OWNER NAME & ADDRESS:

Rosa Williams c/o Jake Harris 10400 Harvest Time LN Oklahoma City, OK 73162

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

SECTION 302 - EXTERIOR PROPERTY AREAS

- 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, Х vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- 302.3 Sidewalks and driveways All sidewalks, walkways, stairs, driveways, parking spaces and similar Χ areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure Χ that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in Χ a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- Х 302.2 Grading and Drainage - All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- Х 302.4 Weeds - All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.

SECTION 304 - EXTERIOR STRUCTURE

304.13.1 Glazing & 304.13.2, 304.18.2 Windows - All glazing materials shall be maintained free from Х cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.

- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X **304.6 Exterior Walls -** All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.
- X 304.12 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- X 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.

- X 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
 X 304.8 Decorative Features All cornices, belt courses, corbols, torrecette trip, well for increased to the first points.
 - X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.

Inspector did not enter the structure, however, based on the current condition of the exterior, it appears that significant work will have to be performed on the interior that may include electrical, plumbing, mechanical and carpentry work by licensed Contractors.

Office: 318.449.5071 / cda@cityofalex.com

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS: 3710 3rd St Alexandria, LA 71301 CD-14707

OWNER NAME & ADDRESS: Alice Hammond P O BOX 8552

Alexandria, LA 71306-8552

ADDITIONAL OWNERS: Robert Hammond C/O

Alice Hammond 1529 Old Chatham Dr.

Bloomington Hills, MI 48034

TYPE OF STRUCTURE: Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X **302.3 Sidewalks and driveways -** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- X **302.5 Rodent Harborage & 309 Pest Elimination** The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.

SECTION 304 - EXTERIOR STRUCTURE

- X 304.12 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X **304.5 Foundation Walls -** All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
 X 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees,
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.

 X 304.8 Decorative Features All corpices, bolt sources, each also transfer to the course of the sources.
 - **304.8 Decorative Features** All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.
- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- 304.10 Stairways, decks, porches and balconies Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X **304.4 Structural Members -** All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.

X 304.6 Exterior Walls - All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

SECTION 305 - INTERIOR STRUCTURE

- X 305.4 Stairs and walking surfaces Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- 305.5 and 307.1 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. Every exterior and interior flight of stairs having more than four risers shall have a handrail on one side of the stair and every open portion of a stair, landing, balcony, porch, deck, ramp or other walking surface which is more than 30 inches above the floor or grade below shall have guards. Handrails shall not be less than 30 inches high or more than 42 inches high measured vertically above the nosing of the tread or above the finished floor of the landing or walking surfaces. Guards shall not be less than 30 inches height above the floor of the landing, balcony, porch, deck, or ramp or other walking surface.
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

Inspector did not enter the structure, however, based on the current condition of the exterior, it appears that significant work will have to be performed on the interior that may include electrical, plumbing, mechanical and carpentry work by licensed Contractors.

CODE ENFORCEMENT DEFICIENCY ASSESSMENT

DATE:

PROPERTY ADDRESS:

2227 Webster St. Alexandria, LA 71301 11930

OWNER NAME & ADDRESS:

Mary Ann Pantallion 2227 Webster

Alexandria, LA 71301

ADDITIONAL OWNERS:

N/A

TYPE OF STRUCTURE:

Residential Single Family House

This report provides a list of code deficiencies for the structure located at the above stated address. As the Property Owner, you have two options to be executed at your own expense: Demolition or Rehabilitation. In order to be eligible for either option, the Property Owner will need to provide an itemized cost estimate prepared by a State Licensed Contractor and provide three months of current bank statements to show that sufficient funds are readily available to pay for the work.

DEFICIENCY ASSESSMENT:

X 306 Component Serviceability -

SECTION 302 - EXTERIOR PROPERTY AREAS

- X 302.1 Sanitation & 308 Rubbish & Garbage All exterior property and premises shall be maintained in a clean, safe and sanitary condition. All exterior property and premises, and the interior of every structure, shall be free from any accumulation of rubbish or garbage.
- X 302.2 Grading and Drainage All premises shall be graded and maintained to prevent the erosion of soil and to prevent the accumulation of stagnant water thereon, or within any structure located thereon.
- 302.4 Weeds All premises and exterior property shall be maintained free from weeds or plant growth in excess of 10 inches. All noxious weeds shall be prohibited. Weeds shall be defined as all grasses, annual plants and vegetation, other than trees or shrubs provided; however, this term shall not include cultivated flowers and gardens.
- X **302.3 Sidewalks and driveways** All sidewalks, walkways, stairs, driveways, parking spaces and similar areas shall be kept in a proper state of repair, and maintained free from hazardous conditions.
- 302.5 Rodent Harborage & 309 Pest Elimination The owner / occupant shall be responsible to ensure that all structures and exterior property shall be kept free from rodent harborage and infestations, on the interior or exterior. Where rodents are found, they shall be promptly exterminated by approved processes which will not be injurious to human health. After extermination, proper precautions shall be taken to eliminate rodent harborage and prevent re-infestation.
- X 302.6 Exhaust Vents Pipes, ducts, conductors, fans or blowers shall not discharge gasses, steam, vapor, hot air, grease, smoke, odors or other gaseous or particulate wastes directly upon abutting or adjacent public or private property or that of another tenant.
- X 302.9 Defacement of Property No person shall willfully or wantonly damage, mutilate or deface any exterior surface or any structure or building on any private or public property by placing thereon any marking, carving or graffiti. It shall be the responsibility of the owner to restore said surface to an approved state of maintenance and repair.

SECTION 304 - EXTERIOR STRUCTURE

- 304.14 Insect Screens Every door, window and other outside opening required for ventilation of habitable rooms, food preparation areas, food service areas or any areas where products to be included or utilized in food for human consumption are processed, manufactured, packaged or stored shall be supplied with approved tightly fitting screens of not less than 16 mesh per inch, and every screen door used for insect control shall have a self-closing device in good working condition.
- 304.18 & 304.19 Building security Doors, Windows & Grates Doors, windows or hatchways for dwelling units, room units or housekeeping units shall be provided with devices designed to provide security for the occupants and property within.
- 304.3 Premises Identification Buildings shall have approved address numbers placed in a position to be plainly legible and visible from the street or road fronting the property. These numbers shall contrast with their background. Address numbers shall be Arabic numerals or alphabet letters. Numbers shall be a minimum of 4 inches high with a minimum stroke width of 0.5 inch.
- X 304.8 Decorative Features All cornices, belt courses, corbels, terracotta trim, wall facings and similar decorative features shall be maintained in good repair with proper anchorage and in a safe condition.
- X **304.12 Handrails and guards -** Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.
- X 304.5 Foundation Walls All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.
- X 304.7 Roofs and Drainage The roof and flashing shall be sound, tight and not have defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspouts shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.
- 304.9 Overhang extensions All overhang extensions including, but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts shall be maintained in good repair and be properly anchored so as to be kept in a sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather-coating materials, such as paint or similar treatment.
- 304.13.1 Glazing & 304.13.2, 304.18.2 Windows All glazing materials shall be maintained free from cracks and holes. Operable windows located in whole or in part within 6 feet above ground level or a walking surface below that provide access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a window sash locking device. Every window, other than a fixed window, shall be easily openable and capable of being held in position by window hardware.
- 304.15 Doors & Locks All exterior doors, door assemblies and hardware shall be maintained in good condition. Locks at all entrances to dwelling units and sleeping units shall tightly secure the door. Locks on means of egress doors shall be in accordance with Section 702.3. Doors providing access to a dwelling unit, rooming unit or housekeeping unit that is rented, leased or let shall be equipped with a deadbolt lock designed to be readily openable from a side from which egress is to be made without the need for keys, special knowledge or effort and shall have a lock throw of not less than 1 inch. Such deadbolt locks shall be installed according to the manufacturer's specifications and maintained in good working order. For the purpose of this section, sliding bolt shall not be considered an acceptable deadbolt lock.

- 304.2 Protective Treatment All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks, and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well those between the building envelope and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces. Surfaces designed for stabilization by oxidation are exempt from this requirement. This applies to soils, concrete, aluminum, masonry, steel, or wood that exhibits deterioration, deformation, cracks, fractures and damage.
- X **304.10 Stairways, decks, porches and balconies** Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained structurally sound, in good repair, with proper anchorage and capable of supporting the imposed loads.
- X 304.4 Structural Members All structural members shall be maintained free from deterioration, and shall be capable of safely supporting the imposed dead and live loads.
- X 304.6 Exterior Walls All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.

SECTION 305 - INTERIOR STRUCTURE

- 305.5 and 307.1 Handrails and guards Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition. Every exterior and interior flight of stairs having more than four risers shall have a handrail on one side of the stair and every open portion of a stair, landing, balcony, porch, deck, ramp or other walking surface which is more than 30 inches above the floor or grade below shall have guards. Handrails shall not be less than 30 inches high or more than 42 inches high measured vertically above the nosing of the tread or above the finished floor of the landing or walking surfaces. Guards shall not be less than 30 inches height above the floor of the landing, balcony, porch, deck, or ramp or other walking surface.
- X **305.4 Stairs and walking surfaces -** Every stair, ramp, landing, balcony, porch, deck or other walking surface shall be maintained in sound condition and good repair.
- X 305.3 Interior surfaces All interior surfaces, including windows and doors, shall be maintained in good, clean and sanitary condition. Peeling, chipping, flaking or abraded paint shall be repaired, removed or covered. Cracked or loose plaster, decayed wood and other defective surface conditions shall be corrected
- X 305.6 Interior doors Every interior door shall fit reasonably well within its frame and shall be capable of being opened and closed by being properly and securely attached to jambs, headers or tracks as intended by the manufacturer of the attachment hardware.
- X **305.2 Structural members** All structural members shall be maintained structurally sound, and be capable of supporting the imposed loads.

Inspector did not enter the structure, however, based on the current condition of the exterior, it appears that significant work will have to be performed on the interior that may include electrical, plumbing, mechanical and carpentry work by licensed Contractors.

RESOLUTION NO.

RESOLUTION SETTING A PUBLIC HEARING TO BE HELD ON OCTOBER 21, 2025 TO CONSIDER CONDEMNATION OF TWENTY-FIVE (25) STRUCTURES.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby setting a public hearing to be held on October 21, 2025 to consider condemnation of twenty-five (25) structures.

THIS RESOLUTION having been submitted in writing, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:

NAYS:

ABSENT:

PASSED AND ADOPTED at Alexandria, Louisiana, this 23rd day of September, 2025.

/s/ Donna P. Jones, MMC City Clerk

ORDINANCES FOR FINAL ADOPTION

SUBJECT TO PUBLIC HEARING

To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for sludge removal and disposal services for the Wastewater Treatment Plant Phase 1.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Division/Department:

Please insure that the information is clear, concise and current. Date: 9/8/25

Title:	Ordinance Authorizing Award of Construction Contr Wastewater Treatment Plant (Phase 1)	act for the Sludge Removal and Disposal Services,
Explai	nation of Proposal:	Additional Information Attached
* Bids * One \$3,728 LLC. C	were received on Tuesday, August 26, 2025 at (1) bid was received. The lowest responsive E,565 for the Base Bid. We recommend Award	
Budge	Neutral Within Existing	Requires Amendment
Account i	Number: 411-812501-7070000	Expense Amount: 3, 429,500
Account i	Line Item: 411-812501-7070000	Remaining Amount: — O —
Autho	rization:	4. Finance Director 1/1
1. Mayor		5. Division Director
2. Chief Op	erding Officer [Clu	6. Department Head
3. City Attol	ney Dan Suit	7. Purchasing Agent
Council Review		Information: Sufficient Insufficient
Remari	kc·	

SEP 1 8 2025

BID TABULATION

CITY OF ALEXANDRIA, LOUISIANA

SLUDGE REMOVAL AND DISPOSAL SERVICES WASTEWATER TREATMENT PLANT (PHASE I)

PAE Job No. 13147

BID OPENING

TUESDAY, AUGUST 26, 2025 @ 10:00 A.M.

	CONTRACTOR	BASE BID
1.	Synagro South, LLC	\$3,728,565.00
2.	Kiely Industrial Technologies, LLC	\$3,783,000.00
3.	Spectrum Biotechnologies, LLC	\$3,792,163.35
4.	American Process Group, LLC	\$4,134,468.97
5.	Merrell Bros., Inc.	\$4,342,500.00
6.	SEMS, Inc.	\$4,949,470.00
7.	Lemoine Industrial Group, LLC	\$10,062,500.00

Engineer's Estimate - \$3,250,000

THOMAS C. DAVID, JR.
License No. 18378
PROFESSIONAL
C. ENGINEER
IN
ENGINEER
Thomas C. David, Jr.

8.24.2025

THOMAS C. DAVID, JR., PROPESSIONAL PROPESSIO

(02992) TOTAL BASE BID	2 Dredging of Lagoon to Remove Sludge, Dewatering of Sludge by Belt-Press, Centrifuge or other approved method, Hauling of Dewatered Sludge to Landfill, Sampling and Texing, Etc. To be Paid Per Ton of Dry Solids Removed From the Lagoon	(Maximum Amount - Up to 10% Total Base Bid) (01400)	REF. NO. DESCRIPTION:	or allock
6,500 Tons	Job Lump Sum e or	id)	QUANTITY: UNI	
\$550.00	\$153,565.00		MEASURE: UNIT PRICE (C	Synagro South, LLC
\$3,575,000.00 \$524.00 \$3,728,565.00	\$153,565.00 \$377,000.00	ome meg	IN ICE	
\$3,406,000.00	.00 <u>\$377,000.00</u> \$192,163.35	Unit Price)	UNIT PRICE EXTENSION UNIT PRICE (Quantity times) UNIT PRICE (Quantity times) UNIT PRICE (Quantity times)	Striel Technologies 110
\$560.00			UNIT PRICE E	
\$3,640,000.00 \$3,792,163.35	\$152,163.35 \$	Unit Price)		
\$580.23	\$362,973.97	_	American Process Group, LLC UNIT PRICE EXTENSION	
\$3,771,495,00 \$4,134,468.97	\$362,973.97 \$182,500.00	(Quantity times Unit Price)	UNIT PRICE	
\$640.00	\$182,500,00	ONLI FRICE	Marell	
54,160,000.00 54,342,500.00	\$182,500.00	(Quantity times Unit Price)	Marell Bros., Inc. UNIT PRICE EXTENSION	
\$685.38	\$182,500.00 \$494,500.00	UNIT PRICE	SEA	
\$4,454,970.00 \$1,525.00 \$4,949,470.00	\$494,500.00 \$150,000.00	(Quantity times Unit Price)	SEMS, Inc. UNIT PRICE	
		UNIT PRICE	Lemoine Indus	
\$9,912,500.00 \$10,062,500.00	\$150,000.00	(Quantity times	Lemoise Industrial Group, LLC UNIT PRICE	

1 of 1

NAME OF BIDDER:



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: Utilities/ Wastewater Date

Date: July 7, 2025 Title: Resolution Authorizing Advertisement of Bids for Sludge Removal and Disposal Services, Wastewater Treatment Plant (Phase 1) **Explanation of Proposal:** Additional Information Attached *Bidding Documents have been completed and ready for the Advertisement for Bids. *The City Council is requested to authorize the Advertisement of Bids for this project. *Engineer's Construction Cost Estimate is \$3,250,000. **Budget:** Neutral Within Requires **Existing Amendment** Account Number: 411-812501-707000 Expense Amount: Estimated \$3,250,000.00 Account Line Item: WWTP Primary Cell 2 - Sludge Remaining Amount: \$3,429,500 Removal **Authorization:** 1. Mayor 5. Division Director 2. Chief Op@rating Office 6. Department Head 3. City Attorney 7. Purchasing Agent **Council Staff** Form Information: Sufficient Review: Content Insufficient Remarks:

JUL 0 8 2025

🖺 ADO 🖺 RETRIEVE 🍰 RELATED 🛠 TOOLS 📭 Panding Documents Chart. 2 Fiscal Year: 26 Index: Commit Type: Both Fund: 411 Up to Quick Process Organization: 812501 WWTP Process Constituted Commit 707000 Commit Process Expense Program: 0 General Section For Mays --> Aveilable Balance 400,500.00 400,500.00 0.00 YTD Activity Control Fund: 411 Control Organization: 812501 Control Account: 707000 Control Program: Pending Documents: 3,830,000.00 3,830,000.00 Adjusted Budget 🗙 🕲 ellucian Budget Availability Status FGIBAYL 9.3.30 (FINHR) Total Account True
707000 Capital Projects Expense ▼ BUDGET AVALABILITY STATUS

Dinsert Delete "s Copy ? Fitter Record 1 of 1 3,429,500.00

ORDINANCE NO. 159-2024

AN ORDINANCE AUTHORIZING THE MAYOR TO AWARD THE PROFESSIONAL SERVICES CONTRACT TO PAN AMERICAN ENGINEERS, LLC FOR SLUDGE REMOVAL PROJECT AT THE WASTEWATER TREATMENT PLANT AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louislana, in legal session convened, that the Council hereby authorizes the mayor to award the Professional Services Contract to Pan American Engineers, LLC for sludge removal project at the Wastewater Treatment Plant.

SECTION II: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION III: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION IV: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 17th day of September

NOTICE PUBLISHED on the 20th day of September, 2024

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS: Rubin, Villard, Feiter, Johnson, Fowler, Washington.

NAYS: None ABSENT: Perry

AND THE ORDINANCE was declared adopted on this the 1st day of October, 2024 and final publication was made in the Alexandria Daily Town Talk on the 4th day of October, 2024.

PRESIDENT

INDELIVERED OCT 02 2024

MAYOR'S APPROVALATE

SECTION 00100

ADVERTISEMENT FOR BIDS

CITY OF ALEXANDRIA, LOUISIANA

SLUDGE REMOVAL AND DISPOSAL SERVICES WASTEWATER TREATMENT PLANT (PHASE I)

Separate sealed bids for the SLUDGE REMOVAL AND DISPOSAL SERVICES WASTEWATER TREATMENT PLANT (PHASE I) Project will be received by the City of Alexandria, Louisiana by the City Clerk, at the City Council Office, City Hall, 915 Third Street, Alexandria, Louisiana, 71301 until 10:00 A.M. (Central Time) on Tuesday, August 26, 2025 and then at said office publicly opened and read aloud. Any bid received after the specified time and date will not be considered.

The Instructions to Bidders, Bid Form, Agreement Between Owner and Contractor, Forms of Bid Bond, Performance and Payment Bonds, Drawings and Specifications, and other Contract Documents may be examined at the following location:

PAN AMERICAN ENGINEERS, LLC (Design Professional) 1717 JACKSON STREET (71301) P. O. BOX 8599 (71306) ALEXANDRIA, LOUISIANA (318) 473-2100

The work to be performed under this contract generally includes hydraulic dredging of the Aerated Lagoon Wastewater Treatment Plant at the City of Alexandria Wastewater Treatment Plant at Hudson Street in Alexandria, to remove sludge, on-site dewatering of sludge with either belt press, centrifuge or other approved methodologies; and hauling of dewatered sludge to off-system landfill.

Copies of the bidding documents shall be obtained from the office of Pan American Engineers, LLC upon deposit of \$150.00 for each set of documents; or from the electronic bid submittal option as noted in the Advertisement. The deposit on the first set of documents furnished to bonafide prime bidders will be fully refunded upon return of the documents, in good condition, no later than ten (10) days after receipt of bids. On other sets of documents furnished to bidders, the deposit less actual cost of reproduction will be refunded upon return of the documents, in good condition, no later than ten (10) days after receipt of bids.

Pursuant to Louisiana Revised Statute (L.R.S.) 38:2212.E.(1), Bidders have the option to secure bidding documents and submit bids electronically. Bidding documents may be secured from Central Bidding. Electronic bids for this project may be submitted through Central Bidding. The Central Bidding web address is www.CentralBidding.com. To register, or for assistance with completing an e-bid, contact Central Bidding at 225-810-4814 or 866-570-9620.

The OWNER reserves the right to reject any or all bids for just cause. Such actions will be in accordance with Title 38 of the L.R.S.

In accordance with L.R.S. 38:2212.B.(1), the provisions and requirements stated in the Bidding Documents shall not be considered as informalities and shall not be waived.

Each Bidder must deposit with the bid, security in the amount of at least five percent (5%) of the total bid price, as described in the Instructions to Bidders. Bid bonds shall be written by a surety or insurance company meeting the requirements noted in L.R.S. 38:2218.

The successful Bidder shall be required to furnish a Performance Bond and Payment Bond, in an amount equal to 100% of the Contract amount, written by a surety or insurance company meeting the requirements noted in L.R.S. 38:2219 A.(1)(a), (b) and (c), or for Federally funded projects, must be listed as acceptable on the U.S. Department of Treasury Circular 570.

City of Alexandria is an equal opportunity employer.

City of Alexandria encourages all small and minority-owned firms and women's business enterprises to apply.

Any person with disabilities required special accommodations must contact the City of Alexandria no later than seven (7) days prior to bid opening.

City of Alexandria P. O. Box 71 Alexandria, Louisiana 71309 Jacques M. Roy, Mayor

PLEASE PUBLISH THREE (3) TIMES:

July 18, 2025 July 25, 2025 August 1, 2025

RESOLUTION NO.0675-2025

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR SLUDGE REMOVAL AND DISPOSAL SERVICES FOR THE WASTEWATER TREATMENT PLANT PHASE 1.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for sludge removal and disposal services for the Wastewater Treatment Plant Phase 1.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on August 26 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 15th day of July, 2025.

/s/ Donna P. Jones, MMC City Clerk

át. ...

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR SLUDGE REMOVAL AND DISPOSAL SERVICES FOR THE WASTEWATER TREATMENT PLANT PHASE 1 AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the low bid submitted for sludge removal and disposal services for the Wastewater Treatment Plant Phase 1.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION IV: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION V: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 26th day of August, 2025.

NOTICE PUBLISHED on the 29th day of August, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:	
NAYS:	
ABSENT:	
AND THE ORDINANCE was of September, 2025 and final public Town Talk on the day of the	declared adopted on this the day of blication was made in the Alexandria Daily of September, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL/VETO)

To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for DG Hunter Units 5, 6, 7 and 8 Wartsila overhaul maintenance services.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Please insure that the information is clear, concise and current.

Division/Department: Utilities/ Electric Production Date: September 12, 2025

Title: Ordinance Authorizing Award of Construction Contract for the DG Hunter Units 5, 6, 7 & 8 - Wartsila Overhaul/ Maintenance Services

Explanation of Proposal:		Additional Information Attached
* Bids were recei * Four (4) bids we	ved on Tuesday, September 9 ere received. The lowest respo	
Budget:	; IV	Within Requires Existing Amendment
Account Number: 4	4 11-721902-707000	Expense Amount: Estimated \$2,645,300.00
Account Line Item:	DG Hunter #5-11 Major Maintenar	nce Remaining Amount: \$394,604
Authorization: 1. Mayor 2. Chief Operating Officer		4. Finance Director 5. Division Director 6. Department Head
3. City Attorney	- frish	7. Purchasing Agent
Council Staff Review:	Form Content	Information: Sufficient Insufficient

Remarks:

RECEIVED

SEP 1 5 2025

CITY COUNCIL

PROPOSAL RESULTS

CITY OF ALEXANDRIA D.G. HUNTER ELECTRICAL POWER PLANT UNITS 5, 6, 7, & 8 WARTSILA OVERHAUL/MAINTENANCE SERVICES PAE JOB NO. 13408

PROPOSAL DUE DATE

TUESDAY, SEPTEMBER 9, 2025 @ 10:00 a.m.

	CONTRACTOR	TOTAL OF REF. NO's 1 - 13 INCLUDING STATED ALLOWANCES
1	Wärtsilä NA, Inc.	\$2,645,300.00
2	DCS North America	\$2,704,736.00
3	Motor Service Hugo Stamp, Inc.	\$2,980,000.00
4	KA Innovative Maritime	\$3,017,000.00
5		

Engineer's Estimate: \$2,300,000.00

Addendum No. 1 issued 8/14/2025 Addendum No. 2 issued 8/22/2025

Note: Other unit pricing and proposer information to be evaluated by Purchasing for minimum qualifications.

Mulanda David, Jr. 9-9-25

THOMAS C. DAVID. JR. License No. 18378 PROFESSIONAL C. ENGINEER



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: Utilities/ Electric Production Date: July 7, 2025

Title: Resolution Authorizing Advertisement for Proposals for the DG Hunter Units 5, 6, 7 & 8 - Wartsila Overhaul / Maintenance Services **Explanation of Proposal:** Additional Information Attached

✓ We request permission to advertise for proposals for Wartsila Overhaul / Maintenance Services - Phase II - Units 5, 6, 7 & 8. Proposals are for services and additional parts as necessary for the overhaul and warranty maintenance for four (4) of the City's seven (7) Wartsila Electric Production Engines and Generators; being the combined 8,000 hour, 12,000 hour and 16,000 hour maintenance service for each set-up. Neutral Within Requires **Budget: Existing Amendment** Account Number: 411-721902-707000 Expense Amount: Estimated \$2,300,000.00 Account Line Item: DG Hunter #5-11 Major Maintenance Remaining Amount: \$3,397,127 **Authorization:** 4. Finance Director 1. М*а*ув 5. Division Director 2. Chief Operating Officer 6. Department Head 3. City Attorney 7. Purchasing Agent **Council Staff** Form Information: Sufficient Review: Content Insufficient

Remarks:

ELLENGO.

JUL 0 8 2025

Chy Council

ADVERTISEMENT FOR REQUEST FOR PROPOSALS/INVITATION TO BID

CITY OF ALEXANDRIA, LOUISIANA PURCHASING DEPARTMENT

D.G. HUNTER ELECTRICAL POWER PLANT WARTSILA OVERHAUL/MAINTENANCE SERVICES PHASE II - UNITS 5, 6, 7, & 8 - 2025

Separate sealed proposals for D.G. HUNTER ELECTRICAL POWER PLANT – WARTSILA OVERHAUL/MAINTENANCE SERVICES – PHASE II - UNITS 5, 6, 7, & 8 - 2025, will be received by the CITY OF ALEXANDRIA at the CITY COUNCIL MEETING CHAMBERS, ALEXANDRIA CITY HALL, ALEXANDRIA, LOUISIANA, until 10:00 AM CST CDT, TUESDAY, August 26, 2025, and then at said office publicly opened and read aloud.

Complete proposal packet and specifications may be obtained at the City of Alexandria's website, www.cityofalexandriala.com under the heading "Business", and drop down to "RFP/RFQ/RFI/BIDS". There is no charge to download bid documents from the City's website.

Pursuant to LA R.S. 38:2212.1 B.(4)(a), vendors have the <u>option</u> to submit their bids electronically. Please find bid related documents and place electronic bids at <u>www.centralbidding.com</u>. For questions regarding the electronic bidding process, please call Central Bidding at 225-810-4814.

The City will hold a Non-Mandatory Pre-Proposal Conference on-site to allow potential proposers the opportunity to evaluate existing site conditions and work setting. The Pre-Proposal Conference will be held at the Power Plant, 1011 North 3rd Street, Alexandria, LA 71301 on Wednesday, August 13, 2025 at 11:00 a.m.

Questions and/or request for clarification of bid specifications are to be in written form only, either mailed or emailed to Thomas C. David, Jr., Pan American Engineers, LLC, 1717 Jackson Street, Alexandria, LA 71301; P.O. Box 8599, Alexandria, LA 71306; Emailed to: Tom@paealex.com/ and must be received within ten (10) calendar days of the scheduled receipt of proposals.

Address for Postal Delivery:

City of Alexandria Donna Jones, City Clerk PO Box 71 Alexandria, LA 71309-0071

Address for Courier or Overnight Delivery:

City of Alexandria
Donna Jones, City Clerk
915 Third Street, 1st Floor
Alexandria, LA 71301
Phone: 318-449-5047

Address for Electronic Bid Submission:

www.centralbidding.com

Phone: 225-810-4814

PLEASE PUBLISH THREE (3) TIMES:

July 18, 2025 July 25, 2025 August 1, 2025

RESOLUTION NO. 0676-2025

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR DG HUNTER UNITS 5, 6, 7, & 8 WARTSILA OVERHAUL MAINTENANCE SERVICES.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for DG Hunter Units 5, 6, 7, and 8 Wartsila overhaul maintenance services.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on August 26 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 15th day of July, 2025.

/s/ Donna P. Jones, MMC City Clerk

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR DG HUNTER UNITS 5, 6, 7 AND 8 WARTSILA OVERHAUL MAINTENANCE SERVICES AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the low bid submitted for DG Hunter units 5, 6, 7, and 8 Wartsila Overhaul maintenance services.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION IV: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION V: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 26th day of August, 2025.

NOTICE PUBLISHED on the 29th day of August, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:	
NAYS:	
ABSENT:	
AND THE ORDINANCE was declared adopted on this September, 2025 and final publication was made in the Town Talk on the day of September, 2025.	s the day of e Alexandria Daily
CITY CLERK PRESIDENT	
MAYOR'S APPROVAL/VETO	

To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for turn out gear for the Fire Department.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: FINANCE/PURCHASING Date: JULY 11, 2025

Title: RESOLUTION AUTHORIZING PERMISSION TO ADVERTISE FOR TURN OUT GEAR

Explanation of Proposal:	Additional Information Attached	
We request permission to advertise for Turn Out Gea		
Equestions and/or clarifications of the bid specification	ns shall be in written form only, either mailed, faxed or emailed to	
	Within Requires Existing Amendment	
Account Number: 101-076000-707002	Expense Amount: N/A	
Account Line Item: Turn Out Gear	Remaining Amount: N/A	
Authorization:	4. Finance Director	
1. Mayor	5. Division Director	
2. Chief Operating Officer	6. Department Head	
3. City Attorney	7. Purchgeing Agent	
Council Staff Form Review: Content	Information: Sufficient Insufficient	
Remarks:		

RECEIVED

JUL 1 4 2025

ADVERTISEMENT FOR BID

CITY OF ALEXANDRIA, LOUISIANA PURCHASING DEPARTMENT

BID # 2536- Turn Out Gear

Separate sealed bids for Turn Out Gear will be received by the CITY OF ALEXANDRIA at the CITY COUNCIL MEETING CHAMBERS, ALEXANDRIA CITY HALL, ALEXANDRIA, LOUISIANA, until 10:00 AM CST CDT, TUESDAY, SEPTEMBER 09, 2025 and then at said office publically opened and read aloud.

Complete bid packet, bid specifications may be obtained at the City of Alexandria's website, www.cityofalexandriala.com under the heading "Business", and drop down to "RFP/RFQ/RFI/BIDS". There is no charge to download bid documents from the City's website.

Pursuant to LA R.S. 38:2212.1 B.(4)(a), vendors have the <u>option</u> to submit their bids electronically. Please find bid related documents and place electronic bids at <u>www.centralbidding.com</u>. For questions regarding the electronic bidding process, please call Central Bidding at 225-810-4814.

Questions and/or clarifications of bid specifications are to be in written form only, either mailed, faxed, or emailed to the attention of Casey Barnes, City of Alexandria Purchasing Department; PO Box 71, Alexandria, LA 71309-0071; Fax 318-619-3415; email to casey.barnes@cityofalex.com; and must be received by 4:00 PM CST, Thursday, August 28, 2025.

Address for Postal Delivery:

City of Alexandria Donna Jones, City Clerk PO Box 71 Alexandria, LA 71309-0071 Address for Courier or Overnight Delivery:

City of Alexandria Donna Jones, City Clerk 915 Third Street, 1st Floor Alexandria, LA 71301

Phone: 318-449-5090

Address for Electronic Bid Submission:

www.centralbidding.com

Phone: 225-810-4814

PLEASE PUBLISH THREE (3) TIMES:

Friday, August 01. 2025 Friday, August 08, 2025 Friday, August 15, 2025

RESOLUTION NO. 0677-2025

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR TURN OUT GEAR FOR THE FIRE DEPARTMENT.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for turn out gear for the Fire Department

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on September 9, 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 29th day of July, 2025.

/s/ Donna P. Jones, MMC City Clerk

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR TURN OUT GEAR FOR THE FIRE DEPARTMENT AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the low bid submitted for turn out gear for the Fire Department.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION IV: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION V: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 9th day of September, 2025.

NOTICE PUBLISHED on the 12th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:

NAYS:	
ABSENT:	
	s declared adopted on this the day of publication was made in the Alexandria Daily of September, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL/VET	ΓΟ

حده , صع

C. Es

To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for plastic refuse bags.

C #



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: FINANCE/PURCHASING Date: 9/9/2025

Title: ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID FOR PLASTIC REFUSE BAGS

Explanation of Proposal:	Additional Information Attached
On Tuesday, September 9, 2025, nine (9) bids were of inventoried by the Central Warehouse Department. But bid award date. Recommend award be made to Economical Janitorial and the second seco	pened and read aloud for Plastic Refuse Bags. Said material to be sids are to remain effect for a period of twelve (12) months from
See attached:	
KUNUAT' I I IV	Within Requires Existing Amendment
Account Number: 401-000000-1411800-00000 Central Warehouse Inventory	Expense Amount: NA
Account Line Item: N/A	Remaining Amount: N/A
Authorization;	4. Finance Director
1-Mayor	5. Division Director
2. Chief Operating Officer	6. Department Head
3. City Attorney	7. Purposing Agent Tolly
Council Staff Form Content	Information: Sufficient Insufficient
Remarks:	

RECEIVED

SEP 1 3 2025

City

Bid # 2532 Plastic Refuse Bags

Recommend award be made as follows:

Economical Janitorial and Paper Supplies LLC

BID TABULATION SHEET FOR: PLAS BID PROPOSAL # 2532 BID C	PENING DATE: Septer	mber 9, 2025	1 01 1						
ITEM	VENDOR # 1								
	INTERBORO	VENDOR # 2	VENDOR # 3	VENDOR # 4				1	
	PACKAGING	ECONOMICAL	Central Poly-	NEW YORK	VENDOR # 5	VENDOR # 6	VENDOR # 7	+	
		3472 si 2 3 0 22 v - 3 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bag Corp	PACKAGING	CARI	UNIPAK	UNITED	VENDOR # 8	VENDO
AGS, BLACK PLASTIC REFUSE,	\$ 5.92			SASSAGE SCORES COME	TRADING CO	Corp	SALES	GLOBAL	DISPO
7" X 14" X 40", GUSSET OR FLAT, LOW	3.32	5.85	\$ 6.09	\$ 500	PAGENOUS \$150		OALLS	PAK	N' SA
ENSITY OPAQUE POLYFTHYLENG.				5.90	\$ 6.30	5.89	\$		
5 MIL THICK; W/WRAP WIRE TIES;				 			6.07	\$ 86.19	\$
BAGS PER ROLL; 9 ROLLS PER					 		 	+	
SE; 25 CASES PER PALLET.				† 	 		 	 	
ALLET HEIGHT SHALL NOT EXCEED				 			 	 	
==				 	 		 		
IG/ROLL SPECIFICATIONS:							 		
Brand:	NT-3140-SUPER EXH								
Stock #:	SAMPLE #1	HITECH	Central Poly						
bag size:	31X40	EJ-314015K	CP3140KXH	REDIBAG	SHAANXI YUMAN	UPC			
bag style:	FLAT	31 X 40	31X40	A	PRBLO28	UP3140BKXH	UNITED	GLOBAL-PAK	PLAST/GLO
# bags per roll:	FLAT	FLAT	FLAT	31 X 40	31 X 40	31 X 40	US31402B	PB-3140.1.5	DPS3140
#rolls per case:	8	50	50	FLAT	FLAT	FLAT	31 X 40		31
core size:	1.5"	8	8	50	50	50	FLAT	FLAT	F
E SPECIFICATIONS:	1.5	1.5"	1.5"	- 8	9	8	50	50	
<u>L</u>				1.5"	CORELESS	1.5"		9	
box size:	20x17x7.5	9 X 17 X 17					1.5"	1.5"	
LET SPECIFICATIONS:		3 × 1/ × 1/]	9 X 17 X 17	15 X 8 X7	44.5 % 40.5 %				
Pallet Size:	35X44				14.5 X 10.5 X 15	31 X 40	9 X 17 X 17	24.75 X 14" X6"	
Pallet height for shipment:	47"	32 X 44	32 X 44	20 7 44				X 14 X6"	20 X 17 X
Pallet has four way entry:	YES	47"	47"	32 X 44	36 X 47	31 X 40			
# cases per pallet	24	YES	YES	42"	47	47"	32 X 44	42 X 35	35 X
# pallets per truckload:	816	14	16	YES YES	YES	YES	47"	45"	
ERY SPECIFICATIONS:	676]	39	24	24	20	16	YES	YES	Y
delivery time ARO:				28	24	24	14	24	
—	7-10 DAYS	21-30 DAYS	20.45.0				39		
RACT PERIOD SPECIFICATIONS:		3 3 7 7 7	30-45 DAYS	90 DAYS	40-45 DAYS				
Prices firm:	365 DAYS				TO BATS	1-15 ARO	1-10 DAYS	24 DAYS	
	OOO DAYS	365 DAYS	365 DAYS					= : 5410	8 DAY



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: FINANCE/PURCHASING Date: 07/08/2025

Resolution Authorizing Permission to Advertise for Plastic Refuse Bags **Explanation of Proposal:** Additional Information Attached Request a Resolution to advertise for Plastic Refuse Bags for use by various City departments. Bids are to remain in effect for a period of twelve months from bid award date. Neutral Within Requires **Budget: Existing Amendment** Account Number: 401-000000-141180-00000 **Expense Amount:** N/A Account Line Item: N/A Remaining Amount: N/A **Authorization:** 4. Finance Director 1. May 5. Division Director 2. Chief Operating Officer 6. Department Head 3. City Attorney 7. Purcha Council Staff Form Information: Sufficient Review: Content Insufficient

Remarks:

RECEIVED

JUL 1 4 2025

ADVERTISEMENT FOR BID

CITY OF ALEXANDRIA, LOUISIANA PURCHASING DEPARTMENT

BID # 2532 PLASTIC REFUSE BAGS

Separate sealed bids for, PLASTIC REFUSE BAGS, will be received by the CITY OF ALEXANDRIA at the CITY COUNCIL MEETING CHAMBERS, ALEXANDRIA CITY HALL, ALEXANDRIA, LOUISIANA, until 10:00 AM CST CDT, TUESDAY, September 9, 2025, and then at said office publically opened and read aloud.

Complete bid packet, bid specifications may be obtained at the City of Alexandria's website, www.cityofalexandriala.com under the heading "Business", and drop down to "RFP/RFQ/RFI/BIDS". There is no charge to download bid documents from the City's website.

Pursuant to LA R.S. 38:2212.1 B.(4)(a), vendors have the <u>option</u> to submit their bids electronically. Please find bid related documents and place electronic bids at <u>www.centralbidding.com</u>. For questions regarding the electronic bidding process, please call Central Bidding at 225-810-4814.

Questions and/or clarifications of bid specifications are to be in written form only, either mailed, faxed, or emailed to the attention of Andre Garsaud, City of Alexandria Purchasing Department, PO Box 71, Alexandria, LA 71309-0071; Fax 318-441-6185; email to andre.garsaud@cityofalex.com and must be received by close of business on Thursday, August 28, 2025.

Address for Postal Delivery:

City of Alexandria Donna Jones, City Clerk PO Box 71 Alexandria, LA 71309-0071

Address for Courier or Overnight Delivery:

City of Alexandria Donna Jones, City Clerk 915 Third Street, 1st Floor Alexandria, LA 71301 Phone: 318-449-5090

Address for Electronic Bid Submission:

www.centralbidding.com

Phone: 225-810-4814

PLEASE PUBLISH THREE (3) TIMES:

Friday, August 1, 2025 Friday, August 8, 2025 Friday, August 15, 2025

RESOLUTION NO. 0678-2025

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR PLASTIC REFUSE BAGS.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for plastic refuse bags.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on September 9, 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 29th day of July, 2025.

/s/ Donna P. Jones, MMC City Clerk

20 3

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR PLASTIC REFUSE BAGS AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the low bid submitted for plastic refuse bags.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION IV: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION V: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 9th day of September, 2025.

NOTICE PUBLISHED on the 12th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:

	NAYS:			
	ABSENT:			
	AND THE ORDINAN September, 2025 and Town Talk on the	l final publica	ared adopted on this the ation was made in the Alexa otember, 2025.	day of andria Daily
.1	CITY CLERK		PRESIDENT	
			n est	

MAYOR'S APPROVAL/VETO

To consider final adoption of an ordinance authorizing the mayor to accept the low bid submitted for Consolidated City Compound Metal Roof and Soffit Replacement.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Please insure that the information is clear, concise and current.

Division/Department: Public Works / Maint. of Public Buildings Date: 07/07/2025

Title: Advertisement for Bid - Consolidated City Compound Metal Roof & Soffit Replacement

-Ine City Council is re -Engineer's cost estim -Project includes the i	nave been completed of quested to authorize to ate is \$620,000 nstallation of a 'hugge n shall be complete w	he Advertisement	advertisement. of Bids for this proje	ct. of existing building area. The retrofit items as shown on the drawings and
Budget:	Neutral	Within Existing	Requires Amendme	nt
Account Number: 30	0-052301-707000		Expense Amount:	\$620,000.00
Account Line Item: \$9	50,933.00		Remaining Amount	: \$330,933.00
Authorization:			4. Finance Director	
1. Meyor			5. Division Director	
2. Chief Operating Officer			6. Department Head	
3. City Attorney		—{M	7. Purchasing Agent	
Council Staff	Form	•••••••••••••••••	Information:	Sufficient
Review:) Content			Insufficient

kemarks:

CITY COUNCIL

5202 7 T 70r

RECEIVED

SECTION 00100

ADVERTISEMENT FOR BIDS

CITY OF ALEXANDRIA

CONSOLIDATED CITY COMPOUND METAL ROOF & SOFFIT REPLACEMENT

Separate sealed bids for the <u>CITY OF ALEXANDRIA CONSOLIDATED CITY COMPOUND METAL ROOF & SOFFIT REPLACEMENT</u> Project will be received by the City of Alexandria, Louisiana by the City Clerk, at the City Council Office, City Hall, 915 Third Street, Alexandria, Louisiana, 71301 until 10:00 a.m. (Central Time) on Tuesday, August 26, 2025 and then at said office publicly opened and read aloud. Any bid received after the specified time and date will not be considered.

A <u>Mandatory Pre-Bid Conference</u> will be held at 10:00 a.m. on Thursday, August 7, 2025 at the City of Alexandria Consolidated City Compound located at 2021 Industrial Park Road, Alexandria, LA 71303.

The Instructions to Bidders, Bid Form, Agreement Between Owner and Contractor, Forms of Bid Bond, Performance and Payment Bonds, Drawings and Specifications, and other Contract Documents may be examined at the following location:

PAN AMERICAN ENGINEERS, LLC (Design Professional) 1717 JACKSON STREET (71301) P. O. BOX 8599 (71306) ALEXANDRIA, LOUISIANA (318) 473-2100

The work is generally described as follows:

All work related to the project entitled "City of Alexandria Consolidated City Compound Metal Roof & Soffit Replacement," including the installation of a hugger roof system over 16,100 sf of existing building area. The retrofit hugger framing system shall be complete with fascia trim, ridge, etc. and all other items as shown on the drawings and included in the Base Bid.

Copies of the bidding documents shall be obtained from the office of Pan American Engineers, LLC upon deposit of \$150.00 for each set of documents; or from the electronic bid submittal option as noted in the Advertisement. The deposit on the first set of documents furnished to bonafide prime bidders will be fully refunded upon return of the documents, in good condition, no later than ten (10) days after receipt of bids. On other sets of documents furnished to bidders, the deposit less actual cost of reproduction will be refunded upon return of the documents, in good condition, no later than ten (10) days after receipt of bids.

Pursuant to Louisiana Revised Statute (L.R.S.) 38:2212.E.(1), Bidders have the option to secure bidding documents and submit bids electronically. Bidding documents may be secured from Central Bidding. Electronic bids for this project may be submitted through Central Bidding. The Central Bidding web address is www.CentralBidding.com. To register, or for assistance with completing an e-bid, contact Central Bidding at 225-810-4814 or 866-570-9620.

The OWNER reserves the right to reject any or all bids for just cause. Such actions will be in accordance with Title 38 of the L.R.S.

In accordance with L.R.S. 38:2212.B.(1), the provisions and requirements stated in the Bidding Documents shall not be considered as informalities and shall not be waived.

Each Bidder must deposit with the bid, security in the amount of at least five percent (5%) of the total bid price, as described in the Instructions to Bidders. Bid bonds shall be written by a surety or insurance company meeting the requirements noted in L.R.S. 38:2218.

The successful Bidder shall be required to furnish a Performance Bond and Payment Bond, in an amount equal to 100% of the Contract amount, written by a surety or insurance company meeting the requirements noted in L.R.S. 38:2219 A.(1)(a), (b) and (c), or for Federally funded projects, must be listed as acceptable on the U.S. Department of Treasury Circular 570.

City of Alexandria is an equal opportunity employer.

City of Alexandria encourages all small and minority-owned firms and women's business enterprises to apply.

Any person with disabilities required special accommodations must contact the City of Alexandria no later than seven (7) days prior to bid opening.

City of Alexandria P. O. Box 71 Alexandria, Louisiana 71309 Jacques M. Roy, Mayor

PLEASE PUBLISH THREE (3) TIMES: Friday, July 18, 2025 Friday, July 25, 2025 Friday, August 1, 2025

RESOLUTION NO. 0679-2025

RESOLUTION AUTHORIZING ADVERTISEMENT FOR BIDS FOR CONSOLIDATED CITY COMPOUND METAL ROOF AND SOFFIT REPLACEMENT.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes advertisement for bids for consolidated City Compound Metal Roof and Soffit Replacement.

BE IT FURTHER RESOLVED, etc., that the City Clerk proceed with the advertisement according to law, with bids to be opened on September 9, 2025.

PASSED AND ADOPTED at Alexandria, Louisiana, this 29th day of July, 2025.

/s/ Donna P. Jones, MMC City Clerk

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOW BID SUBMITTED FOR CONSOLIDATED CITY COMPOUND METAL ROOF AND SOFFIT REPLACEMENT.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the low bid submitted for consolidated City Compound Metal Roof and Soffit Replacement.

SECTION II: BE IT FURTHER ORDAINED, etc. that the Mayor of the City of Alexandria be authorized to pay said low bidder from the 2025/2026 budget and to each and every other act or deed needed or necessary to consummate said transaction.

SECTION III: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION IV: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION V: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 9th day of September, 2025.

NOTICE PUBLISHED on the 12th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:

NAYS:		
ABSENT:		
AND THE ORDINANCE was September, 2025 and final process Town Talk on the day	as declared adopted on this the of publication was made in the Alexandria of September, 2025.	lay of a Daily
CITY CLERK	PRESIDENT	-
MAYOR'S APPROVAL/VE	TO	

To consider final adoption of an ordinance authorizing the mayor to accept the lowest proposal received from Electric Power Systems

International, Inc. for testing and maintenance of substation transformers, circuit breakers and related equipment.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council.

Please insure that the information is clear, concise and current.

Division/Department: Finance / Purchasing Date: August 22, 2025

Title: Request an Ordinance for Testing & Maintenance of Substation Transformers, Circuit Breakers & Related Equipment

Transformers, Circuit Breakers & City Departments. Proposals were recommendation to award Electr	Mayor to accept the Related Equipment lo e received onMonday ic Power Systems Inte posed. This service co	cated at the City's 13 r, August 18, 2025 at rnational, Inc at the ntract shall remain i	eived for the service of Ti 88kV substations, D.G. H 12:00 PM. A total of thre Flat Man Hour Labor Ra n effect for a period of t	esting & Maintenance of Substation unter Generating Station and various other ee (3) proposal were received. It is our ite of \$97.00/per hour; Overtime Rate of welve (12) months from award date. The City nonth increments.
Budget:	Neutral	Within Existing	Requires Amendme	nt
Account Number:			Expense Amount:	
Account Line Item:			Remaining Amoun	t :
Authorization:		•••••••••••••••••••••••••••••••••••••••	4. Finance Director	1
1. Mayor			5. Division Director	14
Chief Operating Officer			//m	
2. Chief Operating Officer		1/1/11	6. Department Head	
3. City Altorney	<u>`</u>	- 124	7. Purchasi Agent	Jally
Council Staff	Form	•••••••••	Information:	Sufficient C
	Content			Insufficient

Remarks: This service will be charged to various capital and departmental operating account numbers.

AUG 2 5 2025

Accipo, 100	\$22 00/nor hour			150kW Generator (for Dehydrator use)
\$55/per hour		\$55/per hour		Generator
N/A	10% Markup on Cost	N/A		Scaffolding
\$150/per hour	N/A	\$150/per hour		Dehydrator
				Utility Trailer
				Filter Press Electric
				Filter Press w/generator (8 hr. minimum)
				Vacuum Degas Unit Cont. Mobilization
				Vacuum Degas Unit (8 hr. minimum)
				Oil Tanker Cont. Mobilization
\$15/per hour	\$2,000.00/per day	\$10/per hour		Oil Trailer
				Major Equipment (Per Hour Rates):
\$124.00/per hour				Auto Cad w/Operator Overtime (Per Man Hour):
\$85.00/per hour		\$85.00/per hour		Auto Cad w/ Operator (Per Man Hour):
160.00/per hour				Project Manager:
\$192.00 per hour				Senior Field Tech Holiday Rate(Per Man Hour):
\$140.00/per hour				Senior Field Tech OT Rate (Per Man Hour):
\$97.00/per hour				Senior Field Tech (Per Man Hour):
1.45	150-200	145		Flat Overtime Rate (Per Man Hour):
				Technician I:
				Technician II:
				Senior Field Tech I:
				Senior Field Tech II:
				Senior Field Tech III:
				P&C Relay Tech I:
				P&C Relay Tech II:
		\$135.00/per hour		Project Manager:
				Professional Engineer:
				Principal Engineer:
\$97.00	\$120	\$100.00		Flat Rate Labor (Per Man Hour):
LA License #72823	LA License ##64522	LA License #40398	Price Quotes & Options	Price Quote & Options
70737 225-644-0150 email - d.brown@voltyx.com	9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-5488 email-nam.le@Indts.com	LA 70563 337-944-6152 email - mclary@ums-1.com		
Darryl Brown		Mac Clary		
Electric Power Systems international inc	LND Technical Services, LLC	Utility Maintenance Specialists,		
Vendor #3	Vendor #2	Vendor #1		

N/A Vehicle Mileage - \$0.85/per mile \$235 Per Day - Overnight Meals & Lodging 15% Markup on Cost \$50.00/per hour 15% Markup on Cost \$235.00/per sample Cost + 20% Cost + 20% Cost + 20% Cost + 20% S125.00/Sample	95 15% Ma \$50.0 15% Ma \$235.00	\$170 Per Diem - Per Day Cost + 15%		Any 3rd Party Labor Any Materials & Consumables Transformer Oil Testing (Lab)
	98 15% Ma \$50.0 15% Ma \$235.00			Any 3rd Party Labor Any Materials & Consumables
	95 15% Ma \$50.0 15% Ma \$235.00			Any 3rd Party Labor
	98 15% Ma \$50.0 15% Ma 15% Ma \$235.00			
	95 15% Ma \$50.0 15% Ma 15% Ma			Any 3rd Party Equipment Rental
	15% Ma \$50.0 15% Ma 15% Ma			36"x36" Neiprene 60 Durometer Gasket Sheet 1/4"
	95 15% Ma \$50.0 15% Ma			Transformers Oil Samples
	15% Ma \$50.0 15% Ma			OCB Oil Samples
	15% Ma \$50.0 15% Ma			Oil Pump
	15% Ma \$50.0			SF6 Leak Detector
	55% Ma \$50.0			Transformer Winding Resistance Test Set
	GS 15% Ma \$50.0			Transformer Turns Ratio Test Set
	15% Ma \$50.0			100 AMP Ductor
	GS 15% Ma \$50.0			Fuel
	15% Ma	\$170 Per Diem - Per Day Cost + 15%	Service Vehicle	Tanker Mobilization Charges
	98	\$170 Per Diem - Per Day		Tanker Rentals
				Per Diem
		N/A		Mileage
\$120.00/per hour \$97/per hour	\$120.	\$100/per hour		Travel
				Maintenance Trailer
\$88.00/per hour	\$88.0		Breaker/Timing Travel Analyzer	All Other Equipment
\$150.00/per hour	\$150.	<i>P</i>		Tool Truck
\$113.00/per hour	\$113.			SF6 Gas Cart
\$113.00/per hour	\$113.		Transformer Wir	SF6 Dilo Cart (8hr min)
\$113.00/per hour	\$113.			Manlifts/Forktrucks/Lights/Berms
\$75.00/per hour	\$75.0	7		Testing Van & Test Equipment (8hr min)
\$150.00/per hour	\$150.	0	Doble	CT Analyzer
\$163.00/per hour	\$163.			SF6 Analyzer
\$25.00/per hour	\$25.0	ot .	50kV AC/D	Double Circuit Breaker Timer
\$22.00/per hour	\$22.0	х .		Double Power Factor Test Set
			_	45kW Generator (for Gas Cart Use)
LA License ##64522 LA License #72823	LA Lice	LA License #40398	Price Quotes & Options	Price Quote & Options
Darryl Brown NAM LE 1129 East Hwy 30 Gonzales, LA 9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-6488 email-nam.le@indts.com	-	Mac Clary 4007 Vida Shaw Road New Iberia, LA 70563 337-944-6152 email - mclary@ums-1.com		
LND Technical Services, LLC International inc				
Electric Power Systems	1	Utility Maintenance Specialists,		
Vendor #2 Vendor #3	V6	Vendor #1		

	\$24.00/per hour		10kV PI Megger	TONEY CEIRIAGE (IG. GAS CALL USE)
	\$24.00/per hour		Ductor	ASIAN Concepts (for Con Cont line)
\$55/.00per hour		\$55.00 per nour	Const Edulation of Action #5	150kW Generator (for Dehudrator inc.)
	1000 markap on Cost	\$55 00/00° hour	Other Equipment for Vendor #2	Generator
Alla	10% Markin on Cost	N/A		Scaffolding
\$150/per hour	N/A	\$150/per hour		Dehydrator
				Utility Trailer
				Filter Press Electric
				Filter Press w/generator (8 hr. minimum)
				Vacuum Degas Unit Cont. Mobilization
				Vacuum Degas Unit (8 hr. minimum)
Cost + 15%	Cost + 15%			Oil Tanker Cont. Mobilization
\$15.00/per hour	\$2,100.00/per day	\$10/per hour		Oil Trailer
				Major Equipment (Per Hour Rates):
\$124.00/per hour				Auto Cad w/Operator Overtime (Per Man Hour):
\$85.00/per hour		\$90.00/per hour		Auto Cad w/ Operator (Per Man Hour):
\$192.00 per hour				Senior Field Tech Holiday Rate(Per Man Hour):
\$140.00/per hour				Senior Field Tech OT Rate (Per Man Hour):
\$97,00/per hour				Senior Field Tech (Per Man Hour):
1.45	150-200	145		Flat Overtime Rate (Per Man Hour):
				Technician I:
				Technician II:
				Senior Field Tech I:
				Senior Field Tech II:
				Senior Field Tech III:
				P&C Relay Tech I:
				P&C Relay Tech II:
\$160.00/per hour		137.50/per hour		Project Manager:
				Professional Engineer:
Act to bot non				Principal Engineer:
\$97.00/per hour	126.00/per hour	\$102.50/per hour		Flat Rate Labor (Per Man Hour):
				OPTION: First Renewal
				Projects that are identified as Time & Material:
LA License #72823	LA License ##64522	LA License #40398	Price Quotes & Options	Price Quote & Options
Darryl Brown 1129 East Hwy 30 Gonzales, LA 70737 225-644-0150 email - d.brown@voltyx.com	NAM LE 9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-6488 email-nam.ie@indts.com	Mac Clary 4007 Vida Shaw Road New Iberia, LA 70563 337-944-6152 email - mclary@ums-1.com		
International Inc	LND Technical Services, LLC	inc		
Electric Power Systems		Utility Maintenance Specialists,		
Vendor #3	Vendor #2	Vendor #1		

\$55.00/Sample				Can Change Can Legan (Can)
\$125.00/Sample				Circuit Breaker Oil Testing (Lab)
				Transformer Of Testing (1-1)
Cost + 20%				
Cost + 20%				Any Materials & Consumables
Sed : 20%				Any 3rd Party Labor
Cost + 20%				Any 3rd Party Equipment Rental
				36"x36" Neiprene 60 Durometer Gasket Sheet 1/4"
				Transformers Oil Samples
	\$247.00/per sample			OCB Oil Samples
				Oil Pump
				SF6 Leak Detector
				Transformer Winding Resistance Test Set
	15% Markup on Cost		Shipping Charge	Transformer Turns Ratio Test Set
	\$53.00/per hour		Service Vehicle	100 AMP Ductor
				Tanker Mobilization Charges
Cost + 15%	15% Markup on Cost	Cost + 15%		Tanker Rentals
\$235.00/per day	GSA+15%	\$170.00/per hour		Per Diem
Vehicle Mileage - \$0.85/per mile				Мінеаде
ser outper rout	Carro Lat Vala	A Lambert Prof. 1900.		
6 07 00/par baur	Same Flat Rete	\$102.50/per hour		Travel
				All Other Equipment
				Maintenance Trailer
				Tool Truck
				SF6 Gas Cart
	\$93.00/per hour		Breaker/Timing Travel Analyzer	SF6 Dilo Cart (8hr min)
	\$158.00/per hour		SFRA	Service Tool Truck
	\$119.00/per hour		CT Analyzer	Manlifts/Forktrucks/Light/Berms
	\$119.00/per hour		Transformer Winding Analyzer	Test Van & Test Equipment (8 hr min)
	\$119.00/per hour		SF6 Anayizer	Testing Van & Test Equipment (8hr min)
	\$79.00/per hour		Ground Grid Test Kit	CT Analyzer
	\$158.00/per hour		Doble M4000/M4100	SF6 Analyzer
	\$172.00/per hour		CPC-100+TD1	Double Circuit Breaker Timer
	\$27.00/per hour		50kV AC/DC Hipot	Double Power Factor Test Set
LA License #72823	LA License ##64522	LA License #40398	Price Quotes & Options	Price Quote & Options
Darryl Brown 1129 East Hwy 30 Gonzales, LA 70737 225-644-0150 email - d.brown@voltyx.com	NAM LE 9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-6488 email-nam.le@indts.com	Mac Clary 4007 Vida Shaw Road New Iberia, LA 70563 337-944-6152 email - mclary@ums-1.com		
international inc	LIND TECHNICAL SELVICES, LLC	i		
Electric Power Systems	I ND Technical Services III	Utility Maintenance Specialists,		
Vendor #3	Vendor #2	Vendor #1		

Vendor #1 Utility Maintenance Specialists, LND 1 Mac Clary 4007 Vida Shaw Road New Iberia, LA 70553 337-944-5152 email 9337 Kely Finded Shaw Road New Iberia, LA License #40398 LA License #		\$26.00/per hour		iono i i viegger	Common and I want I can being
Vendor #2		320.00/per nour		40W D. 14	Double Dower Earlor Test Set
Vendor #2		\$26 Officer hour		Ductor	45kW Generator (for Gas Cart Use)
Vendor #2 Vend				Other Equipment for Vendor #2	150kW Generator (for Dehydrator use)
Vendor #1 Vendor #2 Vendor #3 Vendor #3 Vendor #3 Vendor #4 Vendor Vendor Vendor Vendor #4 Ven	\$55,00/per hour		\$55.00/per hour		Generator
Vendor #2 Aux Clary Manchance Specialists, LUD Technical Services, LLC Aux Clary Manchance Machine Mac Clary NAM LE Aux Clary Manchance Machine Machine	N/A	10% Markup on Cost	N/A		Scaffolding
	\$150.00/per hour	N/A	\$150.00/per hour		Dehydrator
			:		Utility Trailor
Vandor #1 Vandor #2 Vand					Filter Press Electric
Vendor #1 Vendor #2 Vendor *2 Vend					Filter Press w/generator (8 hr. minimum)
Vendor #1 Vendor #2 Vendor *2 Vend					Vacuum Degas Unit Cont. Mobilization
					Vacuum Degas Unit (8 hr. minimum)
Vendor#1 Vendor#2 Vendor#2					Oil Tanker Cont. Mobilization
	\$15.00/per hour	\$2,2205.00/per day	\$10.00/per hour		Oil Trailer
Vendor #1 Vendor #2 Vend				TO THE PARTY OF TH	Major Equipment (Per Hour Rates):
Vendor #1 Vendor #2 Vend	\$124.00/per hour				Auto Cad w/Operator Overtime (Per Man Hour):
Vendor #1 Vendor #2	\$85.00/per hour		\$95.00/per hour		Auto Cad w/ Operator (Per Man Hour):
Vendor #1 Vendor #2	\$192.00 per hour				Senior Field Tech Holiday Rate(Per Man Hour):
Vendor #1 Vendor #2 Vendor #3 Vendor #4 Vend	\$140.00/per hour				Senior Field Tech OT Rate (Per Man Hour):
Vendor #1 Vendor #2 Utility Maintenance Specialists, Inc Inc Mac Cirry Mac Cir	\$97.00/per hour				Senior Field Tech (Per Man Hour):
Vendor#1 Vendor#2	1.45	150-200	145		Flat Overtime % Rate (Per Man Hour):
Vendor #1 Vendor #2					
Vendor #1 Vendor #2					Technician I:
Vendor #1 Vendor #2 Vendor #1 Vendor #2 Vendor #1 Vendor #2 Utility Maintenance Specialists, Inc LND Technical Services, LLC Mac Clary Mac Clary Mac Clary NAM LE LA 17053 337-944-6152 email - mclary@ums-1.com 770 281-407-6488 Principal Engineer: LA License #40398 LA License #64522 Project Mana Hour): \$105.00 \$133 Principal Engineer: LA License #40398 LA License #64522 Project Manager: \$140.00/per hour \$133 P&C Relay Tech II: \$140.00/per hour \$133 Senior Field Tech II: \$140.00/per hour \$140.00/per hour					Technician II:
Vendor#1 Vendor#2 Vendor#1 Vendor#2 Utility Maintenance Specialists, Inc LND Technical Services, LLC Mac Clary Mac Clary 4007 Vida Shaw Road New Iberia, Inc NAM LE A7053 337-944-6152 email - grantenance 9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-6488 Rate Labor (Per Man Hour): Principal Engineer: Project Manager: LA License #40338 Professional Engineer: \$140.00/per hour P&C Relay Tech II: \$140.00/per hour Senior Field Tech II: \$140.00/per hour					Senior Field Tech I:
Vendor #1 Vendor #2 Vendor #1 Vendor #2 Utility Maintenance Specialists, Inc LND Technical Services, LLC Mac Clary 4007 Vida Shaw Road New Iberia, Inc NAM LE 170,563 337-944-6152 email - 770 281-407-6488 LA 70563 337-944-6152 email - 770 281-407-6488 9337 Katy Fwy, STE B-5104 Houston, TX mclary@ums-1.com PRICE (Per Man Hour): LA License #40398 LA License ##64522 Principal Engineer: LA License #40398 LA License ##64522 PRIC Relay Tech II: \$140.00/per hour \$133 PREC Relay Tech III: \$140.00/per hour \$133					Senior Field Tech II:
Vendor #1 Vendor #2					Senior Field Tech III:
Vendor #1 Vendor #2 Vendor #1 Vendor #2 Vendor #1 Vendor #2 Utility Maintenance Specialists, Inc LND Technical Services, LLC Mac Clary Mac Clary Mac Clary NAM LE LA 70563 337-944-6152 email - mclary@ums-1.com 9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-6488 email-nam.le@indts.com POPTION: Second Renewal Principal Engineer: LA License #40398 LA License ##64522 Principal Engineer: \$133 \$133 Project Manager: \$140.00/per hour \$140.00/per hour					P&C Relay Tech I:
Vendor #1 Vendor #2 Vendor #1 Vendor #2 Utility Maintenance Specialists, Inc LND Technical Services, LLC Mac Clary Mac Clary Mac Clary NAM LE LA 70563 337-944-6152 email - mclary@ums-1.com 9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-6488 email-nam.le@indts.com CPTION: Second Renewal Principal Engineer: LA License #40398 LA License ##64522 Principal Engineer: \$105.00 \$133 Project Manager: \$140.00/per hour \$140.00/per hour					P&C Relay Tech II:
Vendor #1 Vendor #2 Vendor #1 Vendor #2 Utility Maintenance Specialists, Inc LND Technical Services, LLC Mac Clary Mac Clary 4007 Vida Shaw Road New Iberia, mclary@ums-1.com NAM LE LA 70563 337-944-6152 email - mclary@ums-1.com 9337 Katy Fwy, STE B-5104 Houston, TX 70 281-407-6488 email-nam.le@indts.com Price Quotes & Options LA License #40398 LA License ##64522 OPTION: Second Renewal Principal Engineer: LA License #40398 LA License ##64522 Principal Engineer: \$105.00 \$133	\$160.00/per hour		\$140.00/per hour		Project Manager:
Vendor #1 Vendor #2					Professional Engineer:
Vendor #1 Vendor #2					Principal Engineer:
Vendor #1 Vendor #2	\$97.00	\$133	\$105.00		Flat Rate Labor (Per Man Hour):
Vendor #1 Vendor #2					
Vendor #1 Vendor #2 Utility Maintenance Specialists, Inc Mac Clary Mac Clary 4007 Vida Shaw Road New Iberia, LA 70563 337-944-6152 email - mclary@ums-1.com Mac Clary 9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-6488 email-nam.le@indts.com	LA License #72823	LA License ##64522	LA License #40398	Price Quotes & Options	Price Quote & Options
Vendor #2 LND Technical Services, LLC	Darryl Brown 1129 East Hwy 30 Gonzales, LA 70737 225-644-0150 email - d.brown@voltyx.com	NAM LE 9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-6488 email-nam.le@indts.com	Mac Clary 4007 Vida Shaw Road New Iberia, LA 70563 337-944-6152 email - mclary@ums-1.com		
Vendor #2	International Inc	LND Technical Services, LLC	in c		
Vendor #2	Electric Power Systems		Utility Maintenance Specialists,		
	Vendor #3	Vendor #2	Vendor #1		

RFP #1931P Testing Maintenance of Substation Transformers, Circuit Breakers, and Related Equipment Open Date: Monday, August 18, 2025 @ 2:00 PM CST

\$55.00/Sample				Circuit Breaker Oil Testing (Lab)
\$125.00/Sample				Transformer Oil Testing (Lab)
Cost + 20%				Any Materials & Consumables
Cost + 20%				Any 3rd Party Labor
Cost + 20%				Any 3rd Party Equipment Rental
				Melerial Parts
				Fuel
				36"x36" Neiprene 60 Durometer Gasket Sheet 1/4"
				Transformers Oil Samples
	\$260.00/per sample			OCB Oil Samples
				Oil Pump
				SF6 Leak Detector
				Transformer Winding Resistance Test Set
	15% Markup on Cost		Shipping Charge	Transformer Turns Ratio Test Set
	\$56.00/per hour		Service Vehicle	100 AMP Ductor
				Tanker Mobilization Charges
Cost + 15%	15% Markup on Cost	Cost + 15%		Tanker Rentals
\$235.00/per day	GSA+15%	\$170.00/per day		Per Diem
Vehicle Mileage - \$0.85/per mile				Міваде
\$97.00/per hour	Same Flat Rate	\$105.00/per hour		Travel
				Other Costs (Per Hour Rates):
				All Other Equipment
				Maintenance Trailer
	\$98.00/per hour		Breaker/Timing Travel Analyzer	Tool Truck
	\$166.00/per hour		SFRA	SF6 Gas Cart
	\$125.00/per hour		CT Analyzer	SF6 Dilo Cart (8hr min)
	\$125.00/per hour		Transformer Winding Analyzer	Service Tool Truck
	\$125.00/per hour		SF6 Anayizer	Manlifts/Forktrucks/Lights/Berms
	\$83.00/per hour		Ground Grid Test Kit	Test Van & Test Equipment
	\$166.00/per hour		Doble M4000/M4100	CT Analyzer
	\$181.00/per hour		CPC-100+TD1	SF6 Analyzer
	\$29.00/per hour		50kV AC/DC Hipot	Double Circuit Breaker Timer
LA License #72823	LA License ##64522	LA License #40398	Price Quotes & Options	Price Quote & Options
Darryi Brown 1129 East Hwy 30 Gonzales, LA 70737 225-644-0150 email - d.brown@voltyx.com	NAM LE 9337 Katy Fwy, STE B-5104 Houston, TX 770 281-407-6488 email-nam.le@indts.com	Mac Clary 4007 Vida Shaw Road New Iberia, LA 70563 337-944-6152 email - mclary@ums-1.com		
International inc	LND Technical Services, LLC	inc		
Vendor #3	Vendor #2	Vendor #1		The state of the s

•	٧	
(0	
	•	٠

	Boise Cascade Thorsby, AL \$243,552 City of Daylor	Toyota Manufacturing-\$244,905 AES-\$25	Reference List: SDI BioCarbon Solutions-\$168,000 CLECLO-\$	Mac Clary 4007 Vida Shaw Road New Iberia, LA 70563 337-944-6152 email - mclary@ums-1.com 770 281- email-nam.le(email-nam.le(Clary Nam Advance #40398	Vendor#1 Vendo Utility Maintenance Specialists, Inc LND Technical
LS Power-\$853,639.65	City of Dayton-\$590,000	AES-\$295,400	CLECLO-\$186,858	NAM LE 9337 Kaly Fwy, STE B-5104 Houston, TX 770 281-407-6488 email-nam.le@Indts.com LA License ##64522	Vendor #2 LND Technical Services, LLC
Valero-\$1,300,000	Aldridge Electric-\$402,000	Air Liquide-\$142,000	Cargill Reserve-\$102,000	Darryl Brown 1129 East Hwy 30 Gonzales, LA 70737 225-644-0150 email - d.brown@voltyx.com LA License #72823	Vendor #3 Electric Power Systems International Inc

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE LOWEST PROPOSAL RECEIVED FROM ELECTRIC POWER SYSTEMS INTERNATIONAL, INC. FOR TESTING AND MAINTENANCE OF SUBSTATION TRANSFORMERS, CIRCUIT BREAKERS AND RELATED EQUIPMENT AND OTHER MATTERS WITH RESPECT THERETO.

WHEREAS, three proposals were received on Monday, August 18, 2025 at 2:00 PM. A total of three proposals were received. It is the recommendation of the Administration to award the proposal to Electric Power Stems International, Inc at the float man hour labor rate of \$97.00/per hour. Overtime rate 1.45% and all other rates as proposed.

WHEREAS, this service contract shall remain in effect for a period of twelve months from award date. The City reserves the right to renew this service contract for up to twenty-four months in twelve months increments.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the lowest proposal received from Electric Power Systems International, Inc. for testing and maintenance of substation transformers, circuit breakers and related equipment.

SECTION II: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

1,9

SECTION III: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or

applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION IV: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 9th day of September, 2025.

NOTICE PUBLISHED on the 12th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:

NAYS:

AND THE ORDINANCE was declared adopted on this the _____ day of September, 2025 and final publication was made in the Alexandria Daily Town Talk on the _____ day of September, 2025.

PRESIDENT

MAYOR'S APPROVAL/VETO

CITY CLERK

To consider final adoption of an ordinance authorizing the mayor to renew the existing contract with Xpress Recycling for the sale of scrap metal.



AGENDA ITEM FACT SHEET

<u>Division/Department:</u> Finance/Purchasing

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current. Date: August 22, 2025

Title:	Request an ordinance to renew existing	g contract for the Sale of Scrap Metal
For an Ord Percentag metal Pric of funds, t	ie Off the American Metal Market (AMM) Nonferrous Prici e List for Category II per gross ton. This contract was orig	Additional Information Attached act with Xpress Recycling for the Sale of Scrap Metal at the quoted e List for Category I and quoted Percentage Of Ferrous Heavy Melt Scrap cinally awarded by Ordinance # 147-2024. Contingent upon the availability or a period of up to twelve (12) more months. Prices shall remain in effect
Budge		thin Requires sting Amendment
Account 1	Number:	Expense Amount:
Account L	ine Item:	Remaining Amount:
Author	rization:	4. Finance Director
1. Mayor		5. Division Director
2. Chief Op	eroting Officer	6. Department Head
3. City Attor	ney (11)	7. Purchosing Agent All
Council Review		Information: Sufficient Insufficient
Remari	ks:	}

AUG 2 5 2025 COMMON

QUOTE TABULATION

Quote Number & Quote Name: #1849P - Sale of Scrap Metal & Surplused Batteries

Quote Opening Date: Wednesday, August 13, 2024 @ 2:00 PM CST

Using Department: Electric Department

Price Quote & Options	Vendor#1 Xpress Recyclina
Category I:	
Item #1 - BARE COPPER WIRE - Deduct per Ib.	10%
Item #2 - UNBURNED COPPER - Deduct per Ib.	%09
Item #3 - ALUMINUM WIRE - Deduct per Ib.	20%
Item #4 - CLEAN ALUMINUM (not cast - includes sign blanks) - Deduct per lb.	%09
Item #5 - ALUMINUM METER CASES (Gas Dept.) - Deduct per lb.	20%
Item #6 - BRASS WATER METERS - Deduct per Ib.	20%
Item #7 - RADIATORS (free of iron) - Deduct per Ib.	20%
Category II:	
Item #8 - FIRE HYDRANTS - Per each gross ton	20%
m #9 - MIXED UNPREPARED STEEL (including Gas Meters) - Per each gross ton	20%
Item #10 - CAST IRON (including engine blocks) - Per each gross ton	50%
Certified Scales Provided:	Yes
Certified Weigh Master Provided:	Yes
Location of Certified Scales:	1210 Dallas Ave.
	Alexandria, LA
	71306

ORDINANCE NO. 147-2024

AN ORDINANCE AUTHORIZING THE MAYOR TO ACCEPT THE PROPOSAL RECEIVED FROM XPRESS RECYCLING FOR THE SALE OF SCRAP METAL FOR THE ELECTRIC DEPARTMENT AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to accept the proposal received from Xpress Recycling for the Sale of Scrap Metal for the Electric Department.

SECTION II: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION III: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION IV: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 20th day of August.

NOTICE PUBLISHED on the 23rd day of August, 2024.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS: Fowler, Washington, Rubin, Villard, Felter, Perry, Johnson.

NAYS: None ABSENT: None

AND THE ORDINANCE was declared adopted on this the 17th day of September, 2024 and final publication was made in the Alexandria Daily Town Talk on the 20th day of September, 2024.

PRESIDENT

MAYOR'S APPROVALIVE

DELIVERED SEP 18 2004

6.47

RECEIVED SEP 19 2024

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO RENEW THE EXISTING CONTRACT WITH XPRESS RECYCLING FOR THE SALE OF SCRAP METAL AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to renew the existing contract with Xpress Recycling for the sale of scrap metal.

SECTION II: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION III: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION IV: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 9th day of September, 2025.

NOTICE PUBLISHED on the 12th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

being as follows:	,
YEAS:	

NAYS:

ABSENT:
AND THE ORDINANCE was declared adopted on this the day of September, 2025 and final publication was made in the Alexandria Daily Town Talk on the day of September, 2025.
CITY CLERK PRESIDENT
MAYOR'S APPROVAL/VETO

To consider final adoption of an ordinance authorizing the mayor to renew the contract with Milliman, Inc. for actuarial services relating to Risk Management Fund.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: Finance / Finance Date: August 29, 2025

Title: Authorization for the Mayor to renew the contract with Milliman for Actuarial Services

Budget:	Explanation of This will authorize the Risk Management Fu Compensation and P	e Mayor to renew the exi nd. This is the City's self	isting contract w -insurance fund	Additional Information Attached It with Milliman Inc. for actuarial services relating to the City's and which handles claims for General Liability, Auto, Worker's		
Account Line Item: Professional Fees Remaining Amount: \$532,000 Authorization: 4. Finance Director 1. Mayor 5. Division Director 2. Chief Operating Officer 6. Department Head 3. City Attorney 7. Purchasing Agent Council Staff Form Information: Sufficient	Budget:	Neutral	1 V 1	1 1 1	ent	
Authorization: 1. Mayor 5. Division Director 2. Chief Operating Officer 6. Department Head 7. Purchasing Agent Council Staff Form Information: Sufficient	Account Number: 10	01-030100-531110-0		Expense Amount:	\$11,500	
1. Mayor 5. Division Director 2. Chief Operating Officer 6. Department Head 3. City Attorney 7. Purchasing Agent Council Staff Form Information: Sufficient Information:	Account Line Item: Pr	rofessional Fees		Remaining Amoun	t: \$532,000	
2. Chief Operating Officer 3. City Attorney 7. Purchasing Agent Council Staff Form Information: Sufficient	Authorization:		······	4. Finance Director		
3. City Attorney 7. Purchasing Agent Council Staff Form Information: Sufficient Information:	1. Mayor			5. Division Director	- Coff	
Council Staff Form Information: Sufficient Information:	2. Chief Operating Officer			6. Department Head		
Davis Sumaton: Sumaton	3. City Attorney	- 2		7. Purchasing Agent		
	:	<u></u>		Information:		

Remarks:

RECENT

SEP 0 2 2025

CITY COUNCIL



101 W. Renner Road Suite 325 Richardson, TX 75082 USA

Tel +1 214 570 8456

milliman.com

August 28, 2025

Mr. David Johnson Risk Manager City of Alexandria 915 Third Street Alexandria, LA 71301

Dear David:

This letter will confirm the scope and cost of Milliman's annual actuarial analysis of the self-insured workers compensation (WC), auto liability (AL), and general liability (GL) programs for the City of Alexandria, Louisiana (City), for the fiscal year ending 2025.

SCOPE OF SERVICES

The scope of our analysis will include the following:

- An estimate of the unpaid losses and allocated loss adjustment expenses (ALAE) as of May 5,
 2025 for the three reviewed coverages.
- A projection of the self-insured loss and ALAE funding for the next two prospective fiscal years for each coverage.
- A calculation of loss cost relativities for each fund within the City for each coverage.
- An allocation of unpaid losses and ALAE and funding requirements to funds within the City.

At the conclusion of our analysis, we will issue a draft report which explains the details of our analysis and results. Once we have received your feedback on the draft report, we will issue our final report.

COST OF SERVICES

We agree to perform the above analysis for a fixed cost of \$11,500, plus any project-related expenses (which should be minimal). In projects of this nature, it is not unusual for the client to request additional services or to change the scope of the assignment. If you request additional work, or if other work becomes necessary due to data availability or unexpected results, additional charges may apply. To the extent possible, we will discuss with you any likely additional charges before proceeding.

All work will be subject to the terms and conditions of the Consulting Services Agreement between Milliman and the City dated September 4, 2019.



Date:

Mr. David Johnson Actuarial Consulting Services August 28, 2025

We appreciate the opportunity to work with you and the City again this year. Please let me know if you have any questions regarding our analysis.

Sincerely,		
David n	n. Slang	
	ng, FCAS, MAAA	
	f the City of Alexandria, Louisiana , I autho rms described above.	rize Milliman, Inc. to undertake this analysis
Signature:		
Name:		
Title:		-

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO RENEW THE CONTRACT WITH MILLIMAN, INC. FOR ACTUARIAL SERVICES RELATING TO RISK MANAGEMENT FUND AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to renew the contract with Milliman, Inc. for actuarial services relating to Risk Management fund.

SECTION II: BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION III: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION IV: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 9th day of September, 2025.

NOTICE PUBLISHED on the 12th day of September, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:		
-------	--	--

NAYS:

ABSENT:	
AND THE ORDINANCE was September, 2025 and final Town Talk on the day	vas declared adopted on this the day of I publication was made in the Alexandria Daily y of September, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL/VE	– ETO

was a No

To consider final adoption of an ordinance authorizing the mayor to enter into an Intergovernmental Agreement with Rapides Parish Law Enforcement District relative to an employee health and wellness clinic venue program and related services.



This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

AGENDA ITEM FACT SHEET

Date: 8/13/25

INTRODUCTION

TITLE: INTOTOUCTION OF AN ORDINANCE TO AUTHORIZE THE MAYOR, ON BEHALF OF THE CITY OF ALEXANDRIA, TO ENTER INTO AN INTERGOVERNMENTAL AGREEMENT WITH THE RAPIDES PARISH LAW ENFORCEMENT DISTRICT ("RPSO") RELATIVE TO AN EMPLOYEE HEALTH AND WELLNESS CLINIC VENUE, PROGRAM AND RELATED SERVICES AND TO PROVIDE WITH RESPECT THERETO.

EXPLANATION OF PROPOSAL

The City and the Rapides Parish Sheriff's Office will cooperate with an employee health and wellness clinic venue, program and related services. RPSO employees may participate and use the clinic program and services. The City provides the place or venue and the Sheriff's office will pay for part of the occupancy, utility and related building services. The City and RPSO have each separately contracted with the third-party provider Medical Analysis, LLC for certain services. The City and Sheriff's office may cooperate with the clinic, program and related services at the venue.

	ACCOUNT NUMBER
	AMOUNT IN LINE ITEM
	AMOUNT OF EXPENSE
	AMOUNT REMAINING
TIME DEADLINE:	COUNCIL DISTRICT -
APPROVED-BY: 1. Mayor	5. Chief Operating Officer
2. Division Director) 6. Department Head
4. Director of Finance	
Review by: FormContent Council Staff	Information is: Sufficient Insufficient

PECEIVED

AUG 1 9 2025

CITY COUNCIL

ORDINANCE NO.

AN ORDINANCE AUTHORIZING THE MAYOR TO ENTER INTO AN INTERGOVERNMENTAL AGREEMENT WITH RAPIDES PARISH LAW ENFORCEMENT DISTRICT RELATIVE TO AN EMPLOYEE HEALTH AND WELLNESS CLINIC VENUE PROGRAM AND RELATED SERVICES AND OTHER MATTERS WITH RESPECT THERETO.

SECTION I: BE IT ORDAINED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the mayor to enter into an intergovernmental agreement with Rapides Parish Law Enforcement District relative to an employee health and wellness clinic venue program and related services.

SECTION II BE IT FURTHER ORDAINED, etc., that this ordinance shall become effective upon signature by the Mayor; or, if not signed or vetoed by the Mayor, upon expiration of the time for ordinances to become law without signature by the Mayor.

SECTION III: BE IT FURTHER ORDAINED, etc., that if any provision or item of this ordinance or the application thereof is held invalid, such invalidity shall not affect other provisions, items or applications of this ordinance which can be given effect without the invalid provisions, items, or applications, and to this end the provisions of this ordinance or hereby declared severable.

SECTION IV: BE IT FURTHER ORDAINED, etc., that all ordinances or parts of ordinances in conflict herewith are hereby repealed.

THIS ORDINANCE was introduced on the 26th day of August, 2025.

NOTICE PUBLISHED on the 29th day of August, 2025.

THIS ORDINANCE having been submitted in writing, introduced and published, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS:	
-------	--

33 m

NAYS:

ABSENT:	
September, 2025 and fin	was declared adopted on this the day of all publication was made in the Alexandria Daily day of September, 2025.
CITY CLERK	PRESIDENT
MAYOR'S APPROVAL	 VETO

H. <u>PUBLIC HEARING – COMMUNITY DEVELOPMENT</u>

To hold a public hearing on the cost of demolition of twenty-five (25) residential structures.



AGENDA ITEM FACT SHEET

This fact sheet is the basis for a decision by the City Council. Please insure that the information is clear, concise and current.

Division/Department: Community Development Date: July 31, 2025 Title: A Resolution setting a public hearing taking action on the cost of demolition of (25) residential structures. **Explanation of Proposal:** Additional Information Attached Introduce on August 12, 2025 for authorization to set a Cost Public Hearing on September 23, 2025 for the authority to file liens on the (25) properties that the City has demolished. The cost lien amount is a total of expenses associated with the removal of each structure based on a City Council Condemnation Order. All Property owners have been sent certified mail notice of the lien amounts and had the opportunity to pay the lien prior to City Council Public Hearing but have not to date. Requires **Budget: Existing Amendment** Account Number: 160-022417& 101-054701 Expense Amount: Amounts have been deducted as actions occurred. Account Line Item: 531101 Remaining Amount: **Authorization:** 4. Finance Director 5. Division Director 2. Chief Operating Officer 6. Department Head 3. City Attorney **Council Staff** Form Information: Sufficient Review: Content Insufficient Exhibit A - List of 25 structures **Remarks:** Exhibit B - Statement of Demolition Costs for 25 structures

Exhibit C- Before and After Photos

Exhibit D- Resolution setting Comdemnation

RINTENED

Public Hearing for Cost of Demolition Community Development

						
1				Croom Properties, LLC, David		
Ī				Croom, Alicia Croom, Alicia		
12	10699	1225	Magnolia	Dawn Eskew	Y	\$11,028.68
				Larwood Properties, LLC, Jerry		
13	10444	1227	Magnolia	Larwood, Kylie Larwood,	Υ	\$11,497.18
				Larwood Properties, LLC, Jerry		
14	10445	1229	Magnolia	Larwood, Kylie Larwood,	Υ	\$11,345.50
				Walter W. Smith, Bakies		
15	CD-13114	1346	Magnolia St.	Properties, LLC, Brandon Bakies	Υ	\$15,863.36
				Linda A. Ausmer, ETAL, Frankie		
16	CD-14381	1813	Mason St.	Mae Woods	Υ	\$5,297.36
				Mary T. Samuel, Robert		
17	CD-14910	1987	Mason St.	Hickman, James Hickman	Υ	\$13,016.68
				Mary Iles, EST. ETAL, Brunetta		
				Ann Martin, Gregory Donnell		
18	CD-14941	2018	Mason S.	Pilate, Annie Ilse Shorter	Υ	\$8,006.68
				Louis Vinson, Melonea		
19	CD-14753	1764	Monroe St.	Girollando	Υ	\$13,671.68
				Walter D. Earnest, ETAL, Helen		
20	CD-13273	1960	Monroe St.	Robinson Clarks	Υ	\$24,579.58
				Okenizie Bowie, Succession,		
				Rose Marie Howard, Sharon		
				Bowie Vorise, Alfred O.		
				Bowie, Gallergiar G. Vorise, Kato		
				Antoine, Domonique Bowie,		
21	CD-13308	5220	Morgan St.	Marcus Frazier	ΥΥ	\$10,605.68
				Henery Rhodes, Douglas		
22	11041	1851	Overton St.	Rhodes	Υ	\$14,716.18
23	CD-14946	2203	Overton St.	Ola Mae Monk,	Υ	\$10,863.68
				Macedonia Baptist Church,		
	00.44044		_	Inc.,Edna B. Holland, Rev. Fred		
24	CD-14041	2605	Overton St.	Paul Allen, Dororthy Allen	Υ	\$16,302.36
				Huey Minor, ET AL, Eddie		
				Louise Minor, Lawanda Louise		
				Melton,Barbara A. Minor,		
25	CD 14303	2640	0	James D. Minor, Sarah E. Minor,		
25	CD-14382	2618	Overton St.	Carolyn A. Minor, Janice Wade	ΥΥ	\$13,424.68

Public Hearing for Cost of Demolition Community Development

	ey N	PN#	Street	# Address		Owner/S	AA Y/	N line A- :
						Acquanetta Sesion, A'Keshi	74 1/	N Lien Amt.
1						Session, Anequa Session,	7	
1						Tederick Session, Terrance		
l						Session, Tommy Session, Nige	_	
Ι.	1 00 .	_				Session, Anitra session, Jerry	21	
	1 CD-1	5204	18	20 E. Texas A	\ve	Johnson	1	
						301113011	Y	\$16,181.8
					- 1	Cursisteen Matthews, Midwes		
						Mangaement/BMO Harris,	st	
_						Reshunda S Marthaum and		
	CD-12		202	E. Texas A	ve	Reshunda S. Matthews, Arthe C. Matthews	∃	
3	CD-15	100	150				N	\$7,531.7
					-	Jerry Warner,	Y	\$11,135.63
4	100	17	151	4 Fenner St		Leotina Dauzat, Julia Dauzat,		
				1	-	Chad Luno	Y	\$6,576.08
5	100	26	152	2 Fenner St.		Leotina Dauzat, Julia Dauzat,		
					-	Chad Luno	Υ	\$12,367.36
						Harry Thompson, Veronica		
					- 1	Hollingworth, Patrick		
						Thompson, Gary Thompson,		
6	CD-103	62	2132	Houston St.		Marsha Ervin, Donald Ray		
				11003(0)13(.	·	Thompson	Υ	\$8,615.06
					_			7 3,013.00
					1	Matt's Janitorial Services, Inc,		
7 C	D-130	72	2201	loo St	C	urtisteen Matthews, Brandon		
		-	2201	Lee St.	B	Bakies, Bakies Properties, LLC	N	\$8,420.00
					1.			70,120.00
						Matt's Janitorial Services, Inc,		1 1
3 CI	D-1288	8	2205	loo St	Cu	urtisteen Matthews, Brandon		
1			2200	Lee St.	Ba	akies, Bakies Properties, LLC	N	\$10,004.20
								¥10,004.20
1					/	Arthea Matthews, Brandon		
			1		Ba	kies, Bakies Properties, PB &		
CD)-13083	3	2209	10-0:		BJ Rentals, Ben		
			2203	Lee St.	Joh	nnson,Curtisteen Matthews	N	\$8,218.38
								70,210.30
					Ma	att's Janitorial Services, Inc,		
CD.	-14326	:	2210	100 0:	Cur	tisteen Matthews, Brandon		
		+	2210	Lee St.	Bal	kies, Bakies Properties, LLC	N	\$24,271.24
								T~7,211.24
					Aı	rthea Matthews,Brandon		1
					Bak	ies,Bakies Properties,PB &		
						BJ Rentals, Ben		
CD-	12887	1	2215	Lee St.		nson,Curtisteen Matthews	ſ	

DATE OF MAILING:

July 31, 2025

MPN #:

CD-15204

PARISH PARCEL ID #:

2404234155000901

PARISH ASSESSMENT #: 4011227451

LEGAL DESCRIPTION:

---PT. LOT 2 GARNER TRACT FRTG.

68.27' ON TEXAS AVE. X

MUNICIPAL ADDRESS:

1820 East Texas Ave. Alexandria, LA

71301

PROPERTY OWNER(S):

Acquanetta Session, ET AL; CMR #: 9589-0710-5270-1526-5180-76

A'Keshia Session; CMR #: 9589-0710-5270-1526-5180-83 Anequa Session; CMR #: 9589-0710-5270-1526-5180-90 Tederick Session; CMR #: 9589-0710-5270-1526-5181-06 Terrance Session; CMR #: 9589-0710-5270-1526-5181-13 Tommy Session; CMR #: 9589-0710-5270-1526-5181-20 Nigel Session; CMR #: 9589-0710-5270-1526-5181-37 Jerry R. Johnson; CMR #: 9589-0710-5270-1526-5181-44 Anitra Session; CMR #: 9589-0710-5270-1526-5181-51

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER RES # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$5,156.00
Contractor Fee(s):	\$9,379.50
Public Notice Advertisement Fees:	\$5.33
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$831.06
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$16,181.89
101 City Funds:	\$14,535.50
160 CDBG Funds:	\$1,646.39

DATE OF MAILING:

July 31, 2025

MPN #:

CD-12624

PARISH PARCEL ID #:

2404207220000401

PARISH ASSESSMENT #: 5010923152

LEGAL DESCRIPTION:

---LOTS 7-8-9 & REAR 50' OF LOTS 4-5-

6 L.A. PATTERSON SUBD

MUNICIPAL ADDRESS:

2025 EAST TEXAS AVENUE Alexandria,

LA 71301

PROPERTY OWNER(S): Curtisteen Matthews; CMR #: 9589-0710-5270-1526-5181-68

Midwest Management/BMO Harris C/O BMO Harris 16; CMR #: 9589-0710-5270-1526-5181-75

Reshunda S. Matthews; CMR #: 9589-0710-5270-1526-5181-82 Arthea C. Matthews; CMR #: 9589-0710-5270-1526-5181-99

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER RES # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$6,347.00
Public Notice Advertisement Fees:	\$5.33
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$369.38
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$7,531.71
101 City Funds:	\$6,347.00
160 CDBG Funds:	\$1,184.71

DATE OF MAILING:

July 31, 2025

MPN #:

CD-15100

PARISH PARCEL ID #:

2400707890000101

PARISH ASSESSMENT #: 4010322250

LEGAL DESCRIPTION:

---LOT "A" RAPIDES REALTY CO SUBD MUNICIPAL ADDRESS: 1501 Fenner St. Alexandria, LA 71302

PROPERTY OWNER(S): Jerry Warner; CMR #: 9589-0710-5270-1526-5182-05

Barbara Jean Gilber Curtis; CMR #: 9589-0710-5270-1526-5182-12

Benjamin Frederick Curtis; CMR #: 9589-0710-5270-1526-5182-29

Andrea Yvette Curtis Richardson; CMR #: 9589-0710-5270-1526-5182-36

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER RES# 565-2024:

Hazard (Lead/Asbestos) Testing Fee(s):	\$1,150.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$8,266.00
Public Notice Advertisement Fees:	\$15.33
Courthouse Filing Fees:	\$315.00
Absentee Attorney Fees:	\$789.30
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$11,135.63
101 City Funds:	\$8,266.00
160 CDBG Funds:	\$2,869.63

DATE OF MAILING:

July 31, 2025

MPN #:

10017

PARISH PARCEL ID #:

2400708630058001

PARISH ASSESSMENT #: 5018955457

LEGAL DESCRIPTION:

LOT 16, SQ 42, SAL CO ADDN BEING

50' ON OVERTON ST

MUNICIPAL ADDRESS: 1514 Fenner St. Alexandria, LA 71301

PROPERTY OWNER(S): Leotina Dauzat; CMR #: 9589-0710-5270-1526-5182-43

Julia Dauzat; CMR #: 9589-0710-5270-1526-5182-50 Chad Luno; CMR #: 9589-0710-5270-1526-5182-67

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER RES# 565-2024:

Hazard (Lead/Asbestos) Testing Fee(s):	\$1,150.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$3,685.00
Public Notice Advertisement Fees:	\$15.32
Courthouse Filing Fees:	\$315.00
Absentee Attorney Fees:	\$810.76
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$6,576.08
101 City Funds:	\$3,685.00
160 CDBG Funds:	\$2,891.08

DATE OF MAILING:

July 31, 2025

MPN #:

10026

PARISH PARCEL ID #:

2400708630058001

PARISH ASSESSMENT #: 5018955457

LEGAL DESCRIPTION:

---LOT 16, SQ 42, SAL CO ADDN BEING

50' ON OVERTON ST

MUNICIPAL ADDRESS: 1522 Fenner St. Alexandria, LA 71301

PROPERTY OWNER(S): Leotina Dauzat; CMR #: 9589-0710-5270-1526-5182-74

Chad Luno; CMR #: 9589-0710-5270-1526-5182-81

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER RES# 565-2024:

Hazard (Lead/Asbestos) Testing Fee(s):	
Abatement Contractor Fee(s):	\$1,150.00
Contractor Fee(s):	\$0.00
Public Notice Advertisement Fees:	\$9,382.00
Courthouse Filing Fees:	\$15.32
Absentee Attorney Fees:	\$420.00
Administrative Fees:	\$800.04
Administrative Fee by Ordinance:	\$0.00
	\$600.00
TOTAL:	\$12,367.36
101 City Funds:	\$8,482.00
160 CDBG Funds:	\$3,885.36

DATE OF MAILING:

July 31, 2025

MPN #:

PARISH PARCEL ID #:

2400708630031301

PARISH ASSESSMENT #: 1011358800ID: 20109

10362

LEGAL DESCRIPTION:

---1/2 LT 14 SQ 22 SAL CO ADDN

MUNICIPAL ADDRESS:

2132 Houston St. Alexandria, LA 71301

PROPERTY OWNER(S):

Harry Thompson; CMR #: 9589-0710-5270-1526-5182-98

Harry Thompson; CMR #: 9589-0710-5270-1526-5183-04

Veronica Hollingworth; CMR #: 9589-0710-5270-1526-5183-11

Patrick Thompson; CMR #: 9589-0710-5270-1526-5183-28 Gary Thompson; CMR #: 9589-0710-5270-1526-5183-35

Marsha Ervin; CMR #: 9589-0710-5270-1526-5183-42

Donald Ray Thompson; CMR #: 9589-0710-5270-1526-5183-59

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER RES # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$0.00
Public Notice Advertisement Fees:	\$6,907.00
Courthouse Filing Fees:	\$5.32
Absentee Attorney Fees:	\$210.00
Administrative Fees:	\$892.74
Administrative Fee by Ordinance:	\$0.00
	\$600.00
TOTAL:	\$8,615.06
101 City Funds: 160 CDBG Funds:	\$6,907.00
100 CDBG Funds:	\$1,708.06

DATE OF MAILING:

July 31, 2025

MPN #:

CD-13072

PARISH PARCEL ID #:

2400708630037101

PARISH ASSESSMENT #: 4010922700

LEGAL DESCRIPTION:

MUNICIPAL ADDRESS: 2201 LEE STREET Alexandria, LA 71301

PROPERTY OWNER(S): MATT'S Janitorial Service, Inc CURTISTEEN MATTHEWS; CMR #: 9589-0710-5270-1526-5183-66

Bakies Properties, LLC Brandon Bakies; CMR #: 9589-0710-5270-1526-5183-73

Matt's Janitorial Services, INC CURTISTEEN MATTHEWS; CMR #: 9589-0710-5270-1526-5183-80

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

\$1,468.30
\$0.00
\$5,767.00
\$5.32
\$210.00
\$369.38
\$0.00
\$600.00
\$8,420.00
\$5,767.00
\$2,653.00

DATE OF MAILING:

July 31, 2025

MPN #:

CD-12888

PARISH PARCEL ID #:

2400708630037101

PARISH ASSESSMENT #: 4010922700

LEGAL DESCRIPTION:

-LOT 4 & 10' OF LT 5 SQ 27 SOUTH

ALEXANDRIA LAND CO .---

MUNICIPAL ADDRESS: 2205 LEE STREET Alexandria, LA 71301

PROPERTY OWNER(S): Matts Janitorial Services Inc Curtisteen Matthews; CMR #: 9589-0710-5270-1526-5183-97

Bakies Properties, LLC Brandon K Bakies; CMR #: 9589-0710-5270-1526-5184-03 Matt's Janitorial Curtisteen Matthews; CMR #: 9589-0710-5270-1526-5184-10

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$8,819.50
Public Notice Advertisement Fees:	\$5.32
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$369.38
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$10,004.20
101 City Funds:	\$8,819.50
160 CDBG Funds:	\$1,184.70

DATE OF MAILING:

July 31, 2025

MPN#:

CD-13083

PARISH PARCEL ID #:

2400708630037001

PARISH ASSESSMENT #: 5010922400

LEGAL DESCRIPTION:

---LOT 3 & ADJ. 1/2 OF LOT 2 SQ. 27

SOUTH A.LEXANDRIA LAND COMPANY

ADDITION

MUNICIPAL ADDRESS:

2209 LEE STREET Alexandria, LA 71301

PROPERTY OWNER(S): Matts Janitorial Service Inc Arthea Matthews; CMR #: 9589-0710-5270-1526-5184-27

Bakies Properties, LLC; CMR #: 9589-0710-5270-1526-5184-34

PJ & BJ Rentals Ben Johsnon; CMR #: 9589-0710-5270-1526-5184-41

Arthea Matthews; CMR #: 9589-0710-5270-1526-5184-58 Curtisteen Matthews; CMR #: 9589-0710-5270-1526-5184-65

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2028:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$7,022.00
Public Notice Advertisement Fees:	\$5.32
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$381.06
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$8,218.38
101 City Funds:	\$7,022.00
160 CDBG Funds:	\$1,196.38

DATE OF MAILING:

July 31, 2025

MPN#:

CD-14326

PARISH PARCEL ID #:

2400706620001801

PARISH ASSESSMENT #: 5010922401

LEGAL DESCRIPTION:

---LOT 2 SQ. 3 MAGNOLIA PARK SUBD.

MUNICIPAL ADDRESS: 2210 Lee St. Alexandria, LA 71301

PROPERTY OWNER(S): MATTS JANITORAL SERVICES, INC. Curtisteen Matthews; CMR #: 9589-0710-5270-1526-5184-72

BAKIES PROPERTIES, LLC Brandon Bakies; CMR #: 9589-0710-5270-1526-5184-89

Curtisteen Matthews; CMR #: 9589-0710-5270-1526-5184-96

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$1,468.30
Abatement Contractor Fee(s):	\$4,916.25
Contractor Fee(s):	\$16,702.00
Public Notice Advertisement Fees:	\$5.32
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$369.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$24,271.24
101 City Funds:	\$21,618.25
160 CDBG Funds:	\$2,652.99

DATE OF MAILING:

July 31, 2025

MPN #:

CD-12887

PARISH PARCEL ID #:

2400708630037001

PARISH ASSESSMENT #: 5010922400

LEGAL DESCRIPTION:

---LOT 3 & ADJ. 1/2 OF LOT 2 SQ. 27 SOUTH A.LEXANDRIA LAND COMPANY

ADDITION

MUNICIPAL ADDRESS: 2215 LEE STREET Alexandria, LA 71301

PROPERTY OWNER(S): Matt's Janitorial Service Inc Arthea Matthews; CMR #: 9589-0710-5270-1526-5185-02

Bakies Properties, LLC Brandon Bakies; CMR #: 9589-0710-5270-1526-5185-19

Matt's Janitorial Service Inc Arthea Matthews; CMR #: 9589-0710-5270-1526-5185-26 Matt's Janitorial Service Cutristeen Matthews; CMR #: 9589-0710-5270-1526-5185-33 Matt's Janitorial Service Curtisteen Matthews; CMR #: 9589-0710-5270-1526-5185-40

PJ & BJ Rentals Ben Johnson; CMR #: 9589-0710-5270-1526-5185-57

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$8,082.00
Public Notice Advertisement Fees:	\$5.32
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$369.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$9,266.69
101 City Funds:	\$8,082.00
160 CDBG Funds:	\$1,184.69

DATE OF MAILING:

July 31, 2025

MPN #: 10699

PARISH PARCEL ID #:

2404108860003801

PARISH ASSESSMENT #: 1018954391

LEGAL DESCRIPTION:

--LOT 10, SQ. 5, SUNSET ADDN.

MUNICIPAL ADDRESS:

1225 Magnolia St. Alexandria, LA

71301

PROPERTY OWNER(S): CROOM PROPERTIES LLC David & Alicia Croom; CMR #: 9589-0710-5270-1526-5185-64

Stanley Bohrer; CMR #: 9589-0710-5270-1526-5185-71 Mark Bohrer; CMR #: 9589-0710-5270-1526-5185-88

Lisa Bohrer Ebarb; CMR #: 9589-0710-5270-1526-5185-95 Alicia Dawn Eskew; CMR #: 9589-0710-5270-1526-5186-01

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$732.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$8,557.00
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$315.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$11,028.68
101 City Funds:	\$8,557.00
160 CDBG Funds:	\$2,471.68

DATE OF MAILING:

July 31, 2025

MPN #: 10444

PARISH PARCEL ID #:

2404108860003901

PARISH ASSESSMENT #: 5010001016

LEGAL DESCRIPTION:

-LOT 11 SQ 5 SUNSET ADDN

MUNICIPAL ADDRESS:

1227 Magnolia St. Alexandria, LA

71301

PROPERTY OWNER(S): Larwood Properties LLC Jerry Larwood; CMR #: 9589-0710-5270-1526-5186-18

Leontina Ina Dauzat; CMR #: 9589-0710-5270-1526-5186-25

Jerry and Kylie Lynn Reynolds Larwood; CMR #: 9589-0710-5270-1526-5186-32

Kylie Larwood; CMR #: 9589-0710-5270-1526-5186-56

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER RES# 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$9,862.50
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$11,497.18
101 City Funds:	\$9,862.50
160 CDBG Funds:	\$1,634.68

DATE OF MAILING:

July 31, 2025

MPN #: 10445

PARISH PARCEL ID #:

2400501300004701

PARISH ASSESSMENT #: 4010337000

LEGAL DESCRIPTION:

---LOTS 5 & 6, SQ. 15, WELCH ADDN.

MUNICIPAL ADDRESS: 1229 MAGNOLIA STREET Alexandria,

LA 71301

PROPERTY OWNER(S): Larwood Properties, LLC Jerry Larwood; CMR #: 9589-0710-5270-1526-5186-63

Abigail Land Holdings, LLC; CMR #: 9589-0710-5270-1526-5186-70

Leontina Dauzat; CMR #: 9589-0710-5270-1526-5186-87 Felicia Dauzat; CMR #: 9589-0710-5270-1526-5186-94

Larwood Properties, LLC Kylie Larwood; CMR #: 9589-0710-5270-1526-5187-00

Bakies Properties, LLC; CMR #: 9589-0710-5270-1526-5187-17

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 450-2023:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$9,862.50
Public Notice Advertisement Fees:	\$3.00
Courthouse Filing Fees:	\$430.00
Absentee Attorney Fees:	\$450.00
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$11,345.50
101 City Funds:	\$9,862.50
160 CDBG Funds:	\$1,483.00

DATE OF MAILING:

July 31, 2025

MPN #:

CD-13114

PARISH PARCEL ID #:

2404108860005701

PARISH ASSESSMENT #: 5010190566

LEGAL DESCRIPTION:

---LOT 6, SQ 8, SUNSET ADDN

MUNICIPAL ADDRESS:

1346 MAGNOLIA STREET Alexandria,

LA 71301

PROPERTY OWNER(S): Marjorie Lorraine Smith Mercer Succession Walter W Smith; CMR #: 9589-0710-5270-1526-5187-24

BAKIES PROPERTIES LLC Brandon Bakies; CMR #: 9589-0710-5270-1526-5187-31

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$5,195.00
Contractor Fee(s):	\$9,022.00
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$831.05
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$15,863.36
101 City Funds:	\$14,217.00
160 CDBG Funds:	\$1,646.36

DATE OF MAILING:

July 31, 2025

MPN #:

CD-14941

PARISH PARCEL ID #:

2400708630019801

PARISH ASSESSMENT #: 5010272450

LEGAL DESCRIPTION:

LOT 10 SQ 15 SOUTH ALEXANDRIA

LAND CO ADDITION --

MUNICIPAL ADDRESS: 2018 Mason St. Alexandria, LA 71301

PROPERTY OWNER(S): Mary Iles, EST. Et AL; CMR #: 9589-0710-5270-1526-5188-16

Brunetta Ann Martin; CMR #: 9589-0710-5270-1526-5188-23

Gregory Donnell Pilate; CMR #: 9589-0710-5270-1526-5188-30

Annie lles Shorter; CMR #: 9589-0710-5270-1526-5188-47

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$6,372.00
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$8,006.68
101 City Funds:	\$6,372.00
160 CDBG Funds:	\$1,634.68

DATE OF MAILING:

July 31, 2025

MPN #:

CD-14381

PARISH PARCEL ID #:

2400708630004801

PARISH ASSESSMENT #: 4010050377

LEGAL DESCRIPTION:

---PT LOT 8, SQ 6, S.A.L CO ADDN

MUNICIPAL ADDRESS: 1813 Mason St. Alexandria, LA 71301

PROPERTY OWNER(S): Linda A Ausmer, ET AL; CMR #: 9589-0710-5270-1526-5187-48

Frankie Mae A Woods; CMR #: 9589-0710-5270-1526-5187-55

Jonnie Moore C/O Frankie Mae A. Woods; CMR #: 9589-0710-5270-1526-5187-62

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$3,546.00
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$315.00
Absentee Attorney Fees:	\$831.05
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$5,297.36
101 City Funds:	\$3,546.00
160 CDBG Funds:	\$1,751.36

DATE OF MAILING:

July 31, 2025

MPN #:

CD-14910

PARISH PARCEL ID #:

2400708630015601

PARISH ASSESSMENT #: 5010635950

LEGAL DESCRIPTION:

-- PT LOT 2 SQ 13 SOUTH ALEXANDRIA

LAND COMPANY ADDITION

MUNICIPAL ADDRESS:

1987 Mason St. Alexandria, LA 71301

PROPERTY OWNER(S):

Mary T. Samuel; CMR #: 9589-0710-5270-1526-5187-79

Mary T. Samuel; CMR #: 9589-0710-5270-1526-5187-86

Robert Hickman; CMR #: 9589-0710-5270-1526-5187-93

James Hickman; CMR #: 9589-0710-5270-1526-5188-09

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$11,382.00
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$13,016.68
101 City Funds:	\$11,382.00
160 CDBG Funds:	\$1,634.68

DATE OF MAILING:

July 31, 2025

MPN #:

CD-14753

PARISH PARCEL ID #:

2403909999000301

PARISH ASSESSMENT #: 1011415675

LEGAL DESCRIPTION:

---LOT "C" DORA ZIMMERMAN SUBD

MUNICIPAL ADDRESS:

1764 Monroe St. Alexandria, LA 71301

PROPERTY OWNER(S): Lewis Vinson; CMR #: 9589-0710-5270-1526-5188-54

Vinson Lewis; CMR #: 9589-0710-5270-1526-5188-61

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$12,532.00
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$315.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$0.00
TOTAL:	\$13,671.68
101 City Funds:	\$12,532.00
160 CDBG Funds:	\$1,139.68

DATE OF MAILING:

July 31, 2025

MPN #:

CD-13273

PARISH PARCEL ID #:

Parcel: 2403735191000101

PARISH ASSESSMENT #: 5010417100

LEGAL DESCRIPTION:

---LOT 75' ON MONROE STREET X

170.92'

MUNICIPAL ADDRESS: 1960 MONROE STREET Unit: House

Alexandria, LA 71301;

RE: 1960 MONROE STREET Unit: Garage Alexandria, LA 71301

PROPERTY OWNER(S): Walter D Earnest ET AL; CMR #: 9589-0710-5270-1526-5188-78

Helen Robinson Clarks; CMR #: 9589-0710-5270-1526-5222-33

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$6,733.40
Contractor Fee(s):	\$16,811.50
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$0.00
TOTAL:	\$24,579.58
101 City Funds:	\$23,544.90
160 CDBG Funds:	\$1,034.68

DATE OF MAILING:

July 31, 2025

MPN #:

CD-13308

PARISH PARCEL ID #:

2304109855002101

PARISH ASSESSMENT #: 1010665200

LEGAL DESCRIPTION:

---LOT 23 & ADJ. 1/2 LOT 22, BLK. 3, WILLOW GLEN PLANTATION SUBD;

MUNICIPAL ADDRESS:

5220 MORGAN STREET Alexandria, LA

71302

PROPERTY OWNER(S): Okenzie Bowie SUCCN Rose Marie Howard; CMR #: 9589-0710-5270-1526-5222-40

Okenzie Bowie SUCCN Sharon Bowie Vorise; CMR #: 9589-0710-5270-1526-5222-57

Okenzie Bowie SUCCN Alfred O Bowie; CMR #: 9589-0710-5270-1526-5222-64

Gallergiar G. Vorise; CMR #: 9589-0710-5270-1526-5222-71

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$8,971.00
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$10,605.68
101 City Funds:	\$8,971.00
160 CDBG Funds:	\$1,634.68

DATE OF MAILING:

July 31, 2025

MPN #: 11041

PARISH PARCEL ID #:

2400708630006301

PARISH ASSESSMENT #: 1011144700

LEGAL DESCRIPTION:

-N2 OF LOT 4 SQ 7 SAL CO ADDN

MUNICIPAL ADDRESS:

1851-1/2 Overton St. (back) Alexandria, LA 71301; RE: 1851 Overton St. (front) Alexandria, LA 71301

PROPERTY OWNER(S): Henry Rhodes; CMR #: 9589-0710-5270-1526-5222-88

Emelda G. Rhodes; CMR #: 9589-0710-5270-1526-5222-95 Douglas Rhodes; CMR #: 9589-0710-5270-1526-5223-01

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$12,976.50
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$315.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$14,716.18
101 City Funds:	\$12,976.50
160 CDBG Funds:	\$1,739.68

DATE OF MAILING:

July 31, 2025

MPN #:

CD-14946

PARISH PARCEL ID #:

2400708630040401

PARISH ASSESSMENT #: 4010967200

LEGAL DESCRIPTION:

LOT 7 SQ 29 SAL CO ADDN ---

MUNICIPAL ADDRESS: 2203 Overton St. Alexandria, LA 71301

PROPERTY OWNER(S): Ola Mae Monk; CMR #: 9589-0710-5270-1526-5223-32

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$9,229.00
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$10,863.68
101 City Funds:	\$9,229.00
160 CDBG Funds:	\$1,634.68

DATE OF MAILING:

July 31, 2025

MPN #:

CD-14041

PARISH PARCEL ID #:

2400707200002801

PARISH ASSESSMENT #: 6010011900

LEGAL DESCRIPTION:

---LOT 20 BLK 2 PARKVIEW SUBD

MUNICIPAL ADDRESS: 2605 Overton ALEXANDRIA, LA

PROPERTY OWNER(S): Macedonia Baptist Church Inc Edna B. Holland; CMR #: 9589-0710-5270-1526-5223-18

Rev. Fred Paul and Dorothy Allen; CMR #: 9589-0710-5270-1526-5223-25

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 565-2024:

Hazard (Lead/Asbestos) Testing Fee(s):	\$1,882.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$12,690.00
Public Notice Advertisement Fees:	\$15.33
Courthouse Filing Fees:	\$315.00
Absentee Attorney Fees:	\$800.03
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$16,302.36
101 City Funds:	\$12,690.00
160 CDBG Funds:	\$3,612.36

DATE OF MAILING:

July 31, 2025

MPN#:

CD-14382

PARISH PARCEL ID #:

2400709520003601

PARISH ASSESSMENT #: 5010960850

LEGAL DESCRIPTION:

---LOT 22 BLK. 2 WASTON-

WHITTINGTON SUBD.

MUNICIPAL ADDRESS:

2618 Overton St. Alexandria, LA 71301

PROPERTY OWNER(S):

Huey Minor, ET AL; CMR #: 9589-0710-5270-1526-5223-49

Eddie Louise Minor; CMR #: 9589-0710-5270-1526-5223-56

Lawanda Louise Melton; CMR #: 9589-0710-5270-1526-5223-63

Barbara A. Minor; CMR #: 9589-0710-5270-1526-5223-70

James D. Minor; CMR #: 9589-0710-5270-1526-5223-87

Sarah E. Minor; CMR #: 9589-0710-5270-1526-5223-94

Carolyn A. Minor; CMR #: 9589-0710-5270-1526-5224-00


Janice Wade; CMR #: 9589-0710-5270-1526-5224-17

COST ASSOCIATED WITH THE CONDEMNATION AND DEMOLITION OF THIS STRUCTURE TO DATE PER # 638-2025:

Hazard (Lead/Asbestos) Testing Fee(s):	\$0.00
Abatement Contractor Fee(s):	\$0.00
Contractor Fee(s):	\$11,790.00
Public Notice Advertisement Fees:	\$5.31
Courthouse Filing Fees:	\$210.00
Absentee Attorney Fees:	\$819.37
Administrative Fees:	\$0.00
Administrative Fee by Ordinance:	\$600.00
TOTAL:	\$13,424.68
101 City Funds:	\$11,790.00
160 CDBG Funds:	\$1,634.68


Community Development Department

Properties for consideration to file cost lien:




1825 E. Texas Ave. Address: MPN #:





Date Completed:06/09/2025



2025 E. Texas AVE. CD-12624 Address: MPN #:




Date Completed:07/02/2025



Address: 1501 Fenner St. MPN #: CD-15100



Date Completed: 03-28-2025



Date Completed: 03-07-2025




Address: 1514 Fenner St. MPN #: 10017



Address: 1522 Fenner St. MPN #: 10026



Date Completed: 03-07-2025



Address: 2132 Houston St. MPN #: 10362




Date Completed: 06-10-2025


EXHIBIT C

PISCOUNT APLIANCES (318) 445-6009


Address: 2201 Lee St. MPN #: CD-13072




Date Completed: 05-16-2025




Address: 2205 Lee St. MPN #: CD-12888



Date Completed: 05-27-2025



Address: 2209 Lee St. MPN #: CD-13083



Date Completed: 05-27-2025



Address: 2210 Lee St. MPN #: CD-14326




Date Completed:06-16-2025


Community Development Department

EXHIBIT C

Properties for consideration to file cost lien:



2215 Lee St. CD-12887 Address: MPN #:



Date Completed: 06-12-2025



Address: 1225 Magnolia St. MPN #: 10699 10699



Date Completed: 05-28-2025

Address: 1227 Magnolia St. MPN #: 10444







Date Completed: 05-28-2025




Address: 1229 Magnolia St. MPN #: 10445



Date Completed: 05-28-2025




Address: 1346 Magnolia St. MPN #: CD-13114



Date Completed: 04-28-2025




Address: 1813 Mason St. MPN #: CD-14381




Date Completed: 04-28-2025

Community Development Department


Properties for consideration to file cost lien:




Address: 1987 Mason St. MPN #: CD-14910



Date Completed: 04-28-2025




Address: 2018 Mason St. MPN #: CD-14941 CD-14941



Date Completed: 04-21-2025

Properties for consideration to file cost lien: Community Development Department



Address: 1764 Monroe St. MPN #: CD-14753 CD-14753



Date Completed: 07-02-2025







Date Completed: 06-09-2025


Community Development Department

EXHIBIT C


Properties for consideration to file cost lien:



Address: 5220 Morgan St. MPN #: CD-13308



Date Completed: 07-02-2025



Address: 1851 Overton St. MPN #: CD-11041



Date Completed: 04-28-2025

Community Development Department

EXHIBIT C

Properties for consideration to file cost lien:


Address: 2203 Overton St. MPN #: CD-14946



Date Completed: 04-01-2025



Address: 2605 Overton St. MPN #: CD-14041




Date Completed: 03-24-2025



Address: 2618 Overton St. MPN #: CD-14382

EXHIBIT C





Date Completed: 05-27-2025

Address: MPN #:

Date Completed:

RESOLUTION NO. 0450-2023

A RESOLUTION TAKING ACTION ON THE FOLLOWING 25 RESIDENTIAL STRUCTURES.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the condemnation of the following structures:

2413 13 Street Julia Leach EST.

337 16 Street Larwood Properties, Abigail

Land Holdings LLC

1210 Broadway Ave.- Oceal Walker

208 Chester A&B – Larwood Properties, Bakies

Properties LLC, Tax Sale

Owner, Abigail Land

Holdings Inc.
Tax Sale owner

3948 Clark Street Bakies Properties

119 Cottage Street Charles D. Williams

4826 Green Street Sterkx & Woodard LLC

2831 Harris Street Elizabeth Tisby

3508 Hollywood Dr. Heartland Investors US Bank

2737 Houston St. Diane P. Griffin

2320 Hynson Street Gullage Investment Group

2421 Hynson Street Abigail Land Holdings LLC

2617 Lee Street Lena Geno Connella

2212 Levin Street L.S.D. Inc.

72 Louisiana Ave. Larwood Properties

1229 Magnolia Street Larwood Properties

56 Meyer Street ACC Tax Sales People

2305 New York Ave. Croom Properties, LLC

634 Williamson St. James Harvey

2702 Wise Street George Henry

3129 Wise Street Shekita D. Phoenix

BE IT FURTHER RESOLVED etc., that in the event the owners, agent, or other representatives of the owners fails to provide sufficient evidence of the owner intent to repair the structure (s) in accordance with the terms herein, said demolition and/or removal shall be undertaken by the City of Alexandria and any excess costs will be assessed against the lot upon the building is situated, all in accordance with the provision of Louisiana Revised Statutes 33:4765 and 4766.

REMOVED FROM THE LIST

2120 Cabrini – David M. Langston Et Al

Cassandra F. Langston

2514 Wise Street Beatrice Allen, ET AL

BE IT FURTHER RESOLVED, etc., the following property listed as owner was removed from the condemnation list.

45- DAYS EXTENSION

2002 Kelly Street

D. McManus Properties, LLC

3202 Olcutt

Lenorad Lawson

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the extension of forty-five (45) days for the owners, agent, or other representatives of the owners to provide evidence to the Community Development Department that the structure(s) listed below will be renovated/repaired and to be brought up to the City of Alexandria Property Standards Code.

BE IT FURTHER RESOLVED, etc., that the Council of the City of Alexandria, Louisiana, will reconvene, that the public hearing will be held on <u>October 3, 2023</u> to determine whether the owners, agent or other representatives of the owners will be allowed an additional forty-five (45)) days to renovate/repair the structure(s) or the following structure(s) should be condemned and demolished or removed in accordance with the Louisiana Revised Statute 33:4763 et seq.

BE IT FURTHER RESOLVED etc., that in the event the owners, agent, or other representatives of the owners fails to provide sufficient evidence of the owner intent to repair the structure (s) in accordance with the terms herein, said demolition and/or removal shall be undertaken by the City of Alexandria and any excess costs will be assessed against the lot upon the building is situated, all in accordance with the provision of Louisiana Revised Statutes 33:4765 and 4766.

PASSED AND ADOPTED at Alexandria, Louisiana, this 8th day of, 2023

/S/Donna Jones
City Clerk

RESOLUTION NO. 0565-2024

RESOLUTION TO HOLD A PUBLIC HEARING TO CONSIDER CONDEMNATION OF (9) NINE STRUCTURES.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the condemnation of the following structures:

1130 3rd Street – Paul Benoit

1501 Fenner Street – Jerry Warner

1514 Fenner Street – Leontina Dauzat

1522 Fenner Street – Leontina Dauzat

3120 Madonna Dr. Scott Riche

Bonnie Riche

2605 Overton Street- Edna B. Holland

Fred Paul Allen Dorothy Allen

BE IT FURTHER RESOLVED, etc., that in the event the owners, agent, or other representatives of the owners fails to repair the structure in accordance with the terms herein, said demolition and/or removal shall be undertaken by the City of Alexandria and any excess costs will be assessed against the lot upon which the building is situated, all in accordance with the provision of Louisiana Revised Statutes 33:4765 and 4766.

ORDER OF CONDEMNATION

BE IT FURTHER RESOLVED, etc., The City Council considering the recommendations of the Community Development Officer, the notice to the

property owner, agent, or other representative of the property owner, the failure of the property to meet requirements of the laws and ordinances, the public hearing held on June 25, 2024, the facts justifying condemnation of the structures and improvements on the following properties and it is ordered the following properties are condemned and shall be demolished and removed by the City or its agents within Thirty(30) days of this Order or within the discretion of the City at any time thereafter.

BE IT FURTHER RESOLVED, etc., that the Order of Condemnation is final and shall be enforceable in accordance with law and subject to R.S. 33:4763 and other laws of the State of Louisiana and the Ordinances of the City of Alexandria.

60-DAYS EXTENSION

1303 Jackson Street- Stacey Bordelon, Travis Bordelon

1915 Jackson Street – Richard Hunter Holloway

Georgia Holloway

BE IT FURTHER RESOLVED, etc., that the Council of the City of Alexandria, Louisiana in legal session convened, authorizes the extension of 60 days for the owners, agents, or other representatives of the owners to provide evidence to the Community Development Department that the two structure(s) listed above will be renovated/repaired and be brought up to the City of Alexandria Property Standards Code.

BE IT FURTHER RESOLVED, etc., that the Council of the City of Alexandria will reconvene for a public hearing to be held on **September 3**, **2024** to determine whether the owners, agents or other representatives of the owners will be allowed additional time to renovate/repair the two structure(s) or the structures listed above will be condemned and demolished or removed in accordance with the Louisiana Revised Statute 33:4763 et seq.

REMOVED FROM THE LIST

2211 North MacArthur Dr.- Alexandria Hospitality Partner, LLC

Martin Johnson Will J. Belton Company, LLC Will J. Belton

BE IT FURTHER RESOLVED, etc., that the property listed above shall be removed from the condemnation list at the request of the Administration.

THIS RESOLUTION having been submitted in writing was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS: Fowler, Villard, Felter, Perry, Johnson.

NAYS: None.

Absent: Washington, Rubin.

AND THE RESOLUTION was declared adopted on the 25th day of June, 2024.

/S/ Donna Jones City Clerk

RESOLUTION NO. 0638-2025

A RESOLUTION TAKING ACTION ON THE FOLLOWING 26 RESIDENTIAL STRUCTURES.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes the condemnation of the following structures located at

1820 East Texas Avenue Anguneta Session, A'Keshia Session,

Anequa Session, Tederick Session, Terrance Sessions, Tommy Session, Nigel Sessions,

Anitra Session, Jerry Johnson.

2025 East Texas Avenue Curtisteen Matthews, Midwest Management

BMO Harris

2132 Houston Street Harry Thompson, Veronica Hollingworth,

Patrick Thompson, Gary Thompson, Marsh

Ervin, Donald Ray

2201 Lee Street Matt's Janitorial Service, Inc., Curtisteen

Matthews, Bakies Properties, Brandon Bakies

2205 Lee Street Matt's Janitorial Service, Inc. Curtisteen

Matthews, Bakies Properties, Brandon Bakies

2209 Lee Street Matt's Janitorial Service, Inc., Curtisteen

Matthews, Arthea Matthews, Bakies

Properties, Brandon Bakies

	2210 Lee Street	Matt's Janitorial Service, Inc. Curtisteen Matthews Bakies Properties, Brandon Bakies
	2215 Lee Street	Matt's Janiorial Service, Inc., Curtisteen Matthews, Arthea Matthews, Bakies properties, Brandon Bakies, PB & J Rentals Ben Johnson.
	1225 Magnolia St	Croom Properties, David Croom, Alicia Croom
	1227 Magnolia St	Larwood Properities, Jerry Larwood.
	1346 Magnolia Street	Walter Smith, Emanuel Lewis, Bakies Properties, Brandon Bakies
	1813 Mason St	Linda Ausmer, ET AL, Frankie Mae Woods, Jonnie Moore.
to be	1987 Mason	Mary T. Samuel
	2018 Mason	Mary Iles,EST,ET AL, Brunetta Martin, Gregory Pilate, Annie Iles Shorter
	1764 Monroe Street	Lewis Vinson, Melone Girollando, Scott, Goodstall
	1960 Monroe Street	Helen Robinson Clarks, Walter Earnest
	3219 Monroe Street	Rigoberto Melendez

5220 Morgan Street Ros	e Marie Howard,	Sharon Bowie
------------------------	-----------------	--------------

Vorise, Alfred Bowie

1851 Overton Henry Rhodes, Emelda Rhodes Douglas

Rhodes

1914 Overton Roman Smith

2203 Overton Ola Mae Monk

2307 Overton Thelma Williams Powell, Sandra

Powell, Rebecca King

2618 Overton Huey Minor, ET AL

1504 Yoist Street Larwood Properties, Jerry Larwood,

Kylie Larwood

1508 Yoist Lawrence & Susan Menache

BE IT FURTHER RESOLVED, etc., that in the event the owners, agent, or other representatives of the owners fails to repair the structure in accordance with the terms herein, said demolition and/or removal shall be undertaken by the City of Alexandria and any excess costs will be assessed against the lot upon which the building is situated, all in accordance with the provision of Louisiana Revised Statutes 33:4765 and 4766.

ORDER OF CONDEMNATION

BE IT FURTHER RESOLVED, etc., The City Council considering the recommendations of the Community Development Officer, the notice to the property owner, agent, or other representative of the property owner, the failure of the property to meet requirements of the laws and ordinances,

the public hearing held on March 11, 2025, the facts justifying condemnation of the structures and improvements on the following properties and it is ordered the following properties are condemned and shall be demolished and removed by the City or its agents within Thirty(30) days of this Order or within the discretion of the City at any time thereafter.

BE IT FURTHER RESOLVED, etc., that in the Order of Condemnation is final and shall be enforceable in accordance with law and subject to R.S. 33:4763 and other laws of the State of Louisiana and the Ordinances of the City of Alexandria.

REMOVED FROM THE LIST

BE IT FURTHER RESOLVED, etc., the following property listed as owner was removed from the condemnation list.

2702 Mason Street - Louis Blalock

BE IT FURTHER RESOLVED, etc., that the property listed above shall be removed from the condemnation list at the request of the Administration.

THIS RESOLUTION having been submitted in writing was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS: Fowler, Villard, Larvadain, Perry, Johnson, Felter.

NAYS: None

Absent: Green

AND THE RESOLUTION was declared adopted on the 11th day of March, 2025.

/S/ Donna Jones
City Clerk

RESOLUTION NO. 0684-2025

RESOLUTION SETTING A PUBLIC HEARING TAKING ACTION ON THE COST OF DEMOLITION OF TWENTY-FIVE (25) RESIDENTIAL STRUCTURES TO BE HELD ON SEPTMEBER 23, 2025.

BE IT RESOLVED by the Council of the City of Alexandria, Louisiana, in legal session convened, that the Council hereby authorizes a public hearing taking action on the cost of demolition of twenty-five (25) residential structures to be held on September 23, 2025.

THIS RESOLUTION having been submitted in writing, was then submitted to a final vote as a whole, the vote thereon being as follows:

YEAS: Larvadain, Perry, Johnson, Felter, Green, Fowler, Villard.

NAYS: None

ABSENT: None

PASSED AND ADOPTED at Alexandria, Louisiana, this 12th day of August, 2025.

/s/ Donna P. Jones, MMC City Clerk

Adjourned

Alexandria City Council meetings and Council committee meetings are broadcast live and may be viewed live by the public on Optimum Cable Channel 4. A rebroadcast may be viewed on Optimum Cable Channel 4 and the City of Alexandria, LA website www.cityofalexandriala.com