

# **COVER PAGE**

## Bid Proposal #2391

## WATER METERS

Sealed bids and electronic submitted bids for the above will be received until <u>10:00 AM CST or CDT</u>, <u>Tuesday</u>, <u>December 13</u>, <u>2022</u>, and <u>publicly opened</u> in the City of Alexandria Council Chambers or Council Committee Room.

Please file bid by one of the following means:

### Hand-Delivered or Express Delivery:

Attention: Donna Jones, City Clerk City of Alexandria - City Hall 915 Third Street, First Floor Alexandria, LA 71301 Phone: 318-449-5047

#### Mailed via USPS:

Attention: Donna Jones, City Clerk City of Alexandria - City Hall PO Box 71 Alexandria, LA 71309-0071

## **Electronic Bid Submission: Central Bidding**

Pursuant to Louisiana R.S. 38:2212 B.(6)(a) through E. (1-7) and R.S. 38:2212.1 B.(4)(a), vendors/contractors have the option to submit their bids and bid bonds electronically. Bids and bonds to be filed electronically shall be posted with **Central Bidding** at <a href="https://www.centralauctionhouse.com">www.centralauctionhouse.com</a> (phone 1-225-810-4814). Registration will need to be completed prior to posting of bid.

Complete bid specifications are available for viewing and downloading at the City of Alexandria's website <a href="https://www.cityofalexandriala.com">www.cityofalexandriala.com</a>; on the left hand side of the opening page, go to the heading "Business" then drop down to "RFP/RFQ/Bids"; the current bids will be listed for your convenience.

City of Alexandria Buyer Name:

Quishawnta Caraballo

Phone Number: Fax Number:

(318) 441-6183 (318) 619-3414

E-Mail Address:

quishawnta.caraballo@cityofalex.com



## City of Alexandria

Purchasing Department P.O. Box 71 Alexandria, Louisiana 71309-0071



Office: (318) 441-6180 Fax: (318) 441-6185

Sealed bids will be received until 10:00 AM, Tuesday, December 13, 2022, and <u>publicly opened</u> in the Council Chambers or Council Committee Room.

Bid Bond Requirements: A bid bond or check for N/A% of the total amount of bid.

<u>Performance Bond Requirements:</u> In the event bid is accepted, a performance bond shall be required in the amount of N/A%.

City of Alexandria Bid Proposal #2391 Pages: 1 - 21

Date Specifications Prepared: October 6, 2022

Please file bid with the following: Donna Jones, City Clerk

City of Alexandria 915 Third Street P.O. Box 71 Alexandria, LA 71309-0071

Phone: 318-449-5047

#### INTRODUCTION

#### WATER METERS – TWELVE (12) MONTH PERIOD

It is the intent of the City of Alexandria to secure pricing on **WATER METERS**, for use by the City of Alexandria Water Department. Said material is to be inventoried by the Central Warehouse Department.

Bids are to remain in effect for twelve (12) months from the bid award date. Quantities are estimated, not guaranteed. Items will be ordered on an "as needed" basis.

No bid may be withdrawn for at least thirty (30) days after the scheduled closing time for the receipt of bids. Quoted prices shall remain firm until product(s) have been accepted by the City of Alexandria as delivered.

<u>All bid prices shall include any and all freight charges</u>. All products are to be shipped F.O.B., freight pre-paid, the City of Alexandria Central Warehouse, located at 2021 Industrial Park Road, Building WH, Alexandria, LA 71303.

Completed bid shall be returned as issued by the City of Alexandria with ALL PAGES intact and all specification response columns filled in. Incomplete columns or missing pages, to include addendum pages, will result in the bidder's (or proposer's) entire bid being rejected.

Questions and/or clarifications of bid specifications and submittals for "or equal" manufacturers are to be in written form, either mailed, faxed or e-mailed to the attention of Casey Barnes, City of Alexandria – Purchasing Department, P.O. Box 71, Alexandria, LA 71309-0071; Fax #318-619-3414; e-mail quishawnta.caraballo@cityofalex.com; and must be received by close of business on Thursday, December 1, 2022.

### GENERAL CONDITIONS FOR BIDDERS - PLEASE READ CAREFULLY

- 1. Pursuant to LA R.S 38:2212.1. C.(1)(2), any manufacturer's preference in this proposal is descriptive, but non-restrictive, and is used only to indicate minimum requirement for type, grade and quality unless otherwise specified.
- 2. Pursuant to LA R.S. 38:2212 B.(1), the provisions and requirement of this bid shall not be considered as informalities and shall not be waived by the City of Alexandria. Therefore, conditions and specifications on this bid form shall be strictly enforced and any and all alterations, deviations, and non-compliance to said conditions and specifications, either on the bid form or by separate attachment, shall be grounds for immediate disqualification.
- 3. Preference shall be given to bidders quoting F.O.B. Destination (the City of Alexandria using department), FREIGHT PREPAID, unless otherwise requested.
- 4. Each bidder shall submit his proposal on the proposal form furnished by the City of Alexandria Purchasing Department. The complete bid package must be returned as issued by the City with all pages intact and all specification response columns filled in. Incomplete columns or missing pages, to include addendum pages, shall result in the vendor's entire bid package being rejected.
- 5. Literature, brochures, and other related paperwork attached to the bid should be identified with the name of the bidder and bid item number.
- 6. In case of a mathematical discrepancy between unit price and extensions, the unit price shall prevail.
- 7. Pursuant to LA R.S. 38:2212 F., the bid specifications may contemplate a fixed escalation or de-escalation in accordance with the United States Bureau of Labor Statistic's Consumer Price Index or the Producer Price Index. Bids based on specifications which are subject to a recognized escalation index shall be legal and valid for any item of a public work, at the discretion of the City.
- 8. Pursuant to LA R.S. 38:2212.1. F., any public procurement unit may participate in a cooperative purchasing agreement with the City of Alexandria to acquire quantities of the above listed items under a contract with the City of Alexandria for items awarded by public bid, pursuant to the cooperative purchasing provisions of Part VII of Chapter 17 of Subtitle III of Title 39 of the Louisiana Revised Statures of 1950, R.S. 39:1701 et seq.
- 9. The City of Alexandria reserves the right to award by item or by total bid, unless otherwise specified in the bid specifications. (Price(s) should be itemized.)
- 10. All erasures or corrections on the bid form must be initialed and the City of Alexandria may rely on the apparent authority represented by the initials.
- 11. The City of Alexandria reserves the right to reject for cause any and all bids or parts of bids, or accept bids most beneficial to the City.

## General Conditions for Bidders - Please Read Carefully (Continued)

- 12. Any bid submitted which contains additions, conditional or alternate bids, or irregularities which may make the proposal incomplete, indefinite, or ambiguous as to its meaning, thus requiring clarification after the specified date and time of bid opening shall be rejected.
- 13. Bids shall be opened publicly in the City Council Chambers or Council Committee Room.
- 14. Cash discounts may be accepted, but SHALL NOT be considered in making award.
- 15. Regarding a bid for purchase of materials, supplies or services, not to include construction of any public works, a written notice of acceptance mailed or otherwise furnished to the successful bidder shall result in a binding contract without further action by either party.
- 16. When any bid is accepted for the construction or doing of any public works, a written contract shall be executed by and between the City of Alexandria and the Contractor. No contract shall be binding upon the City until it has been executed by the City and delivered to the successful bidder. Should the bidder to whom the contract is awarded fail to execute the contract, the award shall then be made to the next lowest responsible bidder, or re-advertised for public bid, said decision to be in the sole judgment of the City of Alexandria. This action may result in the loss of bidding privileges for a period of one (1) year.
- 17. The City of Alexandria shall schedule for payment the invoices for articles or services purchased under this bid within thirty (30) days after due and proper delivery accompanied by invoice.
- 18. The City of Alexandria is exempt from all sales taxes. A sales tax exempt form shall be furnished by the City of Alexandria Purchasing Department, if requested.
- 19. Bidder(s) awarded item(s) by the City of Alexandria shall be responsible for supplying all products at the awarded price(s). Failure may result in the City's cancellation of the remaining items awarded.
- 20. Regarding Service Contracts and Procurement Contracts, the terms of the contract shall be binding upon any and all parties involved until goods and supplies are delivered, services have been rendered, and/or work has been completed and accepted by the Mayor on behalf of the City of Alexandria and all payments required to be made to the Contractor have been made. However, a contract may be terminated under any and all of the following conditions:
  - (a) By mutual agreement and consent of either party upon thirty (30) days written notice to the other party;
  - (b) By the Mayor, on behalf of the City of Alexandria, as a consequence of the failure of the Contractor to comply with the terms and conditions of the contract or the progress or quality of work to be performed in a satisfactory manner, proper allowance being made for circumstances beyond the control of the Contractor; or
  - (c) By satisfactory completion of all services and obligations described in the contract.

## General Conditions for Bidders - Please Read Carefully (Continued)

If the contract is terminated for any of the terms and conditions authorized in sub-paragraph (b) above, Contractor shall be formally notified in writing by the City of Alexandria Purchasing Department by means of certified mail informing him of cancellation of the contract, giving specific reasons for said cancellation. Contractor shall have the right to appeal to the City Council within ten (10) days from the date that said notification is placed in the U.S. Mail. Contractor's appeal shall be accomplished by means of a letter addressed to the City Council and delivered to the City Clerk, stating that an appeal to the decision of cancellation is desired. The City Council shall thereafter hold a hearing on the appeal, giving all parties the opportunity to present any and all evidence concerning the decision of cancellation. After hearing the appeal, the city Council may, by a majority vote, sustain, modify, or reverse the findings for said decision and shall provide, if requested by Contractor, a written determination of its findings.

- 21. Contractors submitting bids for Public Works construction projects in excess of \$1.00 must show his Contractor's License Number on the front of the bid envelope, except for certain projects for which a Contractor's License Number is not required by the State Contractor's Licensing Board. Failure to comply with this directive shall result in automatic bid rejection, furthermore, any Contractor who submits a bid for a type of construction for which he is not properly licensed shall be acting in violation of LA R.S. 37:2163, and shall be subject to all provisions for violation and penalties thereof. Contractors who are owned by, and are submitting a bid as a subsidiary of a parent company, whose name is listed in the State of Louisiana's Roster of Licensed Contractors, may do so by including a letter of proof of ownership from the parent company with the submitted bid package. The letter must be signed as per LA R.S. 38:2212 B.(5)(a)(b)(c) (see Item #22 below).
- 22. All bids submitted via USPS (registered or certified), overnight courier or hand delivered, shall be signed by hand and in ink by an authorized company representative per LA R.S. 38:2212 B.(5)(a)(b)(c), which states:
  - (c)(i) Evidence of agency, corporate, or partnership authority shall be required for submission of a bid to the division of administration or the State of Louisiana. The authority of the signature of the person submitting the bid shall be deemed sufficient and acceptable if any of the following conditions are met:
  - (aa) The signature on the bid is that of any corporate officer listed on the most current annual report on file with the Secretary of State, or the signature on the bid is that of any member of a partnership or partnership in commendam listed in the most current partnership records on file with the Secretary of State.
  - (bb) The signature on the bid is that of an authorized representative of the corporation, partnership, or other legal entity and the bid is accompanied by a corporate resolution, certification as to the corporate principle, or other documents indicating authority which are acceptable to the public entity.
  - (cc) The corporation, partnership, or other legal entity has filed in the appropriate records of the Secretary of State in which the public entity is located, an affidavit, resolution, or other acknowledged or authentic document indicating the names of all parties authorized to submit bids for public contracts. Such document on file with the Secretary of State shall remain in effect and shall be binding upon the principal until specifically rescinded and canceled from the records of the office.

## General Conditions for Bidders - Please Read Carefully (Continued)

- 23. In-State preferences shall not apply to procurements involving federal funds.
- Pursuant to LA R.S. 38:2212 O.(2)(a)(b), any modifications of plans and specifications will be made through an addendum. No addendum shall be issued within seventy-two (72) hours of the bid opening, excluding weekends and legal holidays, without the extension of the bid opening date. An extension of at least seven (7) but no more than thirty (30) working days is required but, re-advertising is not required. The addendum shall be transmitted by any one of the following methods: (1) facsimile transmission; (2) e-mail; (3) by hand; or (4) posted on the City of Alexandria's website (<a href="www.cityofalexandriala.com">www.cityofalexandriala.com</a>) and posted on Central Bidding's website (<a href="www.centralauctionhouse.com">www.centralauctionhouse.com</a>) if applicable.
- 25. All Federal Transit Administration (FTA) funded procurements, including operating assistance funding contracts, are to follow the *Master Agreement*, to include all applicable federal clauses.
- a. Any bidder that is found listed on the Federal Government's *System for Award Management* (SAM) website, at <a href="www.sam.gov/portal/sam">www.sam.gov/portal/sam</a>, under the advanced search feature for *Excluded Parties List System* (EPLS), shall automatically be rejected for the award of this bid, by Category and/or in its entirety. This applies to any portion of the bid that is a procurement funded by FTA.
- 26. Under the City's AFEAT (Alexandria Fairness, Equality, Accessibility, and Teamwork Program), participation by minority and/or disadvantaged business enterprise firms is encouraged. Inquiries about the AFEAT Program should be directed to the Division of Finance. As a part of its RFP response, each Bidder submit documentation of its bona fide effort to secure subcontractors that meet the City's AFEAT goals. Each bidder shall also submit proof of engagement of any subcontractor selected because of its solicitations. The Bidder's bona fide efforts and engagement(s) are a consideration in bid review and rating.

## Alexandria Fairness, Equality, Accessibility and Teamwork Program (AFEAT)

#### Dear Vendor:

Under the City's AFEAT (Alexandria Fairness, Equality, Accessibility, and Teamwork Program), participation by minority and/or disadvantaged business enterprise firms is encouraged. The AFEAT Program should be inquired about through the Division of Finance. The goals for qualifying disadvantaged, minority and female owned business in the use of professional service agreements with prime contractors will help effectuate the goals of increasing: the competitive viability of small business, minority, and women business enterprise by providing contract, technical, educational, and management assistance; business ownership by small business persons, minority persons, and women (including professional service opportunities); and the procurement by the City of professional services, articles, equipment, supplies, and materials from business concerns owned by small business concerns, minority persons, and women.

Prime contractors offering subcontracting should take specific action to ensure that a bona fide effort is made to achieve maximum results towards meeting the established goals. Primes shall document efforts and shall implement steps at least as extensive as the following in a good faith effort to reach or exceed the established goals:

- A. Establish and maintain a current list of minority and female owned businesses in Alexandria, in Rapides Parish, and in the State of Louisiana.
- B. Document and maintain a record of all solicitations of offers for subcontracts from minority or female construction contractor and suppliers in Alexandria, in Rapides Parish, and in the State of Louisiana.
- C. Secure listing of minority and women owned businesses from the City of Alexandria Purchasing Department, the Central Louisiana Business Incubator, and the State of Louisiana Department of Minority Affairs.
- D. Participate in associations which assist in promoting minority and women owned businesses such as the Central Louisiana Business League, the Central Louisiana Business Incubator, and the Entrepreneurial League System.
- E. Designate a responsible official to monitor all activity made in the effort to achieve or exceed the established goals; record contacts made, subcontracts entered into with dollar amounts, and other relevant information.

For more information on AFEAT and the City of Alexandria's Diversity in Action Initiative, and to explore a local and statewide directory of minority businesses, please visit <a href="www.diversityinaction.org">www.diversityinaction.org</a>. Should you have any questions or comments, please do not hesitate to contact our Finance Department at 318-449-5091 or our Purchasing Department at 318-441-6180.

As a part of its RFP response, each Bidder <u>shall</u> submit documentation of its bona fide effort to secure subcontractors that meet the City's AFEAT goals. Each bidder <u>shall</u> also submit proof of engagement of any subcontractor selected because of its solicitations. The Bidder's bona fide efforts and engagement(s) are a consideration in bid review and rating.

Sincerely,

City of Alexandria

## **BID SPECIFICATIONS**

**SCOPE:** The following bid specifications are to be used as minimum and maximum standards for Water Meters, for use by The City of Alexandria Water Department for stock. All quoted products shall either meet or exceed the following specifications. The City of Alexandria currently is accepting *non-solid state water* meters for meter sizes 3/4", 5/8", and 1" and *solid state water meters* for meter sizes 1-1/2", 2", 3", 4", 6", 8", 10" and 12". **Meters bid as an or equal needs prior approval before bidding.** Please initial beside each specification in the space provided.

1.	Unless otherwise stated, the use of manufacturer's name and product numbers are for descriptive purposes and to establish general quality levels <u>only</u> , they are not intended to be restrictive.	
2.	All products shall be new and of current year manufacture.	
3.	Bidders shall complete the "Unit Cost". "Brand, "Stock #" and "Carton Quantity" for each bid item listed on the "Price Page".	
4.	Each response is necessary to ensure the proper evaluation and tabulation of this bid. If this information is not filled in or completed, your bid will be rejected.	
5.	Bids should be submitted with detailed literature. Vendors are required to attach to the bid a list of entities currently using meters submitted on the bid along with contact information and telephone numbers.	
6.	THE CITY OF ALEXANDRIA WILL CONSIDER REQUEST FOR ESCALATION OR DE- ESCALATION UNIT PRICE CHANGE. As part of the vendor's bid, the vendor shall be required to submit a letter in writing from the manufacturer stating the cost and or percentage of the escalation/de-escalation. This shall be the sole source for escalating or de-escalating the unit price at the time an order is shipped during the term of the contract.	
7.	Bidder should provide documentation to indicate their proposed meter is in complete compliance with these specifications as well as any and all warranty information.	
8.	It is the responsibility of the manufacturer to contact and update the City of Alexandria with any and all required technology updates or mechanical defects/flaws discovered before or after bid is awarded.	
9.	Any technology used for updates or troubleshooting shall be furnished by the awarded vendor.	
10.	The City of Alexandria defines a "reasonable lead time" as two to four weeks from the date of order. If the awarded vendor cannot honor this reasonable lead time the City of Alexandria reserves the right to defer to the next low-bidder and said vendor may lose bidding privileges for the upcoming year's contract.	

## **BID SPECIFICATIONS (Continued)**

11.	In the instance, any materials need to be shipped back to the manufacture for maintenance or replacement; the freight cost will be the responsibility of the manufacturer/vendor.	
12.	Bids shall be awarded by category or total low bid, whichever is most beneficial to the City of Alexandria. All items in the category must be bid on for bid to be considered. Category total shall be achieved by adding unit price for all items in each category. Award will be based on price and reasonable delivery.	
13.	Successful bidder will provide up to 8 hours of free training on technical support After award of bid.	
14.	Each pallet must meet the standard dimensions of 4x4 and shall not exceed 48" in height (including goods and pallet height) for storage purposes in the City of Alexandria central warehouse.	

#### **BID FORM – PRICE PAGE**

## Category I – Non-Solid State Meters (Residential)

Estimated Usage	Water Meter Description	Bidder's Response Section
600 each	Meter, Water, ¾"; suitable for residential applications; lay-length 7-1/2"; bronze, brass or stainless steel body; cubic feet register; must be lead free to comply with NSF/ANSI Standard 61; Sensus, Neptune, Master Meter, or approved equal.	Unit Cost Per Ea.: Brand: Stock #: Carton Qty.: COA Commodity #: 8834402705

- 1. All billable unit dials must be clearly marked, starting at 100 cubic feet
- 2. No other dials but billable dials (100 cu ft = 1 billable unit) should be marked
- 3. All digits must be available on meter display
- 4. Housing must be structurally-sound to protect electronic components/displays
- All register output must be visible (with any additional digits clearly separated from main reading) on display, with number of dials clearly marked for the purposes of easy manual meter reading.
- 6. Sealed waterproof casing and long-lasting sealing materials to protect display and internal electronic components over the life of the meter.
- 7. No more than 2 numeric displays (analog or digital) on entire face, with main reading presented clearly, for easy manual meter reading.
- 8. Hermetically sealed; proven magnetic drive design eliminates dirt and moisture contamination, tampering and lens fogging problems. Standard register includes a straight-reading, odometer type totalization display; a 360 degree test circle with center sweep hand; and low flow (leak) detector. Gears are self-lubricating, molded plastic for long life and minimum friction.
- 9. Video (or photos) of meters from different angles, if available, would be very much appreciated, but are not required.

## **BID FORM - PRICE PAGE (CONT.)**

## Category I - Non-Solid State Meters (Residential)

Estimated Usage	Water Meter Description Bidder's Response Section	
250 each	Meter, Water, 5/8"; suitable for residential unit Cost Per Ea.: applications; lay-length 7-1/2"; bronze, brass or stainless steel body; cubic feet register; must be lead free to comply with Carton Qty.: NSF/ANSI Standard 61; Sensus, Neptune, Master Meter, or approved equal.	
	<ol> <li>All billable unit dials must be clearly marked, starting at 100 cubic feet</li> <li>No other dials but billable dials (100 cu ft = 1 billable unit) should be marked</li> <li>All digits must be available on meter display</li> <li>Housing must be structurally-sound to protect electronic components/displays</li> <li>All register output must be visible (with any additional digits clearly separated from main reading) on display, with number of dials clearly m for the purposes of easy manual meter reading.</li> <li>Sealed waterproof casing and long-lasting sealing materials to protect display and internal electronic components over the life of the meter.</li> <li>No more than 2 numeric displays (analog or digital) on entire face, with main reading presented clearly, for easy manual meter reading.</li> <li>Hermetically sealed; proven magnetic drive design eliminates dirt and moisture contamination, tampering and lens fogging problems. Standard register includes straight-reading, odometer type totalization display; a 360 degree test circle with sweep hand; and low flow (leak) detector. Gears are self-lubricating, molded pla long life and minimum friction</li> <li>Video (or photos) of meters from different angles, if available, would be very</li> </ol>	a center

much appreciated, but are not required.

## **BID FORM - PRICE PAGE (CONT.)**

## Category I - Non-Solid State Meters (Residential)

Estimated Usage	Water Meter Description	Bidder's Response Section
100 each	Meter, Water, 1"; suitable for residential applications; lay-length 10-3/4"; bronze brass or stainless steel body; cubic feet register; must be lead free to comply with NSF/ANSI Standard 61; Sensus, Neptune, Master Meter, or approved equal.	Unit Cost Per Ea.: Brand: Stock #: Carton Qty.: COA Commodity #: 8834402708
	for the purposes of easy manual meter read:  6. Sealed waterproof casing and long-lasting s protect display and internal electronic comp.  7. No more than 2 numeric displays (analog of face, with main reading presented clearly, for the sealed; proven magnetic driver contamination, tampering and lens fogging straight-reading, odometer type totalization.	et electronic components/displays y additional digits splay, with number of dials clearly marked ing.  lealing materials to conents over the life of the meter. For digital) on entire for easy manual meter reading.  le design eliminates dirt and moisture problems. Standard register includes a display; a 360 degree test circle with center Gears are self-lubricating, molded plastic for
Total for Category	I – Non-Solid State Meters (Residential) \$	

## **BID FORM -PRICE PAGE (CONT.)**

### Category II - Solid State Meters (Commercial)

Estimated Usage	Water Meter Description	Bidder's Response Section
25 each	Meter, Water, 1-1/2" Solid State with No moving parts; suitable for commercial applications; bronze, brass or stainless steel case with flanged ends; sealed, non-removable, tamper protected meter and register; cubic feet register; must be lead free to meet NSF/ANSI Standard 61; Sensus, Neptune, Master Meteor approved equal.	Unit Cost Per Ea.: Brand: Stock #: Carton Qty.: COA Commodity #: 8834402709
	<ol> <li>All billable unit dials must be clearly mark</li> <li>No other dials but billable dials (100 cuft =</li> </ol>	

- 3. All digits must be available on meter display.
- 4. Housing must be structurally-sound to protect electronic components/displays
- 5. All register output must be visible (with any additional digits clearly separated from main reading) on display, with number of dials clearly marked for the purposes of easy manual meter reading.
- 6. Sealed waterproof casing and long-lasting sealing materials to protect display and internal electronic components over the life of the meter.
- 7. No more than 2 numeric displays (analog or digital) on entire face, with main reading presented clearly, for easy manual meter reading.
- 8. Hermetically sealed; proven magnetic drive design eliminates dirt and moisture contamination, tampering and lens fogging problems. Standard register includes a straight-reading, odometer type totalization display; a 360 degree test circle with center sweep hand; and low flow (leak) detector. Gears are self-lubricating, molded plastic for long life and minimum friction.
- 9. Video (or photos) of meters from different angles, if available, would be very much appreciated, but are not required.

### BID FORM -PRICE PAGE (CONT.)

### Category II - Solid State Meters (Commercial)

Usage Usage	Water Meter Description	Bidder's Response Section
25 each	Meter, Water, 2" Solid State with No moving parts; suitable for commercial applications; bronze, brass or stainless steel case with flanged ends; sealed, non-removable, tamper protected meter and register; cubic feet register; must be lead free to meet NSF/ANSI Standard 61; Sensus, Neptune, Master Metor approved equal.	Unit Cost Per Ea.: Brand: Stock #: Carton Qty.: COA Commodity #: 8834402710
	1. All billable unit dials must be clearly mark	· · · · · · · · · · · · · · · · · · ·

- 2. No other dials but billable dials (100 cuft = 1 billable unit) should be marked
- All digits must be available on meter display.
- 4. Housing must be structurally-sound to protect electronic components/displays
- All register output must be visible (with any additional digits clearly separated from main reading) on display, with number of dials clearly marked for the purposes of easy manual meter reading.
- Sealed waterproof casing and long-lasting sealing materials to
  protect display and internal electronic components over the life of the meter.
- 7. No more than 2 numeric displays (analog or digital) on entire face, with main reading presented clearly, for easy manual meter reading.
- 8. Hermetically sealed; proven magnetic drive design eliminates dirt and moisture contamination, tampering and lens fogging problems. Standard register includes a straight-reading, odometer type totalization display; a 360 degree test circle with center sweep hand; and low flow (leak) detector. Gears are self-lubricating, molded plastic for long life and minimum friction.
- 9. Video (or photos) of meters from different angles, if available, would be very much appreciated, but are not required.

#### BID FORM -PRICE PAGE (CONT.)

#### Category II – Solid State Meters (Commercial)

Estimated Usage	Water Meter Description	Bidder's Response Section
10 each	Meter, Water, 3" Solid State with No moving parts; suitable for commercial applications; bronze, brass or stainless steel case with flanged ends; sealed, non-removable, tamper protected meter and register; cubic feet register; must be lead free to meet NSF/ANSI Standard 61; equipped with a replaceable unitized measuring element (UME); or approved equal design.	Unit Cost Per Ea.: Brand: Stock #: Carton Qty.: COA Commodity #: 8834402818
	<ol> <li>All billable unit dials must be clearly mark</li> <li>No other dials but billable dials (100 cuft =</li> </ol>	

- 3. All digits must be available on meter display.
- 4. Housing must be structurally-sound to protect electronic components/displays
- 5. All register output must be visible (with any additional digits clearly separated from main reading) on display, with number of dials clearly marked for the purposes of easy manual meter reading.
- 6. Sealed waterproof casing and long-lasting sealing materials to protect display and internal electronic components over the life of the meter.
- 7. No more than 2 numeric displays (analog or digital) on entire face, with main reading presented clearly, for easy manual meter reading.
- 8. Hermetically sealed; proven magnetic drive design eliminates dirt and moisture contamination, tampering and lens fogging problems. Standard register includes a straight-reading, odometer type totalization display; a 360 degree test circle with center sweep hand; and low flow (leak) detector. Gears are self-lubricating, molded plastic for long life and minimum friction.
- Video (or photos) of meters from different angles, if available, would be very much appreciated, but are not required.

## **BID FORM -PRICE PAGE (CONT.)**

## Category II - Solid State Meters (Commercial)

Estimated Usage	Water Meter Description	Bidder's Response Section
10 each	No moving parts; suitable for commercial applications; bronze, brass or stainless steel case with flanged ends; sealed,	Unit Cost Per Ea.: Brand: Stock #: Carton Qty.: COA Commodity #: 8834402819
	<ol> <li>All billable unit dials must be clearly marked,</li> <li>No other dials but billable dials (100 cuft = 1 to 3). All digits must be available on meter display.</li> <li>Housing must be structurally-sound to protect</li> <li>All register output must be visible (with any acclearly separated from main reading) on display for the purposes of easy manual meter reading</li> <li>Sealed waterproof casing and long-lasting seal protect display and internal electronic components.</li> <li>No more than 2 numeric displays (analog or difface, with main reading presented clearly, for each of the purpose of the proven magnetic drive decontamination, tampering and lens fogging prosport straight-reading, odometer type totalization displays weep hand; and low flow (leak) detector. Geolog life and minimum friction.</li> <li>Video (or photos) of meters from different ang</li> </ol>	electronic components/displays dditional digits ay, with number of dials clearly marked ing materials to ents over the life of the meter. gital) on entire easy manual meter reading. esign eliminates dirt and moisture oblems. Standard register includes a splay; a 360 degree test circle with center ars are self-lubricating, molded plastic for

much appreciated, but are not required.

## **BID FORM -PRICE PAGE (CONT.)**

## Category II - Solid State Meters (Commercial)

Estimated Usage	Water Meter Description Bidder's Response Section
10 each	Meter, Water, 6" Solid State with  No moving parts; suitable for commercial applications; bronze, brass or stainless steel case with flanged ends; sealed, non-removable, tamper protected meter and register; cubic feet register; must be lead free to meet NSF/ANSI Standard 6; equipped with a replaceable unitized measuring element (UME); or approved equal design.  Unit Cost Per Ea.:  Stock #:  Carton Qty.:  COA Commodity #: 8834402820
	<ol> <li>All billable unit dials must be clearly marked, starting at 100 cubic feet</li> <li>No other dials but billable dials (100 cuft = 1 billable unit) should be marked</li> <li>All digits must be available on meter display.</li> <li>Housing must be structurally-sound to protect electronic components/displays</li> <li>All register output must be visible (with any additional digits clearly separated from main reading) on display, with number of dials clearly marked for the purposes of easy manual meter reading.</li> <li>Sealed waterproof casing and long-lasting sealing materials to protect display and internal electronic components over the life of the meter.</li> <li>No more than 2 numeric displays (analog or digital) on entire face, with main reading presented clearly, for easy manual meter reading.</li> <li>Hermetically sealed; proven magnetic drive design eliminates dirt and moisture contamination, tampering and lens fogging problems. Standard register includes a straight-reading, odometer type totalization display; a 360 degree test circle with center sweep hand; and low flow (leak) detector. Gears are self-lubricating, molded plastic for long life and minimum friction.</li> <li>Video (or photos) of meters from different angles, if available, would be very</li> </ol>

much appreciated, but are not required.

## **BID FORM -PRICE PAGE (CONT.)**

## Category II - Solid State Meters (Commercial)

Estimated Usage	Water Meter Description	Bidder's Response Section
10 each	Meter, Water, 8" Solid State with No moving parts; suitable for commercial applications; bronze, brass or stainless steel case with flanged ends; sealed, non-removable, tamper protected meter and register; cubic feet register; must be lead free to meet NSF/ANSI Standard 61; equipped with a replaceable unitized measuring element (UME); or approved equal design.	Unit Cost Per Ea.: Brand: Stock #: Carton Qty.: COA Commodity #: 8834402864

- 1. All billable unit dials must be clearly marked, starting at 100 cubic feet
- 2. No other dials but billable dials (100 cuft = 1 billable unit) should be marked
- 3. All digits must be available on meter display.
- 4. Housing must be structurally-sound to protect electronic components/displays
- All register output must be visible (with any additional digits
  clearly separated from main reading) on display, with number of dials clearly marked
  for the purposes of easy manual meter reading.
- 6. Sealed waterproof casing and long-lasting sealing materials to protect display and internal electronic components over the life of the meter.
- 7. No more than 2 numeric displays (analog or digital) on entire face, with main reading presented clearly, for easy manual meter reading.
- 8. Hermetically sealed; proven magnetic drive design eliminates dirt and moisture contamination, tampering and lens fogging problems. Standard register includes a straight-reading, odometer type totalization display; a 360 degree test circle with center sweep hand; and low flow (leak) detector. Gears are self-lubricating, molded plastic for long life and minimum friction.
- 9. Video (or photos) of meters from different angles, if available, would be very much appreciated, but are not required.

## **BID FORM -PRICE PAGE (CONT.)**

## Category II - Solid State Meters (Commercial)

Estimated Usage	Water Meter Description	Bidder's Response Section
10 each	Meter, Water, 10" Solid State with No moving parts; suitable for commercial applications; bronze, brass or stainless steel case with flanged ends; sealed, non-removable, tamper protected meter and register; cubic feet register; must be lead free to meet NSF/ANSI Standard 61; equipped with a replaceable unitized measuring element (UME); or approved equal design.	Unit Cost Per Ea.: Brand: Stock #: Carton Qty.: COA Commodity #: 8834402865

- 1. All billable unit dials must be clearly marked, starting at 100 cubic feet
- 2. No other dials but billable dials (100 cuft = 1 billable unit) should be marked
- 3. All digits must be available on meter display.
- 4. Housing must be structurally-sound to protect electronic components/displays
- All register output must be visible (with any additional digits clearly separated from main reading) on display, with number of dials clearly marked for the purposes of easy manual meter reading.
- Sealed waterproof casing and long-lasting sealing materials to protect display and internal electronic components over the life of the meter.
- No more than 2 numeric displays (analog or digital) on entire face, with main reading presented clearly, for easy manual meter reading.
- 8. Hermetically sealed; proven magnetic drive design eliminates dirt and moisture contamination, tampering and lens fogging problems. Standard register includes a straight-reading, odometer type totalization display; a 360 degree test circle with center sweep hand; and low flow (leak) detector. Gears are self-lubricating, molded plastic for long life and minimum friction.
- Video (or photos) of meters from different angles, if available, would be very much appreciated, but are not required.

## **BID FORM -PRICE PAGE (CONT.)**

## <u>Category II – Solid State Meters (Commercial)</u>

Estimated Usage	Water Meter Description	Bidder's Response Section
10 each	Meter, Water, 12" Solid State with No moving parts; suitable for commercial applications; bronze, brass or stainless steel case with flanged ends; sealed, non-removable, tamper protected meter and register; cubic feet register; must be lead free to meet NSF/ANSI Standard 61; equipped with a replaceable unitized measuring element (UME); or approved equal design.	Unit Cost Per Ea.: Brand: Stock #: Carton Qty.: COA Commodity #: 8834402866
		I billable unit) should be marked by. ect electronic components/displays y additional digits splay, with number of dials clearly marked ing. ealing materials to conents over the life of the meter. It digital) on entire for easy manual meter reading. It design eliminates dirt and moisture problems. Standard register includes a display; a 360 degree test circle with center Gears are self-lubricating, molded plastic for

## **Bidder Information:**

Company Name:			
Address:			
City/State/Zip:			
Telephone #: ()		)	
Email			
Authorized Printed Name and Title:			
Authorized Signature:  (Per I A R S 38:2212 B (5)(a)(b)(c) - See General Conditions Item #	22 Page 4 of these hid spe	ecifications.)	